Publication No. TL-0001
24MAR00

Supersedes TL-0001
07DEC99

GCSS TOOL CATALOG

- Kodak Field Engineers should order tools listed in this catalog through *Scan Plus*.
- When ordering tools with an identifier of the form "TL-XXXX", the Part No. should be specified as "XXXXTL".
- Many of the tools in this catalog are stocked by an outside vendor. Even though the quantity in stock shown in the SPIRIT system is "0", the tool is still in stock at the vendor.

PLEASE NOTE: The information contained herein is based on the experience and knowledge relating to the subject matter gained by Eastman Kodak Company prior to publication.

No patent license is granted by this information.

Eastman Kodak Company reserves the right to change this information without notice, and makes no warranty, express or implied, with respect to this information. Kodak shall not be liable for any loss or damage, including consequential or special damages, resulting from any use of this information, even if loss or damage is caused by Kodak's negligence or other fault.

Copyright © 2000, Eastman Kodak Company

Table of Contents

NUMERICAL INDEX
ALPHABETICAL INDEX
AMATEUR and AV TOOLS
- TL-1001--TOOL - ADJUSTING
- TL-1511--TOOL - INSTALLATION
- TL-1744--GAUGE - AUTO FOCUS
- TL-2183--STRIP - FOCUS NEG 110
- TL-2329--CAMERA - 110 REF
- TL-2330--CAMERA - 126 REF
- TL-2331--CAMERA - SUPER 8 REF
- TL-2347--FILM TEXT
- TL-2353--BATTERY SIMULATOR - K
- TL-2472--CASSETTE - TAKE-UP TORQUE
- TL-2475--TAPE - 1050 Hz MIN TEST
- TL-2476--TAPE - 150 HZ MIN/MAX TAPE
- TL-2477--TAPE - 142 HZ MIN/MAX TAPE
- TL-2478--TAPE - 158 HZ MIN/MAX TAPE
- TL-2479--TAPE - HEAD ADJUSTMENT
- TL-2480--TAPE - HEAD ADJUSTMENT
- TL-2508--FILM - CROSS HATCH TEST
- TL-2640--FILM - SUPER 8 SOFT REGISTRATION
- TL-2651--FILM - 16 mm AZIMUTH
- TL-2658--UNRECORDER - SUPER 8
- TL-2669--LOOP - 16 mm MAGNETIC
- TL-2796--GAUGE - 35 MM CODE BIT
- TL-2784--SHUTTER - DARK ADJ
- TL-2831--REORDER KIT - 135 1st and
- TL-2978--DISC - FOCUS NEGATIVE
- TL-3004--TRAY - FAN SHAFT LOCK
- TL-3005--MIRROR - AM AUTO FOCUS
- TL-4319--SHUTTER TESTER NEST
- TL-4474--OPENER - SHUTTER
- TL-4475--TOOL - LENS ADJUSTING
- TL-4622--DISK - PHOTO CD TEST

CLEANING/CHEMICALS
- TL-1259--BULB - SYRINGE
- TL-1261--BRUSH - 1/2 INCH
- TL-1330--BOTTLE
- TL-1435--CYLINDER - GRADUATED
- 1C8029--KIT - DEVELOPER
- TL-1687--BOTTLE - DISPENSER
- TL-2118--BOTTLE WITH BRUSH
- TL-2151--BRUSH - VACUUM DUST

- TL-2152--VACUUM CLEANER TOOL - CREVICE
- TL-4239--BRUSH - VACUUM DUST
- TL-4121--VACUUM CLEANER TOOL - CREVICE
- TL-3688--VACUUM HOSE
- TL-2156--BRUSH
- TL-2253--BRUSH
- TL-2270--WAND - CLEANING
- TL-2773--BAG - DUST
- TL-3110--CLEANER - PRINTER
- TL-4071--VACUUM CLEANER - TONER
- TL-4236--KIT - CLEAN UP
- TL-4460--BRUSH
- TL-4584--CLEANER - OD DISK
- TL-4791--CLEANER - THERMAL HEAD
- TL-4792--BLOWER - BRUSH
- TL-4803--TUBE - REPLACEMENT
- 426629--SLEEVE - TEX
- 426631--SWABS - FOAM
- 427008--PAD - SCOURING
- 952949--PAD - SCOTCHBRITE
- 952807--PAPER - LENS
- 952808--PAPER - LENS
- 1C8055--CLEANER - HAND
- 1C8070--FILTER - CLEAR
- 1C8092--BAG - ANTISTATIC
- TL-2081--BAG, PLASTIC
- 1C8096--WIPES
- 1C8098--CLEANER - GLASS
- 1C8099--SWAB - COTTON
- 1C8100--CLOTH TACK
- 952777--DROP CLOTH
- 1C8102--WIPE - Staticide
- 1C8103--ALCOHOL - ISOP
- 1C8067--AIR - CANNED
- 1C8089--WIPES - ALCOHOL
- 952957--COTTON SWAB
- K278605--CLEANING CLOTH
- 398622--WIPES
- 952791--WIPING FABRIC

ELECTRICAL

- ELECTRICAL - ADAPTERS
  - TL-2891--ADAPTER
  - TL-2921--ADAPTER
  - TL-3454--ADAPTER PHOTOMETER - AC
  - TL-4021--ADAPTER - AC
  - TL-4597--ADAPTER
  - TL-4798--ADAPTER
  - TL-4800--ADAPTER - PHOTODETECTOR
  - TL-4915--ADAPTER
- ELECTRICAL - CABLES

- TL-1498--CABLE - SERVICE
- TL-1760--CABLE - TEST
- TL-2019--LEAD BNC - TEST
- TL-2137--CABLE
- TL-2138--CABLE
- TL-2582--WIRES - JUMPER
- TL-2741--PLUG - TEST
- TL-2933--PLUG
- TL-2947--CABLE - PF-6 COND
- TL-2948--CABLE - 25 PIN COND
- TL-3043--CABLE - PF LIGHT LOCK
- TL-3412--CONNECTOR - LOOPBACK
- TL-3677--CABLE - JUMP
- TL-3746--CABLE - EXTENSION
- TL-3748--CABLE - EXTENSION
- TL-3749--CABLE - EXTENSION
- TL-3750--CABLE - EXTENSION
- TL-3752--CABLE - EXTENSION
- TL-3795--CABLE - KELP MONITOR
- TL-3968--TOOL - SHUTTER OPEN
- TL-4076--HARNESS ASSEMBLY
- TL-4163--TOOL - SHUTTER OPEN
- TL-4199--CABLE - 9 PIN SERIAL
- TL-4219--CABLE - SERIAL
- TL-4310--CABLE - SCSI INTERFACE
- TL-4314--CORD - POWER ADAPTER
- TL-4353--CABLE - INTERFACE CONNECTION
- TL-4372--CABLE - SCSI
- TL-4391--CABLE - LAPTOP
- TL-4406--CABLE - SYNC EXTENSION
- TL-4407--CABLE - PIXEL CLOCK EXTENSION
- TL-4408--CABLE - VIDEO EXTENSION
- TL-4409--CABLE - PILL EXTENSION
- TL-4441--CABLE - ETHERNET
- TL-4447--CABLE - TOKEN RING
- TL-4492--CABLE - IBM
- TL-4576--CABLE - SCSI
- TL-4607--CABLE - SERVICE EXTENSION
- TL-4608--CABLE - SERVICE EXTENSION
- TL-4625--CABLE - LAPTOP
- TL-4670--LEAD - CHANGING
- TL-4696--CABLE - DIAGNOSTIC
- TL-4745--ANODE - VOLTAGE TEST LEAD
- TL-4806--CABLE - TEST THINNET
- TL-4820--CABLE
- TL-4836--CABLE - EXTENDER

ELECTRICAL - CIRCUIT BOARD EXTENDERS

- TL-1659--EXTENDER - CIRCUIT BOARD
- TL-2233--EXTENDER - CIRCUIT BOARD
- TL-2523--EXTENDER BOARD, 86-PIN

- TL-2524--EXTENDER BOARD, 72-PIN
- TL-2588--EXTENDER BOARD, 72-PIN
- TL-2981--BOARD - PF SBC EXTENDER
- TL-3251--BOARD No. 3 - EXTENDER
- TL-3239--BOARD - PIPELINE EXTENDER
- TL-3240--BOARD - CPU EXTENDER
- TL-3972--CABLE - VME EXTENDER
- TL-4293--EXTENDER - PCB
- TL-4334--REMOVER - IC
- TL-4463--CARD - PCB EXTENDER
- TL-4534--CARD - PCB EXTENDER
- TL-4706--CARD - PCB EXTENDER

ELECTRICAL - CIRCUIT BOARD, TEST

- TL-2229--BOARD - CONTROL AND STATUS TEST
- TL-2495--EXTENDER - PCB
- TL-2522--TOOL - PLUG HEATER
- TL-2982--SWITCH - PF INTRA
- TL-2986--PCB - PF MC INTERFACE
- TL-3248--MOTOR SETUP - PVAC
- TL-4292--EXTENDER - PCB

ELECTRICAL - CIRCUIT TESTER, RECEPTACLE/AC POWER TESTS

- TL-2544--CAP - DISCHARGE
- TL-2859--SWITCH - REMOTE
- TL-4138--PLUG
- TL-4143--ADAPTER
- TL-4719--ROM - TEST
- TL-4793--REMOTE CONTROL
- TL-4794--TERMINAL - REMOTE CONTROL
- TL-4799--CONTROLLER SYSTEM - H.I.T.
- TL-4809--PCB - PRT TEST KIT
- TL-4901--LASER POWER - CHECKER
- TL-4919--PCB - W225 DUMMY LASER

ELECTRICAL - LOGIC PROBES

- TL-3008--LOGIC PEN

ELECTRICAL - METERS, TEST LEADS AND ACCESSORIES

- TL-1210--CLIP - BLACK ALLIGATOR
- TL-1244--LEADS - TEST METER
- TL-1480--KIT - TEST LEAD
- TL-1505--TIP - BLACK TEST LEAD
- TL-2094--TIP - RED TEST LEAD
- TL-2095--TIP - BLACK TEST LEAD
- TL-2096--PLUG - BANANA
- TL-2097--PLUG - BANANA
- TL-2098--PLUG - BLACK BANANA
- TL-2099--PLUG - RED BANANA
- TL-2100--LEAD - TEST
- TL-2159--LEAD - RED TEST
- TL-2160--LEAD - BLACKTEST
- TL-2442--PLUG - RED ADAPTER
- TL-2443--PLUG - BLACK ADAPTER

- TL-2577--CASE - FLUKE METER
- TL-2598--PROBE - TEMPERATURE
- TL-2627--PROBE - RED MICRO
- TL-2628--PROBE - BLACK MICRO
- TL-2698--LEAD HK- RED TEST
- TL-2699--LEAD HK- BLACK TEST
- TL-2752-1--PROBE - TEMPERATURE
- TL-2805--LEADS - FLUKE REPLACEMENT
- TL-2835--PROBE - HIGH VOLTAGE
- TL-2865--ELECTROMETER
- TL-2865-2--LEAD -TEST
- TL-2995--LCD
- TL-3386--METER - FLUKE
- TL-3459--PROBE - REPLACEMENT
- TL-3584--MODULE - THERMOCUP
- TL-3623--PROBE - IMMERSION
- TL-3792--THERMOMETER - DIGITAL
- TL-4114--MULTIMETER
- TL-4217--PROBE - INFRARED TEMPERATURE
- TL-4315--LCD
- TL-4321--LCD
- TL-4360--METER - OPT POWER
- TL-4389--MODULE - VACUUM/PRESSURE
- TL-4440--TESTER - POCKET ETHERNET
- TL-4467--LEAD - BLACK TEST
- TL-4627--SCANNER - QUICK
- TL-4671--LEAD - CHANGING
- TL-4818--DOSIMETER - X-RAY
- TL-4869--CORD - DVM EXTENSION
- 952792--FUSE

ELECTRICAL - MISCELLANEOUS

- TL-3235--COIL - DEGAUSSING
- TL-4577--DRIVE - EXTERNAL TAPE

ELECTRICAL - OSCILLOSCOPE/PROBES

- TL-2074--PROBE - OSCILLOSCOPE, 10X
- TL-2887--TIP
- TL-3320--TIP
- TL-3348--OSCILLOSCOPE - ANALOG
- TL-4088--PROBE - OSCILLOSCOPE
- TL-4557--PROBE - OSCILLOSCOPE

ELECTRICAL - PEAK DETECTOR/LIGHT SOURCE/DETECTION

- TL-1228--PHOTOCELL
- TL-1308--KIT - Kodak Starfile ILLUMINATION
- TL-1477--KIT - PEAK PICKER
- TL-2549--PHOTOCELL
- TL-4213--TOOL - COLLIMINATION
- TL-4708--KIT - PHOTO DETECT

ELECTRICAL - PLUGS

- TL-1445--PLUG - TEST
- TL-3511--PLUG

- TL-4544--PLUG
- TL-4780--PLUG - LOOPBACK

ELECTRICAL - POWER SUPPLIES

- TL-1948--POWER SUPPLY - Hewlett-Packard

ELECTRICAL - SERVICE MODULE/PANEL

- TL-2087--MODULE - DIAGNOSTIC SERVICE

ELECTRICAL - SIMULATORS

- TL-2261--SIMULATOR - CRYSTAL OUTPUT
- TL-2265--TESTER - DIELETRIC
- TL-2520--DETECTOR - PIN 10
- TL-2676--READER - DIGIT CASSETTE
- TL-2701--SIMULATOR - AA BATTERY
- TL-3234--CABLE - EIA INTERFACE
- TL-4689--SIMULATOR - FILM
- TL-4690--SIMULATOR - BATTERY
- TL-5292--BATTERY SIMULATOR (DC40)
- TL-5293--BATTERY SIMULATOR (DC50)
- TL-5294--BATTERY SIMULATOR (DC25)
- TL-5295--BATTERY SIMULATOR (DC120)
- TL-5296--BATTERY SIMULATOR (DC210/200)
- TL-5297--BATTERY SIMULATOR (DC220/260/265)
- TL-5298--BATTERY SIMULATOR (DC240)
- TL-5336--CAPACITOR DISCHARGING TOOL
- TL-5337--CAPACITOR DISCHARGING TOOL

ELECTRICAL - TERMINALS/WIRE

- 952961--WIRE No. 30
- 952805--KIT - TERMINAL
- 952768--KIT - TERMINAL SELECTOR
- 591571--TERMINAL
- 764109 to 764123--TERMINAL
- 764390--TERMINAL
- 774243 to 774246--TERMINAL
- 787837--TERMINAL
- 787892--CONTACT
- 165152--JUMPER

ELECTRICAL - TEST CONNECTORS/TOOLS

- TL-2031--CONNECTOR - A TO D CONVERTER TEST
- TL-2032--CONNECTOR - DIGITAL I/O TEST, No. 2
- TL-2033--CONNECTOR - DIGITAL I/O TEST , No.1
- TL-2672--CONNECTOR - BUS DIAGNOSTIC
- TL-2968--JUMPER - PF RS-232 TEST
- TL-2983--CONNECTOR - PF INTRA
- TL-3209--PLUG - WRAP AROUND
- TL-3590--ADAPTER - DUAL SOCKET
- TL-3611--CONNECTOR - BNC BARREL
- TL-4128--CONNECTOR - IBM TEST
- TL-4181--CONNECTOR - LOOPBACK
- TL-4238--ADAPTER - NULL MODEM
- TL-4369--CONNECTOR - LOOPBACK
- TL-4384--PLUG - COAXIAL

- TL-4495--CONNECTOR - TAG
- TL-4597--ADAPTER
- TL-4498--CONNECTOR - BUS DIAGNOSTIC
- TL-4702--CABLE TESTER
- TL-4715--TOOL - PULSE CYCLE TEST

MECHANICAL - ADJUSTMENT TOOLS

- TL-1481--SCREWDRIVER - INSULATED
- TL-2077--TOOL - TUNING
- TL-2078--TOOL -TUNING
- TL-2497--TOOL - SHUTTER ADJUSTMENT
- TL-2532--TOOL - LENS OBJECT ADJUSTING
- TL-2533--TOOL - MIRROR OBJECT ADJUSTING
- TL-2950--TOOL - CAPPER ALIGNMENT
- TL-3008--TOOL - ADJUSTMENT
- TL-3009--BEARS SET
- TL-3322--TOOL - ADJUSTMENT
- TL-3378--TOOL - FILM GUIDE ADJUSTMENT
- TL-4164--JIG - ROTOR PUMP SETUP
- TL-4198--TOOL - RED/BLUE ALIGNMENT
- TL-4261--TOOL - PROBOSCIS SHAFT
- TL-4364--PLATE ADJUSTMENT
- TL-4520--SCREWDRIVER - INSULATED
- TL-4812--BRACKET - FOCUS
- TL-4902--TOOL - MIRROR ADJUSTMENT

MECHANICAL - ALIGNMENT TOOLS/FIXTURES/MIRRORS

- TL-1759--TOOL - MIRROR ALIGNMENT
- TL-2433--ROD - TRANSPORT SUPPORT
- TL-2515--SCREEN - BEAM VIEW
- TL-2518--MIRROR - RETROREFLECT
- TL-2521--SLIDE - GRID FORM
- TL-2525--RETROREFLECTION PLATFORM AY
- TL-2526--TOOL - PRISM IG ALIGNMENT
- TL-2528--MIRROR - FORM SLIDE
- TL-2529--SCREEN - TOOL VIEWER
- TL-2531--TOOL -VIEWER LENS
- TL-2534--TOOL - CENTER ROTATION
- TL-2535--SLIDE - RESOLUTION FORM
- TL-2537--TOOL -TURRET DETENT
- TL-2673--TOOL - CARRIAGE ALIGNMENT
- TL-2753--MIRROR - INSPECTION
- TL-2830--TOOL - 135 LATP ALIGNMENT
- TL-2917--TOOL - PF ALIGNMENT
- TL-2980--MIRROR - PF TEMPLATE
- TL-3133--SPACER - ADJUSTMENT CONE
- TL-3237--SCANNER - ALIGNMENT PLATE
- TL-3334--TOOL - FILM WRITER ILLUMINATION
- TL-3374--TOOL - WIRE FORM
- TL-3732--BRACKET - ELECTROMETER
- TL-3734--BRACKET ELECTROMETER - P/C ASSEMBLY
- TL-4316--STAND - MIRROR

- TL-4329--TOOL - PICKER ASSEMBLY ADJUSTMENT
- TL-4380--FIXTURE - POWER METER
- TL-4402--FIXTURE - 150 ALIGNMENT
- TL-4418--PLATES - SPACING
- TL-4552--TEMPLATES -CASSETTE
- TL-4582--TOOL -MAG BLOWPIPE POSITIONING
- TL-4583--POSITIONER - BLOWPIPE
- TL-4628--TOOL - ROTOR PAD ALIGNMENT
- TL-4638--BLOCK - VT ALIGNMENT
- TL-4694--TOOL - FOCUS
- TL-4732--TEMPLATE - PAPER PLATEN
- TL-4797--TOOL - PRECISION ALIGNMENT
- TL-4801--MIRROR - UNIVERSAL FOCUS
- TL-4830--POSITIONER - BLOWPIPE
- TL-4863--FIXTURE - MOUNTING
- TL-4864--FIXTURE - WEIGHT
- TL-4866--TOOL - APERTURE
- TL-4867--TOOL - DENSITY

MECHANICAL - BURNISHING TOOLS

- TL-0994--BURNISHING - CONTACT

MECHANICAL - CHARTS/FILTERS/TARGETS

- TL-1351--CHART - RESOLUTION
- TL-1474--TARGET - "S"
- TL-1497--TEST SET - COLORED DOCUMENT
- TL-1689--SLIDE - COMPARATOR
- TL-1872--CHART SIZE
- TL-2176--NEGATIVE - FOCUS
- TL-2177--NEGATIVE - FOCUS
- TL-2264--TEST TARGET
- TL-2285--CHART - VIEWFINDER REGISTRATION, Side A
- TL-2287--TARGET - TEST
- TL-2288--CHART - VIEWFINDER REGISTRATION
- TL-2469--TARGET SLIDE
- TL-2514--FILTER
- TL-2516--TARGET - MIRROR E
- TL-2517--TARGET - SB CENTERING
- TL-2527--TARGET - F/S ALIGNMENT
- TL-2546--TARGET
- TL-2636--CHART
- TL-2703--CHART
- TL-2783--STRIP - IMT TEST FILM
- TL-2910--FILTER
- TL-2423--FILM - TEST
- TL-3010--FILM - READER TEST
- TL-3402--FILM - READER TEST
- TL-3113--PLAQUE
- TL-3233--SLIDE -AUTO FOCUS TARGET
- TL-3357--CHART - GRAY SCALE
- TL-3394--TARGET - CONSOLE TEST
- TL-3394-1--TARGET - CONSOLE TEST

- TL-3401--FILTER
- TL-3468--TARGET - Canon TEST
- TL-3479--TARGET - GRAY (A-3) TEST
- TL-3480--TARGET - DUPLEX (A-4) TEST
- TL-3532--TEST PATTERN - 35 mm
- TL-3558--TARGET - TEST
- TL-3717--STRIP - IMAGE TEST
- TL-3904--TARGET - TEST
- TL-3952--PATCH -VR SETUP
- TL-4094--TARGET
- TL-4189--TARGET - RESOLUTION
- TL-4191--BLOCK - FOCUS
- TL-4252--CHART - COLOR
- TL-4268--PLATE - CALIBRATION
- TL-4286--TARGET -TEST
- TL-4290--FILTER N.D.
- TL-4291--FILTER GREEN
- TL-4300--FILTER N.D. 2
- TL-4305--TARGET - BIS SCANNER TEST
- TL-4469--TARGET - TEST SET OCR
- TL-4517--TARGET -FOCUS
- TL-4528--TARGET - TEST DOCUMENT
- TL-4643--STRIP - EXPOSURE SETUP FILM
- TL-4660--TARGET - TEST
- TL-4682--TARGET - FEEDER
- TL-4683--TARGET - Non Linearity
- TL-4705--FILTERS
- TL-4707--KIT - FILTER
- TL-4733--TEMPLATE - CRT RASTER
- TL-4749--TARGET - MAG
- TL-4782--TARGET
- TL-4808--FILM - TEST
- TL-4834--TARGET - TEST
- TL-4912--CHART A
- TL-4913--CHART B
- TL-4914--CHART
- TL-6369--TEST PATTERNS - BAR CODE
- 624926--TARGET - TEST
- 624927--TARGET- TEST
- 653483--TARGET - TEST
- 654053--TARGET - TEST

MECHANICAL - CHAIN TIGHTENER/CLAMPS/BEAR-WHEEL PULLER/VISES

- TL-1385--CLAMP - C
- TL-4087--CLAMP - C
- TL-1566--TIGHTENER - CHAIN
- TL-2170--CLAMP - HOSE PINCH
- TL-3036--PULLER - GEAR/WHEEL
- TL-4135--PULLER - GEAR/WHEEL
- TL-5237--CLAMP - ELEVATOR

MECHANICAL - DRILLS-BITS/TEMPLATES/ACCESSORIES

- TL-1202--WRENCH - TAP
- TL-1373--EXTRACTOR - SCREW
- TL-1374--EXTRACTOR - SCREW
- TL-1375--EXTRACTOR - SCREW
- TL-1402--WRENCH - TAP
- TL-1410--DRILL SET
- TL-1413--SAW - HOLE
- TL-1414--SAW - HOLE
- TL-1415--SAW - HOLE
- TL-1416--SAW - HOLE
- TL-1418--SAW - MANDREL
- TL-1466--DRILL - 3/8 ELECTRIC
- TL-1482--DRILL SET
- TL-1521--CASE - ELECTRIC DRILL CARRYING
- TL-2051--DRILL ATTACHMENT - RIGHT ANGLE
- TL-2614--COUNTERSINK
- TL-3226 --VISE - PIN
- TL-3607--BIT - DRILL
- TL-4373--BIT - MILL
- TL-8401 to TL-8421--TAPS
- TL-9204--DRILL BIT

MECHANICAL - EXTRACTION TOOLS/INSERT TOOLS/REMOVAL TOOLS

- TL-0942--TOOL - APPLICATOR
- TL-1072--APPLICATOR
- TL-1580--TOOL - EXTRACTION
- TL-1581--TOOL - EXTRACTION
- TL-1654--TOOL - EXTRACTION
- TL-1694--TOOL - EXTRACTION
- TL-1928--APPLICATOR
- TL-1978--EXTRACTOR - O-RING
- TL-2027--TOOL - EXTRACTION
- TL-2028--TOOL - EXTRACTION
- TL-2105--TOOL - INSERTION
- TL-2420--REMOVER - TRAY LATCH
- TL-2494--TOOL - EXTRACTION
- TL-2583--TOOL - EXTRACTION
- TL-2697--TOOL - EXTRACTION
- TL-2791--EXTRACTION TOOL
- TL-2756--STARTER - SCREW
- TL-2867--TOOL - C-RING EXTRACTION
- TL-2955--RING - APPLICATOR SNAP
- TL-2956--RING - APPLICATOR SNAP
- TL-2957--RING - APPLICATOR SNAP
- TL-2963--KIT - IC-INSERTION/EXTRACTION
- TL-2973--EXTRACTOR - PIN
- TL-3071--TOOL - EXTRACTION
- TL-3072--TOOL - EXTRACTION
- TL-3203--EXTRACTOR - MINI
- TL-4244--TOOL - INSERTION
- TL-4397--TOOL - CLIP REMOVAL

- TL-4398--TOOL - IC REMOVAL
- TL-4430--TOOL - EXTRACTOR
- TL-4568--TOOL - PIN INSERTION/EXTRACTION
- TL-4569--TOOL - INSERTION/EXTRACTION

MECHANICAL - FILES

- TL-1212--STONE - FINE
- TL-1290--FILE - 6 INCH FLAT MILL
- TL-1292--FILE - 6 INCH 0-CUT ROUND TAPER
- TL-1293--FILE - 8 INCH 0-CUT ROUND TAPER
- TL-1383--FILE - 6 INCH 0-CUT NARROW PILLAR
- TL-1399--STONE - FLAT
- TL-4662--FILE - ALUMINUM FLAT

MECHANICAL - GAUGES

- TL-1929--KIT - WATER PRESSURE GAUGE
- TL-2070--GAUGE - SPINDLE
- TL-2372--GAUGE - THICKNESS
- TL-2397--GAUGE - FLEXIBLE FEELER
- TL-2427--GAUGE - OPTICAL ALIGNMENT
- TL-2457--FIXTURE - ALIGNMENT
- TL-2471--SLIDE - SHIM DRY
- TL-2534--TOOL - CENTER ROTATION
- TL-2586--GAUGE - FIXED SPINDLE
- TL-2680--SEAL - OVF TUBE PORT
- TL-2868--INDENT - C MAGNET ANGLE
- TL-2886--BLOCK - C-T/O SETUP
- TL-2892--GAUGE - PF ROLLER ALIGNMENT
- TL-2895--GAUGE - MF GUIDE PLATE
- TL-2928--ADJUSTER - PF FILTER BUMP
- TL-2927--MAGAZINE - ARM TORQUE
- TL-2942--GAUGE - C-PFVT GO NO-GO
- TL-2943--TOOL - C-SOL ADJUSTMENT
- TL-2945--TOOL - PF SEMI AUTO OPEN
- TL-2952--GAUGE - WEDGE
- TL-2953--TOOL - PF SPINDLE DEPTH
- TL-3001--GAUGE - AM SLIDE LEVER
- TL-3002--SLIDE - AM AUTO FOCUS
- TL-3041--GAUGE - PF SHUTTLE HEIGHT
- TL-3062--COLLAR - PF PLUNGER AND
- TL-3069--GAUGE - PF CONTAIN SPINDLE
- TL-3084--CHAIN OILER
- TL-3093--SUPPORT - PF PG TEMPLATE
- TL-3103--GAUGE - C-DRUM CONV
- TL-3148--JIG - CORONA/REFLECTOR
- TL-3155--GAUGE - OPTICAL CENTER LINE
- TL-3167--STROBE STRIP (MTV)
- TL-3267--GAUGE - RAIL DIAMETER
- TL-3277--GAUGE - AUTO FOCUS
- TL-3335--GAUGE - FILM WRITER POSITION
- TL-3373--GAUGE - RIBBON SWITCH
- TL-3447--ADAPTER - 250 GAUGE

TL-3492--KIT - VACUUM GAUGE
TL-4057--GAUGE - 12 INCH FEELER
TL-4067--GAUGE - FEELER
TL-4184--GAUGE - OVF TUBE
TL-4193--GAUGE - BACK STOP
TL-4194--GAUGE - SPRING RETENTION
TL-4196--GAUGE - STACK SENSOR
TL-4274--BAR - GAUGE INTEGRATION
TL-4395--GAUGE - CENTERING
TL-4587--GAUGE - ADAPTER
TL-4701--GAUGE - GO NO-GO
TL-4723--GAUGE - VACUUM
TL-4825--GAUGE - DRUM ALIGNMENT
TL-4865--GAUGE - FIXTURE ROLLER
TL-4879--GAUGE - DEFECTION
TL-4883--GAUGE - PAPER DECK SPACER
MECHANICAL - GLUES/GREASES/OILS/PAINTS/TAPES
1C8000--LENS CLEANER
1C8001--SEALANT - CLEAR RUBBER
1C8002--SEALANT - BLACK S1 RBR
1C8003--COMPOUND - HEAT SINK
1C8004--LOCTITE 454
1C8005--SEALANT
1C8006--SEALANT B - LOCTITE
1C8007--SEALANT - PIPE
1C8011--EPOXY
1C8012--EPOXY - HIGH STRENGTH
1C8013--LOCTITE 242
1C8014--EPOXY - REPAIR
1C8015--LOCTITE #222
1C8016--LUBRICANT - NYLON GEAR
1C8018--NUMATICS LUBE
1C8019--HAND CLEANER
1C8020--LOCTITE 290-21
1C8022--ADHESIVE - RTV ELEC GR
1C8026--GREASE - SUPERLUBE TEF
1C8031--SILICONE - NO. 4
1C8032--SAE 30 OIL
1C8033--SILICONE No. 302 with MOLY
1C8034--SILICONE LUBRICANT with MOLY
1C8035--SILICONE No. 200 FLUID
1C8036--G-300 GREASE
1C8037--HI TEMP LUBRICANT
1C8038--OIL - SYNTHETIC INSTR
1C8039--SYNTHETIC GREASE with MOLY
1C8040--SILICONE GREASE
1C8041--SYNTHETIC GREASE
1C8042--SYNTHETIC OIL
1C8043--FLUOROSILICONE
1C8044--LIGHT SYNTHETIC INSTRUMENT OIL

- 1C8045--GREASE NO. 2 ALVANIA
- 1C8046--SYNTHETIC GREASE with FLUOROCARBON
- 1C8047--SYNTHETIC OIL with MOLY
- 1C8048--VIBRATITE
- 1C8049--GREASE - SPRAY
- 1C8050--PLASTIC GREASE No. 2 with MOLY
- 1C8051--PLASTIC LUB No. 2 with MOLY
- 1C8053--GEAR BOX OIL
- 1C8062--GREASE - RED
- 1C8088--FLASH ORANGE
- 1C8110--TAPE REFLECTOR
- 1C8111--TAPE - SPLICING
- 1C8114--PAINT - TOUCHUP
- 1C8117--PAINT - TOUCHUP
- 1C8118--PAINT - TOUCHUP
- 1C8119--PAINT - TOUCHUP
- 1C8120--PAINT - TOUCHUP
- 1C8121--FILM - TFE LUBRICANT PERMANENT
- 1C8123--CEMENT - CONTACT
- 1C8124--ADHESIVE - RUBBER AND GASKET
- 1C8132--EPOXY PATCH KIT
- 1C8148--LOCTITE 414 ADHESIVE
- 1C8259--PRO-GOLD
- 952959--TAPE - FILAMENT
- 952960--TAPE - PIPE THREAD
- 952958--TAPE - ELECTRICAL

MECHANICAL - HAMMERS/KNIVES

- TL-1189--KNIFE - POCKET
- TL-1360--HAMMER - PLASTIC HEAD
- TL-2284--TOOL - FORMING
- TL-4387--TOOL - WIRE STRIPPING

MECHANICAL - HELICOIL TOOLS

- TL-1327 to TL-1344--HELICOILS

MECHANICAL - LEVELS

- TL-1434--LEVEL - 12 INCH BENCH
- TL-2239--LEVEL - 4 INCH MECHANICS
- TL-4718--LEVEL - DIGITAL MOD

MECHANICAL - MAGNETS

- TL-2691--MAGNET PICK UP
- TL-3347--GAUGE - PRESSURE LOADING

MECHANICAL - MAGNIFIERS

- TL-4166--MICROSCOPE
- TL-4183--MAGNIFIER
- TL-4554--MICROSCOPE 100X
- TL-4805--MAGNIFIER
- TL-1171--POCKET COMPARITOR

MECHANICAL - MEASURING DEVICES

- TL-1727--CALIPER - 6 INCH VERNIER
- TL-1728--INDICATOR - DIAL
- TL-1920--INDICATOR - SPEED
- TL-2117--CYLINDER - GRADUATED
- TL-2296--RULE - 3 METER
- TL-2297--SQUARE - 12 INCH

NUMERICAL INDEX

165152	JUMPER
398622	WIPES
426629	SLEEVE - TEX
426631	SWABS - FOAM
427008	PAD - SCOURING
591571	TERMINAL
624926	TARGET - TEST
624927	TARGET- TEST
653483	TARGET - TEST
654053	TARGET - TEST
762356	SAND PAPER
764390	TERMINAL
787837	TERMINAL
787892	CONTACT
952764	KIT No. 1 - S3 HARDWARE
952765	KIT (Mid-Volume) - HARDWARE
952768	KIT - TERMINAL SELECTOR
952776	RESPIRATOR
952777	DROP CLOTH
952791	WIPING FABRIC
952792	FUSE
952793	GLASSES - SAFETY
952794	GLOVES - NEOPRENE
952795	GLOVES - COTTON
952796	GLOVES - LATEX
952801, 952802	GLOVES - LATEX
952803	COVER - HEAD
952805	KIT - TERMINAL
952806	LATCH LOCK
952807	PAPER - LENS
952808	PAPER - LENS
952809	MASK
952945	NUTSERT
952949	PAD - *SCOTCHBRITE*
952955	COVER - SHOE
952957	COTTON SWAB
952958	TAPE - ELECTRICAL
952959	TAPE - FILAMENT
952960	TAPE - PIPE THREAD
952961	WIRE No. 30
1C8000	LENS CLEANER
1C8001	SEALANT - CLEAR RUBBER
1C8002	SEALANT - BLACK S1 RBR
1C8003	COMPOUND - HEAT SINK
1C8004	LOCTITE 454
1C8005	SEALANT
1C8006	SEALANT B - LOCTITE
1C8007	SEALANT - PIPE
1C8011	EPOXY
1C8012	EPOXY - HIGH STRENGTH
1C8013	*LOCTITE* 242
1C8014	EPOXY - REPAIR
1C8015	*LOCTITE* #222
1C8016	LUBRICANT - NYLON GEAR
1C8018	*NUMATICS* LUBE
1C8019	HAND CLEANER
1C8020	*LOCTITE* 290-21
1C8022	ADHESIVE - RTV ELEC GR
1C8026	GREASE - *SUPERLUBE* TEF
1C8029	KIT - DEVELOPER
1C8031	SILICONE - NO. 4
1C8032	SAE 30 OIL
1C8033	SILICONE No. 302 with MOLY
1C8034	SILICONE LUBRICANT with MOLY
1C8035	SILICONE No. 200 FLUID
1C8036	G-300 GREASE
1C8037	HI TEMP LUBRICANT
1C8038	OIL - SYNTHETIC INSTR
1C8039	SYNTHETIC GREASE with MOLY
1C8040	SILICONE GREASE
1C8041	SYNTHETIC GREASE
1C8042	SYNTHETIC OIL
1C8043	FLUOROSILICONE
1C8044	LIGHT SYNTHETIC INSTRUMENT OIL
1C8045	GREASE NO. 2 ALVANIA
1C8046	SYNTHETIC GREASE with FLUOROCARBON
1C8047	SYNTHETIC OIL with MOLY
1C8048	VIBRATITE
1C8049	GREASE - SPRAY
1C8050	PLASTIC GREASE No. 2 with MOLY
1C8051	PLASTIC LUB No. 2 with MOLY
1C8053	GEAR BOX OIL
1C8055	CLEANER - HAND
1C8062	GREASE - RED
1C8067	AIR - CANNED
1C8070	FILTER - CLEAR
1C8088	FLASH ORANGE
1C8089	WIPES - ALCOHOL
1C8092	BAG - ANTISTATIC
1C8093	CHEM/TONER SPILL KIT
1C8096	WIPES
1C8098	CLEANER - GLASS
1C8099	SWAB - COTTON
1C8100	CLOTH TACK
1C8102	WIPE - Staticide
1C8103	ALCOHOL - ISOP
1C8110	TAPE REFLECTOR
1C8111	TAPE - SPLICING
1C8114	PAINT - TOUCHUP
1C8117	PAINT - TOUCHUP
1C8118	PAINT - TOUCHUP
1C8119	PAINT - TOUCHUP
1C8120	PAINT - TOUCHUP
1C8121	FILM - TFE LUBRICANT PERMANENT
1C8123	CEMENT - CONTACT
1C8124	ADHESIVE - RUBBER AND GASKET
1C8127	WAX - BEES
1C8128	SOLDER
1C8129	WICK - SOLDER
1C8132	EPOXY PATCH KIT
1C8148	*LOCTITE* 414 ADHESIVE
1C8259	PRO-GOLD
764109 to 764123	TERMINAL
774243 to 774246	TERMINAL
952782 to 952789	COVERALL - TYVEK
952797 to 952800	GLOVES - HEAVY RUBBER
K278605	CLEANING CLOTH
TL-0030	SCREWDRIVER - JEWELER'S HANDLE (Non-Magnetic)
TL-0942	TOOL - APPLICATOR
TL-0994	BURNISHING - CONTACT
TL-1001	TOOL - ADJUSTING
TL-1016	PLIERS - RETAINING RING
TL-1035	HANDLE - 1/4 DRIVE SPINNER
TL-1036	EXTENSION - 1/4 DRIVE
TL-1050	TIGHTENER - CHAIN
TL-1052	PLIERS - HOSE CLAMP
TL-1070	PLIERS - RETAINING RING
TL-1072	APPLICATOR
TL-1140	PLIERS - RETAINING RING
TL-1156	WRENCH SET, ASA Standard - HEX RATCHET
TL-1165	TOOL - 8 INCH SPRING HOOKING
TL-1171	POCKET COMPARITOR
TL-1172	OIL CAN
TL-1184	STICK - ORANGE
TL-1189	KNIFE - POCKET
TL-1191	BAG - CHANGING
TL-1193	SCREWDRIVER - SLOTTED
TL-1195	SCREWDRIVER - SLOTTED
TL-1196	SCREWDRIVER - NO. 1 *PHILLIPS*
TL-1199	PLIERS - SLIP JOINT
TL-1200	PLIERS - DIAGONAL CUTTING
TL-1201	PLIERS - NEEDLE NOSE
TL-1202	WRENCH - TAP
TL-1207	TWEEZERS
TL-1210	CLIP - BLACK ALLIGATOR
TL-1212	STONE - FINE
TL-1228	PHOTOCELL
TL-1244	LEADS - TEST METER
TL-1255	WRENCH - 9/16 INCH OPEN-END
TL-1258	WRENCH - ADJUSTABLE
TL-1259	BULB - SYRINGE
TL-1261	BRUSH - 1/2 INCH
TL-1286	CHISEL - 1/4 INCH
TL-1290	FILE - 6 INCH FLAT MILL
TL-1292	FILE - 8 INCH 0-CUT ROUND TAPER
TL-1293	FILE - 8 INCH 0-CUT ROUND TAPER
TL-1308	KIT - *Kodak Starfile* ILLUMINATION
TL-1316	PLIERS - RETAINING RING
TL-1317	PLIERS - RETAINING RING
TL-1327 to TL-1344	HELICOILS
TL-1330	BOTTLE
TL-1351	CHART - RESOLUTION
TL-1360	HAMMER - PLASTIC HEAD
TL-1373	EXTRACTOR - SCREW
TL-1374	EXTRACTOR - SCREW
TL-1375	EXTRACTOR - SCREW
TL-1383	FILE - 6 INCH 0-CUT NARROW PILLAR
TL-1385	CLAMP - C
TL-1387	ROLL PIN PUNCH 1/16
TL-1388	ROLL PIN PUNCH 3/32
TL-1389	ROLL PIN PUNCH 1/8
TL-1390	ROLL PIN PUNCH 5/32
TL-1391	ROLL PIN PUNCH 3/16
TL-1396	SCREWDRIVER - SLOTTED
TL-1397	SCREWDRIVER - SLOTTED
TL-1399	STONE - FLAT
TL-1401	WRENCH SET - English
TL-1402	WRENCH - TAP
TL-1405	SAW - SABRE
TL-1410	DRILL SET
TL-1413	SAW - HOLE
TL-1414	SAW - HOLE
TL-1415	SAW - HOLE
TL-1416	SAW - HOLE
TL-1418	SAW - MANDREL
TL-1424	WRENCH - 10 INCH ADJUSTABLE PIPE
TL-1425	SAW - 12 INCH HACK
TL-1430	PUNCH - CHASSIS
TL-1431	PUNCH - CHASSIS
TL-1434	LEVEL - 12 INCH BENCH
TL-1435	CYLINDER - GRADUATED
TL-1436	PLIERS - MULTIPLE SLIP JOINT
TL-1443	CLIP - HEAT SINK
TL-1445	PLUG - TEST
TL-1449	SHIELD - FACE
TL-1457	SCREWDRIVER - SLOTTED
TL-1465	SCREWDRIVER - STUBBY SLOTTED
TL-1466	DRILL - 3/8 INCH ELECTRIC
TL-1474	TARGET - "S"
TL-1477	KIT - PEAK PICKER
TL-1480	KIT - TEST LEAD
TL-1481	SCREWDRIVER - INSULATED
TL-1482	DRILL SET
TL-1497	TEST SET - COLORED DOCUMENT
TL-1498	CABLE - SERVICE
TL-1505	TIP - BLACK TEST LEAD
TL-1511	TOOL - INSTALLATION
TL-1521	CASE - ELECTRIC DRILL CARRYING
TL-1524	ADAPTER - 1/4 INCH SOCKET
TL-1537	WRENCH - TORQUE
TL-1564	PLIERS - RETAINING
TL-1565	ATTENUATOR
TL-1566	TIGHTENER - CHAIN
TL-1580	TOOL - EXTRACTION
TL-1581	TOOL - EXTRACTION
TL-1582	THERMOMETER - DIAL
TL-1584	FUNNEL
TL-1588	Kit - Kodak Service Developing
TL-1590 to TL-1606	WRENCH - ALLEN
TL-1607	WRENCH - ALLEN
TL-1611	SCREWDRIVER - SLOTTED OFFSET RACHET
TL-1658	PUNCH - CHASSIS CENTER GUIDE
TL-1654	TOOL - EXTRACTION
TL-1659	EXTENDER - CIRCUIT BOARD
TL-1665	WRENCH- LONG ARM ALLEN
TL-1668	WRENCH - 10 mm OPEN-END
TL-1687	BOTTLE - DISPENSER
TL-1689	SLIDE - COMPARATOR
TL-1693	WRENCH - LONG ARM ALLEN
TL-1694	TOOL - EXTRACTION
TL-1696	WRENCH - TORQUE
TL-1727	CALIPER - 6 INCH VERNIER
TL-1728	INDICATOR - DIAL
TL-1735	CARDBOARD BOX - 2 in.
TL-1736	CARDBOARD BOX - 4 in.
TL-1744	GAUGE - AUTO FOCUS
TL-1746	PUNCH - CHASSIS
TL-1749	PLASTIC BAG
TL-1759	TOOL - MIRROR ALIGNMENT
TL-1760	CABLE - TEST
TL-1768	WRENCH
TL-1783	TOOL - HAND NIBBLING
TL-1786	PUNCH - ADEL
TL-1795	PLIERS - LOCK RING
TL-1804	PLIERS - MULTIPLE SLIP JOINT
TL-1848	BOX, 8 COMPARTMENT
TL-1849	BOX, 4 COMPARTMENT
TL-1850	BOX, 36 COMPARTMENT
TL-1851	BOX, 6 COMPARTMENT
TL-1852	BOX, 18 COMPARTMENT
TL-1872	CHART SIZE
TL-1920	INDICATOR - SPEED
TL-1926	WARNING - POWER
TL-1928	APPLICATOR
TL-1929	KIT - WATER PRESSURE GAUGE
TL-1948	POWER SUPPLY - *Hewlett-Packard*
TL-1976	NOTEBOOK
TL-1978	EXTRACTOR - O-RING
TL-2008	TOOL - SPRING HOOKING
TL-2009	TOOL - SPRING HOOKING
TL-2019	LEAD BNC - TEST
TL-2020	TOOL - CRIMPING
TL-2025	WRENCH - 0.048 INCH SPLINE
TL-2026	ADAPTER - TORQUE WRENCH
TL-2027	TOOL - EXTRACTION
TL-2028	TOOL - EXTRACTION
TL-2031	CONNECTOR - A TO D CONVERTER TEST
TL-2032	CONNECTOR - DIGITAL I/O TEST, No. 2
TL-2033	CONNECTOR - DIGITAL I/O TEST , No.1
TL-2040	PLIERS - HOSE CLAMP
TL-2041	FORCEPTS - 6 INCH
TL-2042	FORCEPTS - 6 INCH
TL-2051	DRILL ATTACHMENT - RIGHT ANGLE
TL-2055	BAR - PRY
TL-2070	GAUGE - SPINDLE
TL-2074	PROBE - OSCILLOSCOPE, 10X
TL-2077	TOOL - TUNING
TL-2078	TOOL - TUNING
TL-2080	PLIERS - 7 INCH CLAMPING
TL-2081	BAG, PLASTIC
TL-2087	MODULE - DIAGNOSTIC SERVICE
TL-2093	WRENCH - 1/2 INCH OPEN END
TL-2094	TIP - RED TEST LEAD
TL-2095	TIP - BLACK TEST LEAD
TL-2096	PLUG - BANANA
TL-2097	PLUG - BANANA
TL-2098	PLUG - BLACK BANANA
TL-2099	PLUG - RED BANANA
TL-2100	LEAD - TEST
TL-2105	TOOL - INSERTION
TL-2111	TOOL - LENS
TL-2117	CYLINDER - GRADUATED
TL-2118	BOTTLE WITH BRUSH
TL-2123	SCALE - PULL
TL-2127	THERMOMETER- DIAL
TL-2137	CABLE
TL-2138	CABLE
TL-2141	DRIVER - HEX NUT
TL-2144	PUNCH- SQUARE CHASSIS
TL-2151	BRUSH - VACUUM DUST
TL-2152	VACUUM CLEANER TOOL - CREVICE
TL-2156	BRUSH
TL-2159	LEAD - RED TEST
TL-2160	LEAD - BLACKTEST
TL-2170	CLAMP - HOSE PINCH
TL-2176	NEGATIVE - FOCUS
TL-2177	NEGATIVE - FOCUS
TL-2179	GLASS - GROUND
TL-2183	STRIP - FOCUS NEG 110
TL-2193	SCREWDRIVER - 1/4 INCH TORQUE
TL-2229	BOARD - CONTROL AND STATUS TEST
TL-2233	EXTENDER - CIRCUIT BOARD
TL-2239	LEVEL - 4 INCH MECHANICS
TL-2252	SET - ROLL PIN PUNCH
TL-2253	BRUSH
TL-2257	SOCKET SET - 1/4 INCH SQUARE-DRIVE
TL-2261	SIMULATOR - CRYSTAL OUTPUT
TL-2264	TEST TARGET
TL-2265	TESTER - DIELETRIC
TL-2270	WAND - CLEANING
TL-2275	STRIPPER - WIRE
TL-2276	SOCKET - 3/8 INCH, 8-POINT
TL-2284	TOOL - FORMING
TL-2285	CHART - VIEWFINDER REGISTRATION, Side A
TL-2287	TARGET - TEST
TL-2288	CHART - VIEWFINDER REGISTRATION
TL-2296	RULE - 3 METER
TL-2297	SQUARE - 12 INCH
TL-2312	TOOL - STOP SWITCH
TL-2322	SYRINGE
TL-2329	CAMERA - 110 REF
TL-2330	CAMERA - 126 REF
TL-2331	CAMERA - SUPER 8 REF
TL-2347	FILM TEXT
TL-2348-1	THERMOMETER - DIAL
TL-2353	BATTERY SIMULATOR - K
TL-2368	DRIVER - 1/4 INCH HEX
TL-2372	GAUGE - THICKNESS
TL-2392	WRENCH - IMPRINT HEAD SPANNER
TL-2397	GAUGE - FLEXIBLE FEELER
TL-2420	REMOVER - TRAY LATCH
TL-2423	FILM - TEST
TL-2427	GAUGE - OPTICAL ALIGNMENT
TL-2431	METER - AIR
TL-2433	ROD - TRANSPORT SUPPORT
TL-2442	PLUG - RED ADAPTER
TL-2443	PLUG - BLACK ADAPTER
TL-2450	TOOL -FOCUS ADJUSTING
TL-2455	ADAPTER - TORQUE WRENCH
TL-2457	FIXTURE - ALIGNMENT
TL-2461	CART - HAND
TL-2469	TARGET SLIDE
TL-2471	SLIDE - SHIM DRY
TL-2472	CASSETTE - TAKE-UP TORQUE
TL-2475	TAPE - 1050 Hz MIN TEST
TL-2476	TAPE - 150 HZ MIN/MAX TAPE
TL-2477	TAPE - 142 HZ MIN/MAX TAPE
TL-2478	TAPE - 158 HZ MIN/MAX TAPE
TL-2479	TAPE - HEAD ADJUSTMENT
TL-2480	TAPE - HEAD ADJUSTMENT
TL-2483	WRENCHES - 5/8 and 3/4 INCH BOX
TL-2486	ADAPTER - 1/4 To 3/8 INCH SOCKET
TL-2487	PUNCH - CHASSIS
TL-2488	PUNCH - CHASSIS
TL-2491	SENSOR - THERMAL
TL-2494	TOOL - EXTRACTION
TL-2495	EXTENDER - PCB
TL-2497	TOOL - SHUTTER ADJUSTMENT
TL-2498	FILM - CROSS HATCH TEST
TL-2511	PUNCH - 1/16 INCH TIP CENTER
TL-2514	FILTER
TL-2515	SCREEN - BEAM VIEW
TL-2516	TARGET - MIRROR E
TL-2517	TARGET - SB CENTERING
TL-2518	MIRROR - RETROREFLECT
TL-2520	DETECTOR - PIN 10
TL-2521	SLIDE - GRID FORM
TL-2522	TOOL - PLUG HEATER
TL-2523	EXTENDER BOARD, 86-PIN
TL-2524	EXTENDER BOARD, 72-PIN
TL-2525	RETROREFLECTION PLATFORM AY
TL-2526	TOOL - PRISM IG ALIGNMENT
TL-2527	TARGET - F/S ALIGNMENT
TL-2528	MIRROR - FORM SLIDE
TL-2529	SCREEN - TOOL VIEWER
TL-2531	TOOL-VIEWER LENS
TL-2532	TOOL - LENS OBJECT ADJUSTING
TL-2533	TOOL - MIRROR OBJECT ADJUSTING
TL-2534	TOOL - CENTER ROTATION
TL-2534	TOOL - CENTER ROTATION
TL-2535	SLIDE - RESOLUTION FORM
TL-2537	TOOL -TURRET DETENT
TL-2544	CAP - DISCHARGE
TL-2546	TARGET
TL-2549	PHOTOCELL
TL-2577	CASE - FLUKE METER
TL-2579	PHOSPHOR PROBE, IR
TL-2582	WIRES - JUMPER
TL-2585	TOOL - EXTRACTION
TL-2586	GAUGE - FIXED SPINDLE
TL-2588	EXTENDER BOARD, 72-PIN
TL-2598	PROBE - TEMPERATURE
TL-2605	SIPHON - SELF PRIMING
TL-2614	COUNTERSINK
TL-2627	PROBE - RED MICRO
TL-2628	PROBE - BLACK MICRO
TL-2635	TESTER - POCKET HUMIDITY
TL-2636	CHART
TL-2640	FILM - SUPER 8 SOFT REGISTRATION
TL-2651	FILM - 16 mm AZIMUTH
TL-2658	UNRECORDER - SUPER 8
TL-2669	LOOP - 16 mm MAGNETIC
TL-2672	CONNECTOR - BUS DIAGNOSTIC
TL-2673	TOOL - CARRIAGE ALIGNMENT
TL-2676	READER - DIGIT CASSETTE
TL-2680	SEAL - OVF TUBE PORT
TL-2682 to TL-2690	BLADES - HEX
TL-2691	MAGNET PICK UP
TL-2693	WRENCH - FOCUS
TL-2697	TOOL - EXTRACTION
TL-2698	LEAD HK- RED TEST
TL-2699	LEAD HK- BLACK TEST
TL-2701	SIMULATOR - AA BATTERY
TL-2703	CHART
TL-2708	MAGAZINE - FILM TRANSPORT TEST
TL-2712	PALLETS - CASE
TL-2713	PALLET-FICHE POCKET
TL-2728	PUNCH - CHASSIS
TL-2741	PLUG - TEST
TL-2752-1	PROBE - TEMPERATURE
TL-2753	MIRROR - INSPECTION
TL-2756	STARTER - SCREW
TL-2762	RULE - 6 INCH/150 MM ENGLISH/METRIC
TL-2763	JOINT - UNIVERSAL
TL-2764	WRENCH SET, METRIC ALLEN
TL-2765	WRENCH SET - METRIC OPEN-END
TL-2766	SOCKET SET - METRIC
TL-2770	WRENCH - OPEN END
TL-2773	BAG - DUST
TL-2778	INSERT, PHILLIPS
TL-2783	STRIP - IMT TEST FILM
TL-2784	SHUTTER - DARK ADJ
TL-2791	EXTRACTION TOOL
TL-2795	DYNAMOMETER
TL-2796	GAUGE - 35 MM CODE BIT
TL-2805	LEADS - FLUKE REPLACEMENT
TL-2818	IRON - 35 WATT SOLDERING
TL-2819	TIP - SOLDERING REPLACEMENT
TL-2820	TIP - REPLACEMENT
TL-2822	HOLDER - SOLDERING IRON
TL-2823	SPONGE - SOLDERING IRON CLEANING
TL-2830	TOOL - 135 LATP ALIGNMENT
TL-2831	REORDER KIT - 135 1st and
TL-2835	PROBE - HIGH VOLTAGE
TL-2842	C-KEY SERVICE MODE
TL-2845	LAMININATOR - PF
TL-2851	KIT, MULTI PURPOSE
TL-2855, TL-2856	BLADE - NUT DRIVE
TL-2859	SWITCH - REMOTE
TL-2864	WRENCH - 1/4 INCH OPEN-END COMBINATION
TL-2865	ELECTROMETER
TL-2865-2	LEAD -TEST
TL-2867	TOOL - C-RING EXTRACTION
TL-2868	INDENT - C MAGNET ANGLE
TL-2881	PLIERS - MULTIPLE SLIP JOINT
TL-2886	BLOCK - C-T/O SETUP
TL-2886	BLOCK - C-TURNOVER SETUP
TL-2887	TIP
TL-2891	ADAPTER
TL-2892	GAUGE - PF ROLLER ALIGNMENT
TL-2895	GAUGE - MF GUIDE PLATE
TL-2910	FILTER
TL-2917	TOOL - PF ALIGNMENT
TL-2921	ADAPTER
TL-2927	MAGAZINE - ARM TORQUE
TL-2928	ADJUSTER - PF FILTER BUMP
TL-2929	TIP - REPLACEMENT
TL-2933	PLUG
TL-2942	GAUGE - C-PFVT GO NO-GO
TL-2943	TOOL - C-SOL ADJUSTMENT
TL-2945	TOOL - PF SEMI AUTO OPEN
TL-2947	CABLE - PF-6 COND
TL-2948	CABLE - 25 PIN COND
TL-2950	TOOL - CAPPER ALIGNMENT
TL-2952	GAUGE - WEDGE
TL-2953	TOOL - PF SPINDLE DEPTH
TL-2955	RING - APPLICATOR SNAP
TL-2956	RING - APPLICATOR SNAP

TL-2957	RING - APPLICATOR SNAP
TL-2958	ADAPTER - CASTER
TL-2959	CASTER
TL-2963	KIT - IC-INSERTION/EXTRACTION
TL-2968	JUMPER - PF RS-232 TEST
TL-2973	EXTRACTOR - PIN
TL-2975	KIT - HAND CART STRIP
TL-2977	WRENCH - 9/16 X 5/8 INCH BOX
TL-2978	DISC - FOCUS NEGATIVE
TL-2980	MIRROR - PF TEMPLATE
TL-2981	BOARD - PF SBC EXTENDER
TL-2982	SWITCH - PF INTRA
TL-2983	CONNECTOR - PF INTRA
TL-2986	PCB - PF MC INTERFACE
TL-2995	LCD
TL-3001	GAUGE - AM SLIDE LEVER
TL-3002	SLIDE - AM AUTO FOCUS
TL-3004	TRAY - FAN SHAFT LOCK
TL-3005	MIRROR - AM AUTO FOCUS
TL-3008	LOGIC PEN
TL-3008	TOOL - ADJUSTMENT
TL-3009	BEARS SET
TL-3010	FILM - READER TEST
TL-3027	SOCKET - 9/16 INCH
TL-3030	ADAPTER
TL-3031	WRENCH - 1/4 X 5/16 INCH BOX
TL-3033	BOX - DISK STORAGE
TL-3036	PULLER - GEAR/WHEEL
TL-3041	GAUGE - PF SHUTTLE HEIGHT
TL-3043	CABLE - PF LIGHT LOCK
TL-3044	PRECISION RULE
TL-3049	BIN
TL-3050	COVER
TL-3060	PF - MC DIAGNOSTIC DISKETTE
TL-3062	COLLAR - PF PLUNGER AND
TL-3063	HOOK - HEAVY DUTY PUSH/PULL SPRING
TL-3069	GAUGE - PF CONTAIN SPINDLE
TL-3071	TOOL - EXTRACTION

TL-3072	TOOL - EXTRACTION
TL-3084	CHAIN OILER
TL-3093	SUPPORT - PF PG TEMPLATE
TL-3103	GAUGE - C-DRUM CONV
TL-3110	CLEANER - PRINTER
TL-3113	PLAQUE
TL-3133	SPACER - ADJUSTMENT CONE
TL-3136	BLOCK - METER
TL-3141	CAN - PLASTIC OIL
TL-3143	SHIM - PLASTIC
TL-3148	JIG - CORONA/REFLECTOR
TL-3152	TAPE SCRATCH
TL-3155	GAUGE - OPTICAL CENTER LINE
TL-3167	STROBE STRIP (MTV)
TL-3168	PULLER -KEY CAP
TL-3174	HANDLE - REPLACEMENT
TL-3175	EXTENSION
TL-3177 to TL-3183	BLADE - NUT DRIVE
TL-3200	MAGAZINE - CRANK ROTARY
TL-3203	EXTRACTOR - MINI
TL-3209	PLUG - WRAP AROUND
TL-3226	VISE - PIN
TL-3233	SLIDE -AUTO FOCUS TARGET
TL-3234	CABLE - EIA INTERFACE
TL-3235	COIL - DEGAUSSING
TL-3237	SCANNER - ALIGNMENT PLATE
TL-3239	BOARD - PIPELINE EXTENDER
TL-3240	BOARD - CPU EXTENDER
TL-3246	DRIVE - SOCKET
TL-3248	MOTOR SETUP - PVAC
TL-3251	BOARD No. 3 - EXTENDER
TL-3255	BIT SET - TORX
TL-3261	TORX L-WRENCH SET
TL-3267	GAUGE - RAIL DIAMETER
TL-3275	SCISSORS
TL-3277	GAUGE - AUTO FOCUS
TL-3293	WRENCH- LONG ARM ALLEN

TL-3296	BIT SET - SCREWDRIVER INSERT
TL-3314	PUMP - VACUUM DESOLDER
TL-3320	TIP
TL-3322	TOOL - ADJUSTMENT
TL-3334	TOOL - FILM WRITER ILLUMINATION
TL-3335	GAUGE - FILM WRITER POSITION
TL-3341	DISKETTE - DIAGNOSTIC
TL-3342	SCALE - PAPER
TL-3346	KIT - ESD FIELD
TL-3347	GAUGE - PRESSURE LOADING
TL-3348	OSCILLOSCOPE - ANALOG
TL-3352	CUTTER - WIRE
TL-3354	KIT - LEVEL 1 CUSTOMER MAINTENANCE
TL-3357	CHART - GRAY SCALE
TL-3373	GAUGE - RIBBON SWITCH
TL-3374	TOOL - WIRE FORM
TL-3378	TOOL - FILM GUIDE ADJUSTMENT
TL-3382	WRIST BAND
TL-3386	METER - FLUKE
TL-3394	TARGET - CONSOLE TEST
TL-3394-1	TARGET - CONSOLE TEST
TL-3397	KIT - ESD FIELD
TL-3399	MAT - ESD TABLE
TL-3401	FILTER
TL-3402	FILM - READER TEST
TL-3412	CONNECTOR - LOOPBACK
TL-3413	PACKAGE - MIP IV DIAGNOSTIC
TL-3419	SCALE - PULL
TL-3447	ADAPTER - 250 GAUGE
TL-3454	ADAPTER PHOTOMETER - AC
TL-3459	PROBE - REPLACEMENT
TL-3461	MANUAL - PC MAINTENANCE/SERVICE
TL-3465	SCREWDRIVER - NO. 30 STUBBY *PHILLIPS*
TL-3468	TARGET - Canon TEST
TL-3479	TARGET - GRAY (A-3) TEST
TL-3480	TARGET - DUPLEX (A-4) TEST
TL-3492	KIT - VACUUM GAUGE
TL-3500	MANUAL - PC/AT HARDWARE MAINTENANCE

TL-3511	PLUG
TL-3523	HEX SET - METRIC
TL-3532	TEST PATTERN - 35 mm
TL-3558	TARGET - TEST
TL-3582	WRENCH - RATCHET BOX-END
TL-3583	DRIVER - STUBBY MAGNETIC SCREWDRIVER BIT
TL-3584	MODULE - THERMOCUP
TL-3585	DRUM - MEASURING TOOL
TL-3590	ADAPTER - DUAL SOCKET
TL-3607	BIT - DRILL
TL-3608	TIP - SOLDERING
TL-3609	TIP - SOLDERING
TL-3611	CONNECTOR - BNC BARREL
TL-3623	PROBE - IMMERSION
TL-3628	CLEANER - CASE FOR VACUUM
TL-3633	HANDLE - T
TL-3648	NOZZLE - AIR ISOLATION
TL-3677	CABLE - JUMP
TL-3688	VACUUM HOSE
TL-3689	PLIERS - GRIP RING
TL-3717	STRIP - IMAGE TEST
TL-3732	BRACKET - ELECTROMETER
TL-3734	BRACKET ELECTROMETER - P/C ASSEMBLY
TL-3739	CASE
TL-3739-1	LOCK - LATCH
TL-3739-2	KIT - HANDLE AY REPAIR
TL-3739-4	HINGE
TL-3746	CABLE - EXTENSION
TL-3748	CABLE - EXTENSION
TL-3749	CABLE - EXTENSION
TL-3750	CABLE - EXTENSION
TL-3752	CABLE - EXTENSION
TL-3761	BIT SET - MAGNETIC SCREWDRIVER AND
TL-3764	BIT - JEWELER'S SCREWDRIVER
TL-3765	CASSETTE - OPENER
TL-3772	TOOL CASE
TL-3789	SET - METRIC ALLEN BALL
TL-3792	THERMOMETER - DIGITAL

TL-3793	TECHNICIAN - PC
TL-3795	CABLE - KELP MONITOR
TL-3798	SCREWDRIVER - JEWELER'S MAGNETIC
TL-3826	BIT- SCREWDRIVER
TL-3833	*PHILLIPS* SCREWDRIVER
TL-3834	SCREWDRIVER -JIS NO. 1
TL-3839	PUMP - VACUUM
TL-3849	COAT - LAB TYVEK
TL-3887	BIT - TORX SCREWDRIVER T-30
TL-3890	CASE
TL-3904	TARGET - TEST
TL-3905	SHIELD - SIDE
TL-3910	SHIELD - EYE
TL-3932	ENVELOPE - SERVICE LOG
TL-3936	HOOK - SPRING
TL-3937	UTILITIES - MIP IV HARD DISK FORMAT
TL-3952	PATCH -VR SETUP
TL-3968	TOOL - SHUTTER OPEN
TL-3969	SHIM STOCK
TL-3972	CABLE - VME EXTENDER
TL-3976 to TL-3982	BLADES - SCREWDRIVER
TL-3988	BLADE - T-10 TORX
TL-3990	BLADE - T-20 TORX
TL-3991	BLADE - T-25 TORX
TL-3994	TAPE - DIAGNOSTICS MR
TL-3996	SIEMENS TEST MR
TL-4016	TOOL - INSERTION
TL-4021	ADAPTER - AC
TL-4042	TECHNICIAN - PC
TL-4045	TAPE
TL-4057	GAUGE - 12 INCH FEELER
TL-4058	WRENCH - ADJUSTABLE
TL-4060	RULER - STEEL
TL-4061, TL-1079, TL-1741, TL-1832, TL-0815	PUSH-PULL SCALES
TL-4062	WRENCH SET - SPLINE
TL-4067	GAUGE - FEELER

TL-4071	VACUUM CLEANER - TONER
TL-4074	TAPE - MAGNETIC
TL-4076	HARNESS ASSEMBLY
TL-4077	CURTAIN - DARK LOCK
TL-4087	CLAMP - C
TL-4088	PROBE - OSCILLOSCOPE
TL-4094	TARGET
TL-4098	WRENCH, OPEN END
TL-4114	MULTIMETER
TL-4115 to TL-4120	WRENCH - SPLINE
TL-4121	VACUUM CLEANER TOOL - CREVICE
TL-4128	CONNECTOR - IBM TEST
TL-4131	HOOK - SPRING
TL-4133	STARTER - SMALL SCREW
TL-4134	HOOK - SPRING
TL-4135	PULLER - GEAR/WHEEL
TL-4136	STARTER - 2 1/2 LONG SCREW
TL-4137	STARTER - LARGER SCREW
TL-4138	PLUG
TL-4143	ADAPTER
TL-4149	SCREWDRIVER
TL-4157	PLIERS - FLAT WIRING
TL-4158	PLIERS - 6 INCH
TL-4163	TOOL - SHUTTER OPEN
TL-4164	JIG - ROTOR PUMP SETUP
TL-4166	MICROSCOPE
TL-4167	TOOL - POP RIVET
TL-4168	BLADE - 7mm DRIVER
TL-4170	WRENCH - GATE
TL-4171	BIT - SCREWDRIVER INSERT
TL-4179	MAGAZINE - S/I TRAINING
TL-4180	KIT - METRIC FASTENER
TL-4181	CONNECTOR - LOOPBACK
TL-4183	MAGNIFIER
TL-4184	GAUGE - OVF TUBE
TL-4189	TARGET - RESOLUTION
TL-4191	BLOCK - FOCUS

TL-4193	GAUGE - BACK STOP
TL-4194	GAUGE - SPRING RETENTION
TL-4196	GAUGE - STACK SENSOR
TL-4198	TOOL - RED/BLUE ALIGNMENT
TL-4199	CABLE - 9 PIN SERIAL
TL-4200	MASK - VIEWFINDER
TL-4205	PLIERS - GEAR
TL-4211	LAMP - MAGNETIC BASE
TL-4213	TOOL - COLLIMINATION
TL-4215	KIT - SERVICE DIAGNOSTICS
TL-4217	PROBE - INFRARED TEMPERATURE
TL-4219	CABLE - SERIAL
TL-4220	WRENCH - TORQUE
TL-4236	KIT - CLEAN UP
TL-4238	ADAPTER - NULL MODEM
TL-4239	BRUSH - VACUUM DUST
TL-4241	TIP - SOLDER KNIFE
TL-4244	TOOL - INSERTION
TL-4246	CASE
TL-4247	PUMP - AIR
TL-4252	CHART - COLOR
TL-4261	TOOL - PROBOSCIS SHAFT
TL-4266	SCREW - JACK
TL-4268	PLATE - CALIBRATION
TL-4274	BAR - GAUGE INTEGRATION
TL-4277	SCREWDRIVER - BIT
TL-4286	TARGET -TEST
TL-4287	CONNECTOR - HOSE
TL-4290	FILTER N.D.
TL-4291	FILTER GREEN
TL-4292	EXTENDER - PCB
TL-4293	EXTENDER - PCB
TL-4295	KIT - FINISHER HARDWARE
TL-4297	DISKETTE - EDICON DIAGNOSTICS
TL-4298	SOFTWARE - NORTON UTILITIES
TL-4299	CASE WITH STORAGE BOXES
TL-4300	FILTER N.D. 2
TL-4305	TARGET - BIS SCANNER TEST

TL-4310	CABLE - SCSI INTERFACE
TL-4314	CORD - POWER ADAPTER
TL-4315	LCD
TL-4316	STAND - MIRROR
TL-4319	SHUTTER TESTER NEST
TL-4321	LCD
TL-4322	MASK - DUST
TL-4323	GLOVES - NITRILE
TL-4329	TOOL - PICKER ASSEMBLY ADJUSTMENT
TL-4334	REMOVER - IC
TL-4353	CABLE - INTERFACE CONNECTION
TL-4354	WRENCH - TORQUE
TL-4356	SCREWDRIVER - TORQUE
TL-4360	METER - OPT POWER
TL-4361	KIT - SOFTWARE LOAD
TL-4364	PLATE ADJUSTMENT
TL-4366	WRENCH
TL-4369	CONNECTOR - LOOPBACK
TL-4371	CASE
TL-4372	CABLE - SCSI
TL-4373	BIT - MILL
TL-4380	FIXTURE - POWER METER
TL-4383	KIT - Kodak Imagelink PRINT
TL-4384	PLUG - COAXIAL
TL-4387	TOOL - WIRE STRIPPING
TL-4389	MODULE - VACUUM/PRESSURE
TL-4390	RULE - 12 INCH PRECISION
TL-4391	CABLE - LAPTOP
TL-4395	GAUGE - CENTERING
TL-4397	TOOL - CLIP REMOVAL
TL-4398	TOOL - IC REMOVAL
TL-4402	FIXTURE - 150 ALIGNMENT
TL-4404	DISKETTE - DIAGNOSTICS (270 RA)
TL-4406	CABLE - SYNC EXTENSION
TL-4407	CABLE - PIXEL CLOCK EXTENSION
TL-4408	CABLE - VIDEO EXTENSION
TL-4409	CABLE - PILL EXTENSION
TL-4418	PLATES - SPACING

TL-4425	LEVEL - CENTER
TL-4430	TOOL - EXTRACTOR
TL-4440	TESTER - POCKET ETHERNET
TL-4441	CABLE - ETHERNET
TL-4447	CABLE - TOKEN RING
TL-4448	GOGGLES - LASER SAFETY
TL-4460	BRUSH
TL-4462	MULTILOADER - Kodak X-OMAT
TL-4463	CARD - PCB EXTENDER
TL-4467	LEAD - BLACK TEST
TL-4469	TARGET - TEST SET OCR
TL-4469	DISKETTE - OPT
TL-4472	HOOK - SPRING
TL-4473	GEAR - WRENCH STAPLER
TL-4474	OPENER - SHUTTER
TL-4475	TOOL - LENS ADJUSTING
TL-4487	COVER - KEYBOARD
TL-4488	TOOL - CASSETTE LATCHING
TL-4490	TOOL - AMP CRIMP
TL-4492	CABLE - IBM
TL-4495	CONNECTOR - TAG
TL-4498	CONNECTOR - BUS DIAGNOSTIC
TL-4503	HANDLE/MAG BIT KIT
TL-4504	BIT - MAG SCREW
TL-4505	SCREWDRIVER - LONG MAG
TL-4517	TARGET -FOCUS
TL-4520	SCREWDRIVER - INSULATED
TL-4528	TARGET - TEST DOCUMENT
TL-4529	CALIPERS - POCKET
TL-4534	CARD - PCB EXTENDER
TL-4540	PULLER - FUSE
TL-4544	PLUG
TL-4547	PUMP - AIR
TL-4550	DISKETTE - DIAGNOSTICS
TL-4551	DIAGNOSTICS - Kodak X-OMAT RA PROCESSORS SOFTWARE
TL-4552	TEMPLATES -CASSETTE
TL-4554	MICROSCOPE 100X
TL-4557	PROBE - OSCILLOSCOPE

TL-4558 to TL-4563	BLADE - HEX
TL-4568	TOOL - PIN INSERTION/EXTRACTION
TL-4569	TOOL - INSERTION/EXTRACTION
TL-4570	SOFTWARE - LAND AND DATA
TL-4571	EXTENSION - 1/4 INCH
TL-4576	CABLE - SCSI
TL-4577	DRIVE - EXTERNAL TAPE
TL-4578	TAPE - BLANK
TL-4579	REFLECTOR - TRIANGLE
TL-4582	TOOL -MAG BLOWPIPE POSITIONING
TL-4583	POSITIONER - BLOWPIPE
TL-4584	CLEANER - OD DISK
TL-4587	GAUGE - ADAPTER
TL-4597	ADAPTER
TL-4597	ADAPTER
TL-4604	BLADE - T-6 TORX
TL-4607	CABLE - SERVICE EXTENSION
TL-4608	CABLE - SERVICE EXTENSION
TL-4610 to TL-4612	DISKETTE - COMPACT
TL-4615	DISKETTE - DIAGNOSTICS
TL-4622	DISK - PHOTO CD TEST
TL-4625	CABLE - LAPTOP
TL-4627	SCANNER - QUICK
TL-4628	TOOL - ROTOR PAD ALIGNMENT
TL-4636	CARD - REFERENCE
TL-4637	PLIERS - NO. 4 NEEDLE-NOSE
TL-4638	BLOCK - VT ALIGNMENT
TL-4643	STRIP - EXPOSURE SETUP FILM
TL-4644	TUBES - TEST
TL-4646	SCREWDRIVER - NO. 2 JIS
TL-4648	WRENCH - ALLEN
TL-4649	DISKETTE - DIAGNOSTIC
TL-4650	MAGNETIC/DEMS
TL-4655	WRENCH- LONG ARM ALLEN
TL-4656	WRENCH SET - ALLEN
TL-4657	L -WRENCH - BALL POINT

TL-4659	WRENCH SET - ALLEN
TL-4660	TARGET - TEST
TL-4661	KIT - HARDWARE
TL-4662	FILE - ALUMINUM FLAT
TL-4670	LEAD - CHANGING
TL-4671	LEAD - CHANGING
TL-4672 to TL-4674	DIAGNOSTICS DISKETTE - MSDO
TL-4675	DISKETTE - QNX FORMAT
TL-4679	MANAGER - Kodak X-OMAT FIXER
TL-4682	TARGET - FEEDER
TL-4683	TARGET - Non Linearity
TL-4689	SIMULATOR - FILM
TL-4690	SIMULATOR - BATTERY
TL-4694	TOOL - FOCUS
TL-4696	CABLE - DIAGNOSTIC
TL-4698	WRENCH
TL-4699	WRENCH
TL-4700	TOOL - FOCUS
TL-4701	GAUGE - GO NO-GO
TL-4702	CABLE TESTER
TL-4704	PUNCH - FILTER
TL-4705	FILTERS
TL-4706	CARD - PCB EXTENDER
TL-4707	KIT - FILTER
TL-4708	KIT - PHOTO DETECT
TL-4711	DISKETTE - REPAIR
TL-4715	TOOL - PULSE CYCLE TEST
TL-4718	LEVEL - DIGITAL MOD
TL-4719	ROM - TEST
TL-4723	GAUGE - VACUUM
TL-4728	TOOL - ADAPTER
TL-4732	TEMPLATE - PAPER PLATEN
TL-4733	TEMPLATE - CRT RASTER
TL-4740	KEY - PLASTIC
TL-4745	ANODE - VOLTAGE TEST LEAD
TL-4749	TARGET - MAG
TL-4780	PLUG - LOOPBACK

TL-4782	TARGET
TL-4791	CLEANER - THERMAL HEAD
TL-4792	BLOWER - BRUSH
TL-4793	REMOTE CONTROL
TL-4794	TERMINAL - REMOTE CONTROL
TL-4797	TOOL - PRECISION ALIGNMENT
TL-4798	ADAPTER
TL-4799	CONTROLLER SYSTEM - H.I.T.
TL-4800	ADAPTER - PHOTODETECTOR
TL-4801	MIRROR - UNIVERSAL FOCUS
TL-4802	THERMOMETER - DIAL
TL-4803	TUBE - REPLACEMENT
TL-4805	MAGNIFIER
TL-4806	CABLE - TEST THINNET
TL-4808	FILM - TEST
TL-4809	PCB - PRT TEST KIT
TL-4812	BRACKET - FOCUS
TL-4818	DOSIMETER - X-RAY
TL-4820	CABLE
TL-4821	KIT - CUSTOMER MAINTENANCE
TL-4825	GAUGE - DRUM ALIGNMENT
TL-4830	POSITIONER - BLOWPIPE
TL-4831	PALLET - TOP
TL-4832	PALLET - BOTTOM
TL-4834	TARGET - TEST
TL-4835	FUSER - CONN AND RESISTOR
TL-4836	CABLE - EXTENDER
TL-4841	PLIERS - MULTIPLE SLIP JOINT
TL-4863	FIXTURE - MOUNTING
TL-4864	FIXTURE - WEIGHT
TL-4865	GAUGE - FIXTURE ROLLER
TL-4866	TOOL - APERTURE
TL-4867	TOOL - DENSITY
TL-4868	BRACKET - LCM
TL-4869	CORD - DVM EXTENSION
TL-4870	WRENCH SET - Metric
TL-4879	GAUGE - DEFECTION
TL-4883	GAUGE - PAPER DECK SPACER

TL-4887	HANDLE
TL-4901	LASER POWER - CHECKER
TL-4902	TOOL - MIRROR ADJUSTMENT
TL-4912	CHART A
TL-4913	CHART B
TL-4914	CHART
TL-4915	ADAPTER
TL-4919	PCB - W225 DUMMY LASER
TL-4923	WRISTBAND, ADJUSTABLE
TL-5091	BIT - SCREWDRIVER INSERT
TL-5163	COAX CRIMP TOOL SET
TL-5237	CLAMP - ELEVATOR
TL-5256	CORD - STRETCH
TL-5292	BATTERY SIMULATOR (DC40)
TL-5293	BATTERY SIMULATOR (DC50)
TL-5294	BATTERY SIMULATOR (DC25)
TL-5295	BATTERY SIMULATOR (DC120)
TL-5296	BATTERY SIMULATOR (DC210/200)
TL-5297	BATTERY SIMULATOR (DC220/260/265)
TL-5298	BATTERY SIMULATOR (DC240)
TL-5336	CAPACITOR DISCHARGING TOOL
TL-5337	CAPACITOR DISCHARGING TOOL
TL-6265	KIT -BASIC TOOL
TL-6360	KIT - PARTS STORAGE
TL-6369	TEST PATTERNS - BAR CODE
TL-8401 to TL-8421	TAPS
TL-9204	DRILL BIT

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ALPHABETICAL INDEX

TL-2891	ADAPTER
TL-2921	ADAPTER
TL-4597	ADAPTER
TL-4798	ADAPTER
TL-4915	ADAPTER
TL-4143	ADAPTER
TL-4597	ADAPTER
TL-3030	ADAPTER
TL-1524	ADAPTER - 1/4 INCH SOCKET
TL-2486	ADAPTER - 1/4 To 3/8 INCH SOCKET
TL-3447	ADAPTER - 250 GAUGE
TL-4021	ADAPTER - AC
TL-2958	ADAPTER - CASTER
TL-3590	ADAPTER - DUAL SOCKET
TL-4238	ADAPTER - NULL MODEM
TL-4800	ADAPTER - PHOTODETECTOR
TL-2026	ADAPTER - TORQUE WRENCH
TL-2455	ADAPTER - TORQUE WRENCH
TL-3454	ADAPTER PHOTOMETER - AC
1C8022	ADHESIVE - RTV ELEC GR
1C8124	ADHESIVE - RUBBER AND GASKET
TL-2928	ADJUSTER - PF FILTER BUMP
1C8067	AIR - CANNED
1C8103	ALCOHOL - ISOP
TL-4745	ANODE - VOLTAGE TEST LEAD
TL-1072	APPLICATOR
TL-1928	APPLICATOR
TL-1565	ATTENUATOR
1C8092	BAG - ANTISTATIC
TL-1191	BAG - CHANGING
TL-2773	BAG - DUST
TL-2081	BAG, PLASTIC
TL-4274	BAR - GAUGE INTEGRATION
TL-2055	BAR - PRY
TL-2353	BATTERY SIMULATOR - K
TL-5295	BATTERY SIMULATOR (DC120)
TL-5296	BATTERY SIMULATOR (DC210/200)
TL-5297	BATTERY SIMULATOR (DC220/260/265)
TL-5298	BATTERY SIMULATOR (DC240)
TL-5294	BATTERY SIMULATOR (DC25)
TL-5292	BATTERY SIMULATOR (DC40)
TL-5293	BATTERY SIMULATOR (DC50)
TL-3009	BEARS SET
TL-3049	BIN
TL-3607	BIT - DRILL
TL-3764	BIT - JEWELER'S SCREWDRIVER
TL-4504	BIT - MAG SCREW
TL-4373	BIT - MILL
TL-5091	BIT - SCREWDRIVER INSERT
TL-4171	BIT - SCREWDRIVER INSERT
TL-3887	BIT - TORX SCREWDRIVER T-30
TL-3826	BIT- SCREWDRIVER
TL-3761	BIT SET - MAGNETIC SCREWDRIVER AND
TL-3296	BIT SET - SCREWDRIVER INSERT
TL-3255	BIT SET - TORX
TL-4168	BLADE - 7mm DRIVER
TL-4558 to TL-4563	BLADE - HEX
TL-3177 to TL-3183	BLADE - NUT DRIVE
TL-2855, TL-2856	BLADE - NUT DRIVE
TL-3988	BLADE - T-10 TORX
TL-3990	BLADE - T-20 TORX
TL-3991	BLADE - T-25 TORX
TL-4604	BLADE - T-6 TORX
TL-2682 to TL-2690	BLADES - HEX
TL-3976 to TL-3982	BLADES - SCREWDRIVER
TL-2886	BLOCK - C-T/O SETUP
TL-2886	BLOCK - C-TURNOVER SETUP
TL-4191	BLOCK - FOCUS
TL-3136	BLOCK - METER
TL-4638	BLOCK - VT ALIGNMENT
TL-4792	BLOWER - BRUSH
TL-2981	BOARD - PF SBC EXTENDER
TL-3239	BOARD - PIPELINE EXTENDER
TL-2229	BOARD - CONTROL AND STATUS TEST
TL-3240	BOARD - CPU EXTENDER
TL-3251	BOARD No. 3 - EXTENDER
TL-1330	BOTTLE
TL-1687	BOTTLE - DISPENSER
TL-2118	BOTTLE WITH BRUSH
TL-3033	BOX - DISK STORAGE
TL-1852	BOX, 18 COMPARTMENT
TL-1850	BOX, 36 COMPARTMENT
TL-1849	BOX, 4 COMPARTMENT
TL-1851	BOX, 6 COMPARTMENT
TL-1848	BOX, 8 COMPARTMENT
TL-3732	BRACKET - ELECTROMETER
TL-4812	BRACKET - FOCUS
TL-4868	BRACKET - LCM
TL-3734	BRACKET ELECTROMETER - P/C ASSEMBLY
TL-2156	BRUSH
TL-2253	BRUSH
TL-4460	BRUSH
TL-1261	BRUSH - 1/2 INCH
TL-2151	BRUSH - VACUUM DUST
TL-4239	BRUSH - VACUUM DUST
TL-1259	BULB - SYRINGE
TL-0994	BURNISHING - CONTACT
TL-2137	CABLE
TL-2138	CABLE
TL-4820	CABLE
TL-2948	CABLE - 25 PIN CONN
TL-4199	CABLE - 9 PIN SERIAL
TL-4696	CABLE - DIAGNOSTIC
TL-3234	CABLE - EIA INTERFACE
TL-4441	CABLE - ETHERNET
TL-4836	CABLE - EXTENDER
TL-3748	CABLE - EXTENSION
TL-3749	CABLE - EXTENSION
TL-3752	CABLE - EXTENSION
TL-3746	CABLE - EXTENSION
TL-3750	CABLE - EXTENSION
TL-4492	CABLE - IBM
TL-4353	CABLE - INTERFACE CONNECTION
TL-3677	CABLE - JUMP
TL-3795	CABLE - KELP MONITOR
TL-4391	CABLE - LAPTOP
TL-4625	CABLE - LAPTOP
TL-3043	CABLE - PF LIGHT LOCK
TL-2947	CABLE - PF-6 COND
TL-4409	CABLE - PILL EXTENSION
TL-4407	CABLE - PIXEL CLOCK EXTENSION
TL-4372	CABLE - SCSI
TL-4576	CABLE - SCSI
TL-4310	CABLE - SCSI INTERFACE
TL-4219	CABLE - SERIAL
TL-1498	CABLE - SERVICE
TL-4607	CABLE - SERVICE EXTENSION
TL-4608	CABLE - SERVICE EXTENSION
TL-4406	CABLE - SYNC EXTENSION
TL-1760	CABLE - TEST
TL-4806	CABLE - TEST THINNET
TL-4447	CABLE - TOKEN RING
TL-4408	CABLE - VIDEO EXTENSION
TL-3972	CABLE - VME EXTENDER
TL-4702	CABLE TESTER
TL-1727	CALIPER - 6 INCH VERNIER
TL-4529	CALIPERS - POCKET
TL-2329	CAMERA - 110 REF
TL-2330	CAMERA - 126 REF
TL-2331	CAMERA - SUPER 8 REF
TL-3141	CAN - PLASTIC OIL
TL-2544	CAP - DISCHARGE
TL-5336	CAPACITOR DISCHARGING TOOL
TL-5337	CAPACITOR DISCHARGING TOOL
TL-4636	CARD - REFERENCE
TL-4706	CARD - PCB EXTENDER
TL-4463	CARD - PCB EXTENDER
TL-4534	CARD - PCB EXTENDER
TL-1735	CARDBOARD BOX - 2 in.
TL-1736	CARDBOARD BOX - 4 in.
TL-2461	CART - HAND
TL-3739	CASE
TL-4246	CASE
TL-3890	CASE
TL-4371	CASE
TL-1521	CASE - ELECTRIC DRILL CARRYING
TL-2577	CASE - FLUKE METER
TL-4299	CASE WITH STORAGE BOXES
TL-3765	CASSETTE - OPENER
TL-2472	CASSETTE - TAKE-UP TORQUE
TL-2959	CASTER
1C8123	CEMENT - CONTACT
TL-3084	CHAIN OILER
TL-2636	CHART
TL-2703	CHART
TL-4914	CHART
TL-4252	CHART - COLOR
TL-3357	CHART - GRAY SCALE
TL-1351	CHART - RESOLUTION
TL-2288	CHART - VIEWFINDER REGISTRATION
TL-2285	CHART - VIEWFINDER REGISTRATION, Side A
TL-4912	CHART A
TL-4913	CHART B
TL-1872	CHART SIZE
1C8093	CHEM/TONER SPILL KIT
TL-1286	CHISEL - 1/4 INCH
TL-2842	C-KEY SERVICE MODE
TL-5237	CLAMP - ELEVATOR
TL-1385	CLAMP - C
TL-4087	CLAMP - C
TL-2170	CLAMP - HOSE PINCH
TL-3628	CLEANER - CASE FOR VACUUM
1C8098	CLEANER - GLASS
1C8051	CLEANER - HAND
TL-4584	CLEANER - OD DISK
TL-3110	CLEANER - PRINTER
TL-4791	CLEANER - THERMAL HEAD
K278605	CLEANING CLOTH
TL-1210	CLIP - BLACK ALLIGATOR
TL-1443	CLIP - HEAT SINK
1C8100	CLOTH TACK
TL-3849	COAT - LAB TYVEK
TL-5163	COAX CRIMP TOOL SET
TL-3235	COIL - DEGAUSSING
TL-3062	COLLAR - PF FLUSHER AND
1C8003	COMPOUND - HEAT SINK
TL-2831	CONNECTOR - A TO D CONVERTER TEST
TL-3611	CONNECTOR - BNC BARREL
TL-2672	CONNECTOR - BUS DIAGNOSTIC
TL-4498	CONNECTOR - BUS DIAGNOSTIC
TL-2833	CONNECTOR - DIGITAL I/O TEST , No.1
TL-2832	CONNECTOR - DIGITAL I/O TEST, No. 2
TL-4287	CONNECTOR - HOSE
TL-4128	CONNECTOR - IBM TEST
TL-3412	CONNECTOR - LOOPBACK
TL-4181	CONNECTOR - LOOPBACK
TL-4369	CONNECTOR - LOOPBACK
TL-2983	CONNECTOR - PF INTRA
TL-4495	CONNECTOR - TAG
787892	CONTACT
TL-4799	CONTROLLER SYSTEM - H.I.T.
TL-4869	CORD - DVM EXTENSION
TL-4314	CORD - POWER ADAPTER
TL-5256	CORD - STRETCH
952057	COTTON SWAB
TL-2614	COUNTERSINK
TL-3050	COVER
952803	COVER - HEAD
TL-4487	COVER - KEYBOARD
952055	COVER - SHOE
952782 to 952789	COVERALL - TYVEK
TL-4077	CURTAIN - DARK LOCK
TL-3352	CUTTER - WIRE
TL-1435	CYLINDER - GRADUATED
TL-2117	CYLINDER - GRADUATED
TL-2520	DETECTOR - PIN 10
TL-4551	DIAGNOSTICS - Kodak X-OMAT RA PROCESSORS SOFTWARE
TL-4672 to TL-4674	DIAGNOSTICS DISKETTE - MSDO
TL-2978	DISC - FOCUS NEGATIVE
TL-4622	DISK - PHOTO CD TEST
TL-4404	DISKETTE - DIAGNOSTICS (270 RA)
TL-4610 to TL-4612	DISKETTE - COMPACT
TL-3341	DISKETTE - DIAGNOSTIC
TL-4649	DISKETTE - DIAGNOSTIC
TL-4615	DISKETTE - DIAGNOSTICS
TL-4550	DISKETTE - DIAGNOSTICS
TL-4297	DISKETTE - EDICON DIAGNOSTICS
TL-4469	DISKETTE - OPT
TL-4675	DISKETTE - QNX FORMAT
TL-4711	DISKETTE - REPAIR
TL-4818	DOSIMETER - X-RAY
TL-1466	DRILL - 3/8 ELECTRIC
TL-2051	DRILL ATTACHMENT - RIGHT ANGLE
TL-9204	DRILL BIT
TL-1410	DRILL SET
TL-1482	DRILL SET
TL-4577	DRIVE - EXTERNAL TAPE
TL-2346	DRIVE - SOCKET
TL-2368	DRIVER - 1/4 INCH HEX
TL-2141	DRIVER - HEX NUT
TL-3583	DRIVER - STUBBY MAGNETIC SCREWDRIVER BIT
952777	DROP CLOTH
TL-3585	DRUM - MEASURING TOOL
TL-2793	DYNAMOMETER
TL-2865	ELECTROMETER
TL-3932	ENVELOPE - SERVICE LOG
1C8011	EPOXY
1C8012	EPOXY - HIGH STRENGTH
1C8014	EPOXY - REPAIR
1C8132	EPOXY PATCH KIT
TL-1659	EXTENDER - CIRCUIT BOARD
TL-2033	EXTENDER - CIRCUIT BOARD
TL-4292	EXTENDER - PCB
TL-4293	EXTENDER - PCB
TL-2495	EXTENDER - PCB
TL-2524	EXTENDER BOARD, 72-PIN
TL-2588	EXTENDER BOARD, 72-PIN
TL-2523	EXTENDER BOARD, 86-PIN
TL-3175	EXTENSION
TL-1036	EXTENSION - 1/4 DRIVE
TL-4571	EXTENSION - 1/4 INCH
TL-2791	EXTRACTION TOOL
TL-3283	EXTRACTOR - MINI
TL-1978	EXTRACTOR - O-RING
TL-2973	EXTRACTOR - PIN
TL-1373	EXTRACTOR - SCREW
TL-1374	EXTRACTOR - SCREW
TL-1375	EXTRACTOR - SCREW
TL-1383	FILE - 6 INCH 0-CUT NARROW PILLAR
TL-1292	FILE - 6 INCH 0-CUT ROUND TAPER
TL-1290	FILE - 6 INCH FLAT MILL
TL-1293	FILE - 8 INCH 0-CUT ROUND TAPER
TL-4662	FILE - ALUMINUM FLAT
TL-2651	FILM - 16 mm AZIMUTH
TL-2508	FILM - CROSS HATCH TEST
TL-3810	FILM - READER TEST
TL-3402	FILM - READER TEST
TL-2640	FILM - SUPER 8 SOFT REGISTRATION
TL-2473	FILM - TEST
TL-4888	FILM - TEST
1C8121	FILM - TFE LUBRICANT PERMANENT
TL-2347	FILM TEXT
TL-2514	FILTER
TL-2910	FILTER
TL-3401	FILTER
1C8070	FILTER - CLEAR
TL-4291	FILTER GREEN
TL-4290	FILTER N.D.
TL-4300	FILTER N.D. 2
TL-4705	FILTERS
TL-2457	FIXTURE - ALIGNMENT
TL-4402	FIXTURE - 150 ALIGNMENT
TL-4863	FIXTURE - MOUNTING
TL-4380	FIXTURE - POWER METER
TL-4864	FIXTURE - WEIGHT
1C8088	FLASH ORANGE
1C8043	FLUOROSILICONE
TL-2041	FORCEPTS - 6 INCH
TL-2042	FORCEPTS - 6 INCH
TL-1584	FUNNEL
952792	FUSE
TL-4835	FUSER - CONN AND RESISTOR
1C8036	G-300 GREASE
TL-2942	GAUGE - C-PFVT GO NO-GO
TL-2397	GAUGE - FLEXIBLE FEELER
TL-4057	GAUGE - 12 INCH FEELER
TL-2796	GAUGE - 35 MM CODE BIT
TL-4587	GAUGE - ADAPTER
TL-3001	GAUGE - AM SLIDE LEVER
TL-1744	GAUGE - AUTO FOCUS
TL-3277	GAUGE - AUTO FOCUS
TL-4193	GAUGE - BACK STOP
TL-3103	GAUGE - C-DRUM CONV
TL-4395	GAUGE - CENTERING
TL-4879	GAUGE - DEFECTION
TL-4825	GAUGE - DRUM ALIGNMENT
TL-4067	GAUGE - FEELER
TL-3335	GAUGE - FILM WRITER POSITION
TL-2586	GAUGE - FIXED SPINDLE
TL-4865	GAUGE - FIXTURE ROLLER
TL-4701	GAUGE - GO NO-GO
TL-2895	GAUGE - MF GUIDE PLATE
TL-2427	GAUGE - OPTICAL ALIGNMENT
TL-3155	GAUGE - OPTICAL CENTER LINE
TL-4184	GAUGE - OVF TUBE
TL-4883	GAUGE - PAPER DECK SPACER
TL-3069	GAUGE - PF CONTAIN SPINDLE
TL-2892	GAUGE - PF ROLLER ALIGNMENT
TL-3041	GAUGE - PF SHUTTLE HEIGHT
TL-3347	GAUGE - PRESSURE LOADING
TL-3267	GAUGE - RAIL DIAMETER
TL-3373	GAUGE - RIBBON SWITCH
TL-2070	GAUGE - SPINDLE
TL-4194	GAUGE - SPRING RETENTION
TL-4196	GAUGE - STACK SENSOR
TL-2372	GAUGE - THICKNESS
TL-4723	GAUGE - VACUUM
TL-2952	GAUGE - WEDGE
TL-4473	GEAR - WRENCH STAPLER
1C8053	GEAR BOX OIL
TL-2179	GLASS - GROUND
952793	GLASSES - SAFETY
952795	GLOVES - COTTON
952797 to 952800	GLOVES - HEAVY RUBBER
952796	GLOVES - LATEX
952801, 952802	GLOVES - LATEX
952794	GLOVES - NEOPRENE
TL-4323	GLOVES - NITRILE
TL-4448	GOGGLES - LASER SAFETY
1C8062	GREASE - RED
1C8049	GREASE - SPRAY
1C8026	GREASE - *SUPERLUBE* TEF
1C8045	GREASE NO. 2 ALVANIA
TL-1360	HAMMER - PLASTIC HEAD
1C8019	HAND CLEANER
TL-4887	HANDLE
TL-3174	HANDLE - REPLACEMENT
TL-1035	HANDLE - 1/4 DRIVE SPINNER
TL-3633	HANDLE - T
TL-4503	HANDLE/MAG BIT KIT
TL-4076	HARNESS ASSEMBLY
TL-1327 to TL-1344	HELICOILS
TL-3523	HEX SET - METRIC
1C8037	HI TEMP LUBRICANT
TL-3739-4	HINGE
TL-2822	HOLDER - SOLDERING IRON
TL-3063	HOOK - HEAVY DUTY PUSH/PULL SPRING
TL-4472	HOOK - SPRING
TL-3936	HOOK - SPRING
TL-4131	HOOK - SPRING
TL-4134	HOOK - SPRING
TL-2868	INDENT - C MAGNET GAUGE
TL-1728	INDICATOR - DIAL
TL-1920	INDICATOR - SPEED
TL-2778	INSERT, PHILLIPS
TL-2818	IRON - 35 WATT SOLDERING
TL-3148	JIG - CORONA/REFLECTOR
TL-4164	JIG - ROTOR PUMP SETUP
TL-2763	JOINT - UNIVERSAL
165152	JUMPER
TL-2968	JUMPER - PF RS-232 TEST
TL-4740	KEY - PLASTIC
TL-4236	KIT - CLEAN UP
TL-4821	KIT - CUSTOMER MAINTENANCE
1C8029	KIT - DEVELOPER
TL-3346	KIT - ESD FIELD
TL-3397	KIT - ESD FIELD
TL-4707	KIT - FILTER
TL-4295	KIT - FINISHER HARDWARE
TL-2975	KIT - HAND CART STRIP
TL-3739-2	KIT - HANDLE AY REPAIR
TL-4661	KIT - HARDWARE
TL-2963	KIT - IC-INSERTION/EXTRACTION
TL-4383	Kit - Kodak Imagelink PRINT
TL-1588	Kit - Kodak Service Developing
TL-1300	KIT - *Kodak Starfile* ILLUMINATION
TL-3354	KIT - LEVEL 1 CUSTOMER MAINTENANCE
TL-4180	KIT - METRIC FASTENER
TL-6360	KIT - PARTS STORAGE
TL-1477	KIT - PEAK PICKER
TL-4708	KIT - PHOTO DETECT
TL-4215	KIT - SERVICE DIAGNOSTICS
TL-4361	KIT - SOFTWARE LOAD
952805	KIT - TERMINAL
952768	KIT - TERMINAL SELECTOR
TL-1480	KIT - TEST LEAD
TL-3492	KIT - VACUUM GAUGE
TL-1929	KIT - WATER PRESSURE GAUGE
952765	KIT (Mid-Volume) - HARDWARE
TL-6265	KIT -BASIC TOOL
952764	KIT No. 1 - S3 HARDWARE
TL-2851	KIT, MULTI PURPOSE
TL-1189	KNIFE - POCKET
TL-4657	L -WRENCH - BALL POINT
TL-2845	LAMINATOR - PF
TL-4211	LAMP - MAGNETIC BASE
TL-4901	LASER POWER - CHECKER
952806	LATCH LOCK
TL-2995	LCD
TL-4315	LCD
TL-4321	LCD
TL-4467	LEAD - BLACK TEST
TL-2160	LEAD - BLACKTEST
TL-4670	LEAD - CHANGING
TL-4671	LEAD - CHANGING
TL-2159	LEAD - RED TEST
TL-2100	LEAD - TEST
TL-2019	LEAD BNC - TEST
TL-2699	LEAD HK- BLACK TEST
TL-2698	LEAD HK- RED TEST
TL-2865-2	LEAD -TEST
TL-2805	LEADS - FLUKE REPLACEMENT
TL-1244	LEADS - TEST METER
1C8000	LENS CLEANER
TL-1434	LEVEL - 12 INCH BENCH
TL-2239	LEVEL - 4 INCH MECHANICS
TL-4425	LEVEL - CENTER
TL-4718	LEVEL - DIGITAL MOD
1C8044	LIGHT SYNTHETIC INSTRUMENT OIL
TL-3739-1	LOCK - LATCH
1C8004	LOCTITE 454
1C8015	*LOCTITE* #222
1C8013	*LOCTITE* 242
1C8020	*LOCTITE* 290-21
1C8148	*LOCTITE* 414 ADHESIVE
TL-3008	LOGIC PEN
TL-2669	LOOP - 16 mm MAGNETIC
1C8016	LUBRICANT - NYLON GEAR
TL-2927	MAGAZINE - ARM TORQUE
TL-3200	MAGAZINE - CRANK ROTARY
TL-2708	MAGAZINE - FILM TRANSPORT TEST
TL-4179	MAGAZINE - S/I TRAINING
TL-2691	MAGNET PICK UP
TL-4650	MAGNETIC/DEMS
TL-4183	MAGNIFIER
TL-4805	MAGNIFIER
TL-4679	MANAGER - Kodak X-OMAT FIXER
TL-3461	MANUAL - PC MAINTENANCE/SERVICE
TL-3500	MANUAL - PC/AT HARDWARE MAINTENANCE
952809	MASK
TL-4322	MASK - DUST
TL-4200	MASK - VIEWFINDER
TL-3399	MAT - ESD TABLE
TL-2431	METER - AIR
TL-3386	METER - FLUKE
TL-4360	METER - OPT POWER
TL-4166	MICROSCOPE
TL-4554	MICROSCOPE 100X
TL-2528	MIRROR - FORM SLIDE
TL-3005	MIRROR - AM AUTO FOCUS
TL-2753	MIRROR - INSPECTION
TL-2980	MIRROR - PF TEMPLATE
TL-2518	MIRROR - RETROREFLECT
TL-4801	MIRROR - UNIVERSAL FOCUS
TL-2087	MODULE - DIAGNOSTIC SERVICE

TL-3584	MODULE - THERMOCUP
TL-4389	MODULE - VACUUM/PRESSURE
TL-3248	MOTOR SETUP - PVAC
TL-4462	MULTILOADER - Kodak X-OMAT
TL-4114	MULTIMETER
TL-2177	NEGATIVE - FOCUS
TL-2176	NEGATIVE - FOCUS
TL-1976	NOTEBOOK
TL-3648	NOZZLE - AIR ISOLATION
1C8018	*NUMATICS* LUBE
952945	NUTSERT
1C8038	OIL - SYNTHETIC INSTR
TL-1172	OIL CAN
TL-4474	OPENER - SHUTTER
TL-3348	OSCILLOSCOPE - ANALOG
TL-3413	PACKAGE - MIP IV DIAGNOSTIC
952949	PAD - *SCOTCHBRITE*
427008	PAD - SCOURING
1C8114	PAINT - TOUCHUP
1C8117	PAINT - TOUCHUP
1C8118	PAINT - TOUCHUP
1C8119	PAINT - TOUCHUP
1C8120	PAINT - TOUCHUP
TL-4832	PALLET - BOTTOM
TL-4831	PALLET - TOP
TL-2713	PALLET-FICHE POCKET
TL-2712	PALLETS - CASE
952807	PAPER - LENS
952808	PAPER - LENS
TL-3952	PATCH -VR SETUP
TL-2986	PCB - PF MC INTERFACE
TL-4809	PCB - PRT TEST KIT
TL-4919	PCB - W225 DUMMY LASER
TL-3060	PF - MC DIAGNOSTIC DISKETTE
TL-3833	*PHILLIPS* SCREWDRIVER
TL-2579	PHOSPHOR PROBE, IR
TL-2549	PHOTOCELL
TL-1228	PHOTOCELL
TL-3113	PLAQUE
TL-1749	PLASTIC BAG
1C8050	PLASTIC GREASE No. 2 with MOLY
1C8051	PLASTIC LUB No. 2 with MOLY
TL-4268	PLATE - CALIBRATION
TL-4364	PLATE ADJUSTMENT
TL-4418	PLATES - SPACING
TL-4158	PLIERS - 6 INCH
TL-2080	PLIERS - 7 INCH CLAMPING
TL-1200	PLIERS - DIAGONAL CUTTING
TL-4157	PLIERS - FLAT WIRING
TL-4205	PLIERS - GEAR
TL-3689	PLIERS - GRIP RING
TL-1052	PLIERS - HOSE CLAMP
TL-2040	PLIERS - HOSE CLAMP
TL-1795	PLIERS - LOCK RING
TL-2881	PLIERS - MULTIPLE SLIP JOINT
TL-4841	PLIERS - MULTIPLE SLIP JOINT
TL-1436	PLIERS - MULTIPLE SLIP JOINT
TL-1804	PLIERS - MULTIPLE SLIP JOINT
TL-1201	PLIERS - NEEDLE NOSE
TL-4637	PLIERS - NO. 4 NEEDLE-NOSE
TL-1564	PLIERS - RETAINING
TL-1140	PLIERS - RETAINING RING
TL-1317	PLIERS - RETAINING RING
TL-1016	PLIERS - RETAINING RING
TL-1070	PLIERS - RETAINING RING
TL-1316	PLIERS - RETAINING RING
TL-1199	PLIERS - SLIP JOINT
TL-2933	PLUG
TL-4138	PLUG
TL-3511	PLUG
TL-4544	PLUG
TL-2096	PLUG - BANANA
TL-2097	PLUG - BANANA
TL-2443	PLUG - BLACK ADAPTER
TL-2098	PLUG - BLACK BANANA
TL-4384	PLUG - COAXIAL
TL-4780	PLUG - LOOPBACK
TL-2442	PLUG - RED ADAPTER
TL-2099	PLUG - RED BANANA
TL-2741	PLUG - TEST
TL-1445	PLUG - TEST
TL-3209	PLUG - WRAP AROUND
TL-1171	POCKET COMPARITOR
TL-4583	POSITIONER - BLOWPIPE
TL-4830	POSITIONER - BLOWPIPE
TL-1948	POWER SUPPLY - *Hewlett-Packard*
TL-3644	PRECISION RULE
TL-2628	PROBE - BLACK MICRO
TL-2835	PROBE - HIGH VOLTAGE
TL-3623	PROBE - IMMERSION
TL-4217	PROBE - INFRARED TEMPERATURE
TL-4088	PROBE - OSCILLOSCOPE
TL-4557	PROBE - OSCILLOSCOPE
TL-2074	PROBE - OSCILLOSCOPE, 10X
TL-2627	PROBE - RED MICRO
TL-3459	PROBE - REPLACEMENT
TL-2598	PROBE - TEMPERATURE
TL-2752-1	PROBE - TEMPERATURE
1C8259	PRO-GOLD
TL-3036	PULLER - GEAR/WHEEL
TL-4135	PULLER - GEAR/WHEEL
TL-4540	PULLER - FUSE
TL-3168	PULLER -KEY CAP
TL-4247	PUMP - AIR
TL-4547	PUMP - AIR
TL-3839	PUMP - VACUUM
TL-3314	PUMP - VACUUM DESOLDER
TL-2511	PUNCH - 1/16 INCH TIP CENTER
TL-1786	PUNCH - ADEL
TL-1430	PUNCH - CHASSIS
TL-1431	PUNCH - CHASSIS
TL-1746	PUNCH - CHASSIS
TL-2487	PUNCH - CHASSIS
TL-2488	PUNCH - CHASSIS
TL-2728	PUNCH - CHASSIS
TL-1618	PUNCH - CHASSIS CENTER GUIDE
TL-4704	PUNCH - FILTER
TL-2144	PUNCH- SQUARE CHASSIS
TL-4061, TL-1079, TL-1741, TL-1832, TL-0815	PUSH-PULL SCALES
TL-2676	READER - DIGIT CASSETTE
TL-4579	REFLECTOR - TRIANGLE
TL-4793	REMOTE CONTROL
TL-4334	REMOVER - IC
TL-2420	REMOVER - TRAY LATCH
TL-2831	REORDER KIT - 135 1st and
952776	RESPIRATOR
TL-2525	RETROREFLECTION PLATFORM AY
TL-2955	RING - APPLICATOR SNAP
TL-2956	RING - APPLICATOR SNAP
TL-2957	RING - APPLICATOR SNAP
TL-2433	ROD - TRANSPORT SUPPORT
TL-1387	ROLL PIN PUNCH 1/16
TL-1389	ROLL PIN PUNCH 1/8
TL-1391	ROLL PIN PUNCH 3/16
TL-1388	ROLL PIN PUNCH 3/32
TL-1390	ROLL PIN PUNCH 5/32
TL-4719	ROM - TEST
TL-4390	RULE - 12 INCH PRECISION
TL-2296	RULE - 3 METER
TL-2762	RULE - 6 INCH/150 MM ENGLISH/METRIC
TL-4060	RULER - STEEL
1C8032	SAE 30 OIL
762356	SAND PAPER
TL-1425	SAW - 12 INCH HACK
TL-1413	SAW - HOLE
TL-1414	SAW - HOLE
TL-1415	SAW - HOLE
TL-1416	SAW - HOLE
TL-1418	SAW - MANDREL
TL-1405	SAW - SABRE
TL-3342	SCALE - PAPER
TL-2123	SCALE - PULL
TL-3419	SCALE - PULL
TL-3237	SCANNER - ALIGNMENT PLATE
TL-4627	SCANNER - QUICK
TL-3275	SCISSORS
TL-2515	SCREEN - BEAM VIEW
TL-2529	SCREEN - TOOL VIEWER
TL-4266	SCREW - JACK
TL-4149	SCREWDRIVER
TL-2193	SCREWDRIVER - 1/4 INCH TORQUE
TL-4277	SCREWDRIVER - BIT
TL-1481	SCREWDRIVER - INSULATED
TL-4520	SCREWDRIVER - INSULATED
TL-0030	SCREWDRIVER - JEWELER'S HANDLE (Non-Magnetic)
TL-3798	SCREWDRIVER - JEWELER'S MAGNETIC
TL-4505	SCREWDRIVER - LONG MAG
TL-1196	SCREWDRIVER - NO. 1 *PHILLIPS*
TL-4646	SCREWDRIVER - NO. 2 JIS
TL-3465	SCREWDRIVER - NO. 30 STUBBY *PHILLIPS*
TL-1193	SCREWDRIVER - SLOTTED
TL-1195	SCREWDRIVER - SLOTTED
TL-1397	SCREWDRIVER - SLOTTED
TL-1396	SCREWDRIVER - SLOTTED
TL-1457	SCREWDRIVER - SLOTTED
TL-1611	SCREWDRIVER - SLOTTED OFFSET RACHET
TL-1465	SCREWDRIVER - STUBBY SLOTTED
TL-4356	SCREWDRIVER - TORQUE
TL-3834	SCREWDRIVER -JIS NO. 1
TL-2680	SEAL - OVF TUBE PORT
1C8005	SEALANT
1C8007	SEALANT - PIPE
1C8002	SEALANT - BLACK S1 RBR
1C8001	SEALANT - CLEAR RUBBER
1C8006	SEALANT B - LOCTITE
TL-2491	SENSOR - THERMAL
TL-3789	SET - METRIC ALLEN BALL
TL-2252	SET - ROLL PIN PUNCH
TL-3910	SHIELD - EYE
TL-1449	SHIELD - FACE
TL-3905	SHIELD - SIDE
TL-3143	SHIM - PLASTIC
TL-3969	SHIM STOCK
TL-2784	SHUTTER - DARK ADJ
TL-4319	SHUTTER TESTER NEST
TL-3996	SIEMENS TEST MR
1C8031	SILICONE - NO. 4
1C8040	SILICONE GREASE
1C8046	SILICONE LUBRICANT with MOLY
1C8034	SILICONE No. 200 FLUID
1C8035	SILICONE No. 302 with MOLY
TL-2701	SIMULATOR - AA BATTERY
TL-4690	SIMULATOR - BATTERY
TL-2261	SIMULATOR - CRYSTAL OUTPUT
TL-4689	SIMULATOR - FILM
TL-2605	SIPHON - SELF PRIMING
426629	SLEEVE - TEX
TL-1689	SLIDE - COMPARATOR
TL-3002	SLIDE - AM AUTO FOCUS
TL-2521	SLIDE - GRID FORM
TL-2535	SLIDE - RESOLUTION FORM
TL-2471	SLIDE - SHIM DRY
TL-3343	SLIDE AUTO-FOCUS TARGET
TL-2276	SOCKET - 3/8 INCH, 8-POINT
TL-3027	SOCKET - 9/16 INCH
TL-2257	SOCKET SET - 1/4 INCH SQUARE-DRIVE
TL-2766	SOCKET SET - METRIC
TL-4570	SOFTWARE - LAND AND DATA
TL-4298	SOFTWARE - NORTON UTILITIES
1C8128	SOLDER
TL-3133	SPACER - ADJUSTMENT CONE
TL-2823	SPONGE - SOLDERING IRON CLEANING
TL-2297	SQUARE - 12 INCH
TL-4316	STAND - MIRROR
TL-4136	STARTER - 2 1/2 LONG SCREW
TL-4137	STARTER - LARGER SCREW
TL-2756	STARTER - SCREW
TL-4133	STARTER - SMALL SCREW
TL-1184	STICK - ORANGE
TL-1212	STONE - FINE
TL-1399	STONE - FLAT
TL-4643	STRIP - EXPOSURE SETUP FILM
TL-2183	STRIP - FOCUS NEG 110
TL-3717	STRIP - IMAGE TEST
TL-2783	STRIP - IMT TEST FILM
TL-2275	STRIPPER - WIRE
TL-3167	STROBE STRIP (MTV)
TL-3093	SUPPORT - PF PG TEMPLATE
1C8099	SWAB - COTTON
426631	SWABS - FOAM
TL-2982	SWITCH - PF INTRA
TL-2859	SWITCH - REMOTE
1C8041	SYNTHETIC GREASE
1C8046	SYNTHETIC GREASE with FLUOROCARBON
1C8039	SYNTHETIC GREASE with MOLY
1C8042	SYNTHETIC OIL
1C8047	SYNTHETIC OIL with MOLY
TL-2322	SYRINGE
TL-4045	TAPE
TL-2477	TAPE - 142 HZ MIN/MAX TAPE
TL-2475	TAPE - 1050 Hz MIN TEST
TL-2476	TAPE - 150 HZ MIN/MAX TAPE
TL-2478	TAPE - 158 HZ MIN/MAX TAPE
TL-4578	TAPE - BLANK
TL-3994	TAPE - DIAGNOSTICS MR
952958	TAPE - ELECTRICAL
952959	TAPE - FILAMENT
TL-2479	TAPE - HEAD ADJUSTMENT
TL-2480	TAPE - HEAD ADJUSTMENT
TL-4074	TAPE - MAGNETIC
952960	TAPE - PIPE THREAD
1C8111	TAPE - SPLICING
1C8110	TAPE REFLECTOR
TL-3152	TAPE SCRATCH
TL-8401 to TL-8421	TAPS
TL-2546	TARGET
TL-4782	TARGET
TL-4094	TARGET
TL-1474	TARGET - "S"
TL-4305	TARGET - BIS SCANNER TEST
TL-3468	TARGET - Canon TEST
TL-3394	TARGET - CONSOLE TEST
TL-3394-1	TARGET - CONSOLE TEST
TL-3480	TARGET - DUPLEX (A-4) TEST
TL-2527	TARGET - F/S ALIGNMENT
TL-4682	TARGET - FEEDER
TL-3479	TARGET - GRAY (A-3) TEST
TL-4749	TARGET - MAG
TL-2516	TARGET - MIRROR E
TL-4683	TARGET - Non Linearity
TL-4189	TARGET - RESOLUTION
TL-2517	TARGET - SB CENTERING
TL-2287	TARGET - TEST
TL-3558	TARGET - TEST
TL-3904	TARGET - TEST
TL-4660	TARGET - TEST
TL-4834	TARGET - TEST
624926	TARGET - TEST
654053	TARGET - TEST
653483	TARGET - TEST
TL-4528	TARGET - TEST DOCUMENT
TL-4469	TARGET - TEST SET OCR
TL-4517	TARGET -FOCUS
TL-2469	TARGET SLIDE
TL-4286	TARGET -TEST
624927	TARGET- TEST
TL-3793	TECHNICIAN - PC
TL-4042	TECHNICIAN - PC
TL-4733	TEMPLATE - CRT RASTER
TL-4732	TEMPLATE - PAPER PLATEN
TL-4552	TEMPLATES -CASSETTE
591571	TERMINAL
764109 to 764123	TERMINAL
764390	TERMINAL
774243 to 774246	TERMINAL
787837	TERMINAL
TL-4794	TERMINAL - REMOTE CONTROL
TL-3532	TEST PATTERN - 35 mm
TL-6369	TEST PATTERNS - BAR CODE
TL-1497	TEST SET - COLORED DOCUMENT
TL-2264	TEST TARGET
TL-2265	TESTER - DIELETRIC
TL-4440	TESTER - POCKET ETHERNET
TL-2635	TESTER - POCKET HUMIDITY
TL-1582	THERMOMETER - DIAL
TL-2348-1	THERMOMETER - DIAL
TL-4802	THERMOMETER - DIAL
TL-3792	THERMOMETER - DIGITAL
TL-2127	THERMOMETER- DIAL
TL-1566	TIGHTENER - CHAIN
TL-1050	TIGHTENER - CHAIN
TL-2887	TIP
TL-3320	TIP
TL-1505	TIP - BLACK TEST LEAD
TL-2095	TIP - BLACK TEST LEAD
TL-2094	TIP - RED TEST LEAD
TL-2820	TIP - REPLACEMENT
TL-2929	TIP - REPLACEMENT
TL-4241	TIP - SOLDER KNIFE
TL-3608	TIP - SOLDERING
TL-3609	TIP - SOLDERING
TL-2819	TIP - SOLDERING REPLACEMENT
TL-4430	TOOL - EXTRACTOR
TL-4488	TOOL - CASSETTE LATCHING
TL-2534	TOOL - CENTER ROTATION
TL-3378	TOOL - FILM GUIDE ADJUSTMENT
TL-2111	TOOL - LENS
TL-2830	TOOL - 135 LATP ALIGNMENT
TL-1165	TOOL - 8 INCH SPRING HOOKING
TL-4728	TOOL - ADAPTER
TL-1001	TOOL - ADJUSTING
TL-3322	TOOL - ADJUSTMENT
TL-3008	TOOL - ADJUSTMENT
TL-4490	TOOL - AMP CRIMP
TL-4866	TOOL - APERTURE
TL-0942	TOOL - APPLICATOR
TL-2950	TOOL - CAPPER ALIGNMENT
TL-2673	TOOL - CARRIAGE ALIGNMENT
TL-2534	TOOL - CENTER ROTATION
TL-4397	TOOL - CLIP REMOVAL
TL-4213	TOOL - COLLIMINATION
TL-2020	TOOL - CRIMPING
TL-2867	TOOL - C-RING EXTRACTION
TL-2943	TOOL - C-SOL ADJUSTMENT
TL-4867	TOOL - DENSITY
TL-1654	TOOL - EXTRACTION
TL-2494	TOOL - EXTRACTION
TL-3072	TOOL - EXTRACTION
TL-1580	TOOL - EXTRACTION
TL-1581	TOOL - EXTRACTION
TL-1694	TOOL - EXTRACTION
TL-2027	TOOL - EXTRACTION
TL-2028	TOOL - EXTRACTION
TL-2583	TOOL - EXTRACTION
TL-2697	TOOL - EXTRACTION
TL-3071	TOOL - EXTRACTION
TL-3334	TOOL - FILM WRITER ILLUMINATION
TL-4694	TOOL - FOCUS
TL-4700	TOOL - FOCUS
TL-2284	TOOL - FORMING
TL-1783	TOOL - HAND NIBBLING
TL-4398	TOOL - IC REMOVAL
TL-4244	TOOL - INSERTION
TL-4016	TOOL - INSERTION
TL-2105	TOOL - INSERTION
TL-4569	TOOL - INSERTION/EXTRACTION
TL-1511	TOOL - INSTALLATION
TL-4475	TOOL - LENS ADJUSTING
TL-2532	TOOL - LENS OBJECT ADJUSTING
TL-4902	TOOL - MIRROR ADJUSTMENT
TL-1759	TOOL - MIRROR ALIGNMENT
TL-2533	TOOL - MIRROR OBJECT ADJUSTING
TL-2917	TOOL - PF ALIGNMENT
TL-2945	TOOL - PF SEMI AUTO OPEN
TL-2953	TOOL - PF SPINDLE DEPTH
TL-4329	TOOL - PICKER ASSEMBLY ADJUSTMENT
TL-4568	TOOL - PIN INSERTION/EXTRACTION
TL-2522	TOOL - PLUG HEATER
TL-4167	TOOL - POP RIVET
TL-4797	TOOL - PRECISION ALIGNMENT
TL-2526	TOOL - PRISM IG ALIGNMENT
TL-4261	TOOL - PROBOSCIS SHAFT
TL-4715	TOOL - PULSE CYCLE TEST
TL-4198	TOOL - RED/BLUE ALIGNMENT
TL-4628	TOOL - ROTOR PAD ALIGNMENT
TL-2497	TOOL - SHUTTER ADJUSTMENT
TL-3968	TOOL - SHUTTER OPEN
TL-4163	TOOL - SHUTTER OPEN
TL-2008	TOOL - SPRING HOOKING
TL-2009	TOOL - SPRING HOOKING
TL-2312	TOOL - STOP SWITCH
TL-2077	TOOL - TUNING
TL-3374	TOOL - WIRE FORM
TL-4387	TOOL - WIRE STRIPPING
TL-3772	TOOL CASE
TL-2450	TOOL -FOCUS ADJUSTING
TL-4582	TOOL -MAG BLOWPIPE POSITIONING
TL-2078	TOOL -TUNING
TL-2537	TOOL -TURRET DETENT
TL-2531	TOOL -VIEWER LENS
TL-3261	TORX L-WRENCH SET
TL-3004	TRAY - FAN SHAFT LOCK
TL-4803	TUBE - REPLACEMENT
TL-4644	TUBES - TEST
TL-1207	TWEEZERS
TL-2658	UNRECORDER - SUPER 8
TL-3937	UTILITIES - MIP IV HARD DISK FORMAT
TL-4071	VACUUM CLEANER - TONER
TL-2152	VACUUM CLEANER TOOL - CREVICE
TL-4121	VACUUM CLEANER TOOL - CREVICE
TL-3640	VACUUM HOSE
1C8048	VIBRATITE
TL-3226	VISE - PIN
TL-2270	WAND - CLEANING
TL-1926	WARNING - POWER
1C8127	WAX - BEES
1C8129	WICK - SOLDER
1C8102	WIPE - Staticide
1C8096	WIPES
398622	WIPES
1C8089	WIPES - ALCOHOL
952791	WIPING FABRIC
952961	WIRE No. 30
TL-2582	WIRES - JUMPER
TL-1768	WRENCH
TL-4366	WRENCH
TL-4698	WRENCH
TL-4699	WRENCH
TL-1424	WRENCH - 10 INCH ADJUSTABLE PIPE
TL-1537	WRENCH - TORQUE
TL-4220	WRENCH - TORQUE
TL-2025	WRENCH - 0.048 INCH SPLINE
TL-2093	WRENCH - 1/2 INCH OPEN END
TL-2864	WRENCH - 1/4 INCH OPEN-END COMBINATION
TL-3031	WRENCH - 1/4 X 5/16 INCH BOX
TL-1668	WRENCH - 10 mm OPEN-END
TL-1255	WRENCH - 9/16 INCH OPEN-END
TL-2977	WRENCH - 9/16 X 5/8 INCH BOX
TL-1258	WRENCH - ADJUSTABLE
TL-4058	WRENCH - ADJUSTABLE
TL-1607	WRENCH - ALLEN
TL-4648	WRENCH - ALLEN
TL-1590 to TL-1606	WRENCH - ALLEN
TL-2693	WRENCH - FOCUS
TL-4170	WRENCH - GATE
TL-2392	WRENCH - IMPRINT HEAD SPANNER
TL-2770	WRENCH - OPEN END
TL-3582	WRENCH - RATCHET BOX-END
TL-4115 to TL-4120	WRENCH - SPLINE
TL-1202	WRENCH - TAP
TL-1402	WRENCH - TAP
TL-1696	WRENCH - TORQUE
TL-4354	WRENCH - TORQUE
TL-1665	WRENCH- LONG ARM ALLEN
TL-1693	WRENCH- LONG ARM ALLEN
TL-3293	WRENCH- LONG ARM ALLEN
TL-4655	WRENCH- LONG ARM ALLEN
TL-4656	WRENCH SET - ALLEN
TL-4659	WRENCH SET - ALLEN
TL-1401	WRENCH SET - English
TL-4870	WRENCH SET - Metric
TL-2765	WRENCH SET - METRIC OPEN-END
TL-4062	WRENCH SET - SPLINE
TL-1156	WRENCH SET, ASA Standard - HEX RATCHET
TL-2764	WRENCH SET, METRIC ALLEN
TL-4098	WRENCH, OPEN END
TL-2483	WRENCHES - 5/8 and 3/4 INCH BOX
TL-3382	WRIST BAND
TL-4923	WRISTBAND, ADJUSTABLE

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

AMATEUR and AV TOOLS

TL-1001--TOOL - ADJUSTING

ADJUSTING TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1511--TOOL - INSTALLATION

INSTALLATION TOOL



TL-1511

Copyright © 2000, Eastman Kodak Company

TL-1744--GAUGE - AUTO FOCUS

AUTO FOCUS GAUGE



TL-1744

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2183--STRIP - FOCUS NEG 110

FOCUS NEG 110 STRIP



TL-2183

Copyright © 2000, Eastman Kodak Company

TL-2329--CAMERA - 110 REF

110 REF CAMERA



TL-2329

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2330--CAMERA - 126 REF

126 REF CAMERA



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2331--CAMERA - SUPER 8 REF

SUPER 8 REF CAMERA



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2347--FILM TEXT

FILM TEXT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2353--BATTERY SIMULATOR - K

K BATTERY SIMULATOR



TL-2353

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2472--CASSETTE - TAKE-UP TORQUE



This CASSETTE measures the take-up torque on the *Kodak Ektagraphic* AUDIOVIEWER. It has a direct read-out. See the Service Manual for more details.

Amateur and Audiovisual Products.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2475--TAPE - 1050 Hz MIN TEST

1050 HZ MIN TEST TAPE



TL-2475

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2476--TAPE - 150 HZ MIN/MAX TAPE

150 HZ MIN/MAX TAPE



Copyright © 2000, Eastman Kodak Company

TL-2477--TAPE - 142 HZ MIN/MAX TAPE

142 HZ MIN/MAX TAPE



TL-2477-4

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2478--TAPE - 158 HZ MIN/MAX TAPE

158 HZ MIN/MAX TAPE



Copyright © 2000, Eastman Kodak Company

TL-2479--TAPE - HEAD ADJUSTMENT

HEAD ADJUSTMENT TAPE



TL-2479

Copyright © 2000, Eastman Kodak Company

TL-2480--TAPE - HEAD ADJUSTMENT

HEAD ADJUSTMENT TAPE



TL-2480

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2508--FILM - CROSS HATCH TEST

CROSS HATCH TEST FILM



TL-2508

Copyright © 2000, Eastman Kodak Company

TL-2640--FILM - SUPER 8 SOFT REGISTRATION

SUPER 8 SOFT REGISTRATION FILM



TL-2640

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2651--FILM - 16 mm AZIMUTH



- TL-2652 16 mm BUZZ TRACK
- TL-2662 16 mm BUZZ TRACK

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2658--UNRECORDER - SUPER 8

SUPER 8 UNRECORDER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2669--LOOP - 16 mm MAGNETIC

16 mm MAGNETIC LOOP



TL-2669

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2796--GAUGE - 35 MM CODE BIT

35 mm CODE BIT GAUGE



TL-2796

Copyright © 2000, Eastman Kodak Company

TL-2784--SHUTTER - DARK ADJ

DARK SHUTTER ADJ

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2831--REORDER KIT - 135 1st and

Used on *Kodak Ektaprint* 2610 and 3510
COLOR-PRINTERS



TL-2831

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2978--DISC - FOCUS NEGATIVE

DISC FOCUS NEGATIVE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3004--TRAY - FAN SHAFT LOCK

FAN SHAFT LOCK TRAY



TL-3004

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3005--MIRROR - AM AUTO FOCUS

AM AUTO FOCUS MIRROR



Copyright © 2000, Eastman Kodak Company

TL-4319--SHUTTER TESTER NEST

SHUTTER TESTER NEST



Copyright © 2000, Eastman Kodak Company

TL-4474--OPENER - SHUTTER

SHUTTER OPENER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4475--TOOL - LENS ADJUSTING

LENS ADJUSTING TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4622--DISK - PHOTO CD TEST

PHOTO CD TEST DISK



TL-4622

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

CLEANING/CHEMICALS

TL-1259--BULB - SYRINGE

For cleaning in tight areas.

Copyright © 2000, Eastman Kodak Company

TL-1261--BRUSH - 1/2 INCH

6.35 x 9.5 mm (1/4 x 3/8 in.) oval BRUSH with 25 mm (1 in.) long bristle and a 30 cm (12 in.) handle. Pure bristle.



TL-1261

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1330--BOTTLE

2 oz. BOTTLE



TL-1330

Copyright © 2000, Eastman Kodak Company

TL-1435--CYLINDER - GRADUATED

500 ml



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8029--KIT - DEVELOPER



TL-1ce6

16 oz. package

1C8029 - DEVELOPER

1C8030 - FIXER

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1687--BOTTLE - DISPENSER

DISPENSER BOTTLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2118--BOTTLE WITH BRUSH

2 oz. BOTTLE with BRUSH

TL-[illegible]

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2151--BRUSH - VACUUM DUST

DUST BRUSH for the HOOVER VACUUM CLEANER

TL-2151

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2152--VACUUM CLEANER TOOL - CREVICE

CREVICE VACUUM TOOL for the HOOVER VACUUM CLEANER



TL-2152

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4239--BRUSH - VACUUM DUST

DUST BRUSH for the 3M VACUUM CLEANER

TL-2151

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4121--VACUUM CLEANER TOOL - CREVICE

CREVICE VACUUM TOOL for the 3M VACUUM CLEANER



TL-2152

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3688--VACUUM HOSE

VACUUM HOSE, Eltrex



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2156--BRUSH



A flat BRUSH with camel hair bristles that are 25 mm (1 in.) thick.

Overall size: 6.35 x 51 mm (1/4 x 2 in.)

Copyright © 2000, Eastman Kodak Company

TL-2253--BRUSH



19 x 25 mm (3/4 x 1 in.) oval BRUSH with:
51 mm (2 in.) long bristles and a 25 cm (10 in.) long handle. Pure bristle.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2270--WAND - CLEANING



TL-2270

Used with TEX SLEEVE, Part No. 426639, package of 5.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2773--BAG - DUST



VACUUM CLEANER DUST BAG used on the HOOVER VACUUM CLEANER TL-1917.

Copyright © 2000, Eastman Kodak Company

TL-3110--CLEANER - PRINTER

PRINTER CLEANER DISC

TL-3110

Copyright © 2000, Eastman Kodak Company

TL-4071--VACUUM CLEANER - TONER



Eltrex TONER VACUUM CLEANER consists of:

- TL-3688 - HOSE
- TL-3695 - BRUSH
- TL-3696 - VACUUM EXTENSION
- TL-3697 - POWER CORD
- TL-3698 - CREVICE TOOL
- TL-4159 - FLEXIBLE CREVICE TOOL
- TL-4287 - ADAPTER
- 3B8071 - FILTER COLOR TONER
- 952770 - FILTER BLACK TONER

Additional Accessories:

- TL-4121 - HOSE
- TL-4122 - CREVICE TOOL
- TL-4123 - TUBE - DOWNSIZE CREVICE TOOL
- TL-4159 - FLEXIBLE CREVICE TOOL
- TL-4239 - BRUSH
- TL-4513 - BRUSH INSERT
- 1C8070 - FILTER (Dust only)

Copyright © 2000, Eastman Kodak Company

TL-4236--KIT - CLEAN UP

Kodak Ektamate PRINT MODULE CLEANING KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4460--BRUSH

24 inches long



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4584--CLEANER - OD DISK

OD DISK CLEANER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4791--CLEANER - THERMAL HEAD

THERMAL HEAD CLEANER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4792--BLOWER - BRUSH

BRUSH BLOWER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4803--TUBE - REPLACEMENT

REPLACEMENT TUBE



Copyright © 2000, Eastman Kodak Company

426629--SLEEVE - TEX

TEX SLEEVE Package of 5



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

426631--SWABS - FOAM

FOAM SWABS Package of 10



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

427008--PAD - SCOURING

PAD, 3 x 4 in.

Copyright © 2000, Eastman Kodak Company

952949--PAD - *SCOTCHBRITE*

SCOTCHBRITE PAD



Copyright © 2000, Eastman Kodak Company

952807--PAPER - LENS



A package of 50 sheets, 102 x 127 mm (4 x 5 in.). A soft, lintless paper specially prepared for cleaning LENSES, FILTERS and other highly polished glass surfaces. Safe for contact LENSES.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952808--PAPER - LENS

9 x 12, 50 pieces.



Copyright © 2000, Eastman Kodak Company

1C8055--CLEANER - HAND

Package of 60



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8070--FILTER - CLEAR

FILTER - CLEAR



Copyright © 2000, Eastman Kodak Company

1C8092--BAG - ANTISTATIC



ANTISTATIC BAG

12 x 18 in.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2081--BAG, PLASTIC

PLASTIC BAG

Package of 50

TL-2081

Copyright © 2000, Eastman Kodak Company

1C8096--WIPES

Box of 60



TL-3128

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8098--CLEANER - GLASS

GLASS and PLASTIC CLEANER

Package of 144



TL-34162

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8099--SWAB - COTTON

Package of 100



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8100--CLOTH TACK

Quantity of 48

Copyright © 2000, Eastman Kodak Company

952777--DROP CLOTH

DROP CLOTH

Package of 3



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8102--WIPE - Staticide

Staticide WIPES Box of 24



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8103--ALCOHOL - ISOP

ALCOHOL CLEANER 8 oz.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8067--AIR - CANNED

DUST CHASER - Package of 12



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8089--WIPES - ALCOHOL

Box of 160



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952957--COTTON SWAB

COTTON SWAB



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

K278605--CLEANING CLOTH

CLEANING CLOTH

Package of 40

Copyright © 2000, Eastman Kodak Company

398622--WIPES

WIPES



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952791--WIPING FABRIC

WIPING FABRIC



Copyright © 2000, Eastman Kodak Company

ELECTRICAL

ELECTRICAL - ADAPTERS

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2891--ADAPTER

IPO POWER SUPPLY. For TL-2865.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2921--ADAPTER

DOM POWER SUPPLY. For TL-2865.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3454--ADAPTER PHOTOMETER - AC

AC ADAPTER PHOTOMETER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4021--ADAPTER - AC

AC ADAPTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4597--ADAPTER

9 PIN - 25 PIN female to female ADAPTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4798--ADAPTER

POWER SUPPLY ADAPTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4800--ADAPTER - PHOTODETECTOR

PHOTODETECTOR ADAPTER



TL-4800

Copyright © 2000, Eastman Kodak Company

TL-4915--ADAPTER

POWER SUPPLY ADAPTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - CABLES

TL-1498--CABLE - SERVICE

Service cable for use on RV-1/RV-2.



Copyright © 2000, Eastman Kodak Company

TL-1760--CABLE - TEST



TEST CABLE for:

- MF 700
- MF 750
- MF 800
- MF825
- RIM 2000

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2019--LEAD BNC - TEST

BNC TEST LEADS



TL-2019

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2137--CABLE

CABLE - 24 in. 50 ohm



TL-2137

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2138--CABLE

CABLE - 48 in. 50 ohm



TL-2138

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2582--WIRES - JUMPER



The JUMPER WIRES consist of a light-gauge WIRE that is terminated with PINS for insertion into TEST POINTS on the EXTENDER BOARDS TL-2523 and TL-2524. The WIRES are in a package of 10, and are used on the *Kodak Komstar* MICROIMAGE PROCESSORS.

Overall size: 305 mm (12 in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2741--PLUG - TEST

TEST PLUG



TL-2741

Copyright © 2000, Eastman Kodak Company

TL-2933--PLUG

PLUG



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2947--CABLE - PF-6 COND

PF-6 COND CABLE



Copyright © 2000, Eastman Kodak Company

TL-2948--CABLE - 25 PIN COND

25 PIN COND CABLE



Copyright © 2000, Eastman Kodak Company

TL-3043--CABLE - PF LIGHT LOCK

PF LIGHT LOCK CABLE



Copyright © 2000, Eastman Kodak Company

TL-3412--CONNECTOR - LOOPBACK

LOOPBACK CONNECTOR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3677--CABLE - JUMP

JUMP CABLE for the 8500 PCB



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3746--CABLE - EXTENSION

EXTENSION CABLE (E)



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3748--CABLE - EXTENSION

EXTENSION CABLE (G)



TL-3748

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3749--CABLE - EXTENSION

EXTENSION CABLE (H)



TL-3749

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3750--CABLE - EXTENSION

EXTENSION CABLE (I)



TL-3750

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3752--CABLE - EXTENSION

EXTENSION CABLE (K)



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3795--CABLE - KELP MONITOR

Used with the *Kodak Ektascan* LASER SCANNER 100



TL-3795

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3968--TOOL - SHUTTER OPEN

SHUTTER OPEN TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4076--HARNESS ASSEMBLY

HARNESS ASSEMBLY



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4163--TOOL - SHUTTER OPEN

SHUTTER OPEN TOOL



Copyright © 2000, Eastman Kodak Company

TL-4199--CABLE - 9 PIN SERIAL

9 PIN SERIAL CABLE, 15 ft.



Copyright © 2000, Eastman Kodak Company

TL-4219--CABLE - SERIAL

9 PIN F - 25 PIN M, 10 ft. long



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4310--CABLE - SCSI INTERFACE

8.5 in.



TL-4310

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4314--CORD - POWER ADAPTER

POWER CORD ADAPTER for AT/XT MONITOR to MAINFRAME



TL-4314

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4353--CABLE - INTERFACE CONNECTION

INTERFACE CONNECTION CABLE



Copyright © 2000, Eastman Kodak Company

TL-4372--CABLE - SCSI

SCSI CABLE SET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4391--CABLE - LAPTOP

9 PIN F to 15 PIN M, 10 ft. Used on HSD Laser Printer CPVI



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4406--CABLE - SYNC EXTENSION

Used on HSD Laser Printers CPVI.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4407--CABLE - PIXEL CLOCK EXTENSION

PIXEL CLOCK EXTENSION CABLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4408--CABLE - VIDEO EXTENSION

Used on HSD Laser Printers CPVI.



Copyright © 2000, Eastman Kodak Company

TL-4409--CABLE - PILL EXTENSION

Used on HSD Laser Printers CPVI



TL-4409

Copyright © 2000, Eastman Kodak Company

TL-4441--CABLE - ETHERNET

ETHERNET CABLE



TL-4441

Copyright © 2000, Eastman Kodak Company

TL-4447--CABLE - TOKEN RING

TOKEN RING CABLE



TL-4447

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4492--CABLE - IBM

IBM CABLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4576--CABLE - SCSI

SCSI CABLE, 6 ft.



Copyright © 2000, Eastman Kodak Company

TL-4607--CABLE - SERVICE EXTENSION

SERVICE EXTENSION CABLE



Copyright © 2000, Eastman Kodak Company

TL-4608--CABLE - SERVICE EXTENSION

SERVICE EXTENSION CABLE



Copyright © 2000, Eastman Kodak Company

TL-4625--CABLE - LAPTOP

9 PIN (F) to 9 PIN (M), 10 ft.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4670--LEAD - CHANGING

CHANGING LEAD



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4696--CABLE - DIAGNOSTIC

9 PIN (M) to 25 PIN (F), 16 ft. 3 wires.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4745--ANODE - VOLTAGE TEST LEAD

VOLTAGE TEST LEAD ANODE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4806--CABLE - TEST THINNET

TEST TINNET CABLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4820--CABLE

6 ft. SCSI CABLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4836--CABLE - EXTENDER

EXTENDER CABLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - CIRCUIT BOARD EXTENDERS

TL-1659--EXTENDER - CIRCUIT BOARD



- PINS: 86, on 2 sides
- Width: 203 mm (8 in.)
- Length: 140 mm ($5^1/_2$ in.)

Used on *Kodak Miracode II*, *Ektachem*, *Oracle*, and *Starvue* Products.

Copyright © 2000, Eastman Kodak Company

TL-2233--EXTENDER - CIRCUIT BOARD

PINS: 88, on 2 sides

(*Hewlett-Packard* Part No. 07970-62104.)



TL-2233

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2523--EXTENDER BOARD, 86-PIN



The EXTENDER BOARD raises CIRUIT BOARDS in the LOGIC BIN to access components during troubleshooting on the *Kodak Komstar* MICROIMAGE PROCESSOR.

Overall size: 381 x 229 mm (15 x 9 in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2524--EXTENDER BOARD, 72-PIN



The EXTENDER BOARD raises CIRCUIT BOARDS in the LOGIC BIN to access components during troubleshooting, on the *Kodak Komstar* MICROIMAGE PROCESSOR.

Overall size: 381 x 203 mm (15x 8 in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2588--EXTENDER BOARD, 72-PIN



The EXTENDER BOARD raises CIRCUIT BOARDS for access to components during troubleshooting. The EXTENDER BOARD is used on the Kodak KOM 80, Kodak KOM 85, and *Kodak KOM* 90 MICROFILMERS.

Overall size; 229 x 178 mm (9 x 7 in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2981--BOARD - PF SBC EXTENDER

PF SBC EXTENSION BOARD



TL-2981

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3251--BOARD No. 3 - EXTENDER

EXTENDER BOARD No. 3



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3239--BOARD - PIPELINE EXTENDER

PIPELINE EXTENDER BOARD



Copyright © 2000, Eastman Kodak Company

TL-3240--BOARD - CPU EXTENDER

CPU EXTENDER BOARD



TL-3240

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3972--CABLE - VME EXTENDER

VME EXTENDER CABLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4293--EXTENDER - PCB

86 PIN



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4334--REMOVER - IC

IC REMOVER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4463--CARD - PCB EXTENDER

PCB EXTENDER CARD



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4534--CARD - PCB EXTENDER

PCB EXTENDER CARD



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4706--CARD - PCB EXTENDER

PCB EXTENDER CARD



Copyright © 2000, Eastman Kodak Company

ELECTRICAL - CIRCUIT BOARD, TEST

TL-2229--BOARD - CONTROL AND STATUS TEST

Hewlett-Packard C·S TEST BOARD

Part No. 13191A - 60010.



TL-2229

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2495--EXTENDER - PCB

PAGE FORMAT TEST BOARD.



TL-2495

Copyright © 2000, Eastman Kodak Company

TL-2522--TOOL - PLUG HEATER



TL-2522

The PLUG HEATER TOOL is used to place a fixed load on the GALVO HEATER CIRCUIT for electrical adjustment on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Overall size: 25 x 51 mm (1 x 2 in.) PLUG, self-contained.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2982--SWITCH - PF INTRA

PF INTRA SWITCH



Copyright © 2000, Eastman Kodak Company

TL-2986--PCB - PF MC INTERFACE

PF MC INTERFACE PCB



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3248--MOTOR SETUP - PVAC

PVAC MOTOR SETUP



TL-3248

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4292--EXTENDER - PCB

86/60 PIN PCB EXTENDER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - CIRCUIT TESTER, RECEPTACLE/AC POWER TESTS

TL-2544--CAP - DISCHARGE

DISCHARGE CAP



TL-2544

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2859--SWITCH - REMOTE

REMOTE SWITCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4138--PLUG

PLUG



TL-4138

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4143--ADAPTER

NEMA 14-30 Inline



Copyright © 2000, Eastman Kodak Company

TL-4719--ROM - TEST

TEST ROM PCB 5800



TL-4719

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4793--REMOTE CONTROL

REMOTE CONTROL



Copyright © 2000, Eastman Kodak Company

TL-4794--TERMINAL - REMOTE CONTROL

REMOTE CONTROL TERMINAL



Copyright © 2000, Eastman Kodak Company

TL-4799--CONTROLLER SYSTEM - H.I.T.



TL-4799 includes:

- TL-4909 HIT CONTROLLER
- TL-4907 ROM PACK
- TL-4908 CONTACT JIB A
- TL-4916 I/F BOX

Also available:

- TL-4910 ROM PACK
- TL-4911 HEIGHT CONTACT JIG B

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4809--PCB - PRT TEST KIT

PRT TEST KIT PCB



Copyright © 2000, Eastman Kodak Company

TL-4901--LASER POWER - CHECKER

CHECKER LASER POWER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4919--PCB - W225 DUMMY LASER

DUMMY LASER PCB-W225



Copyright © 2000, Eastman Kodak Company

ELECTRICAL - LOGIC PROBES

TL-3008--LOGIC PEN



Two SWITCHES are provided, enabling the operator to select either of two factory programmed thresholds for use in servicing TTL and C/MOS. The last switch selects stretch or memory.

Operating Power Vcc	TTL	C/MOS
	4.75 to 5.5V DC	5.0 to 15.0 V DC
Standby Current	35 MA	35 MA @ 5.0 V 100 MA @ 24.0V
Max. Operating Current	50 MA	50 MA @ 5.0 OV 110 MA @ 24.0 V

Loading Factor: load presented circuit under test at logic "1" or "0" >2 megohms (all modes).

Nominal Logic Voltage Response:

Operating Power Vcc	TTL	C/MOS
Logic "0" Lamp Off	0 to 0.8V	0 to 30% VDD
Logic "1" Lamp On	2.4 to Vcc	70% VDD to VDD

Overvoltage Protection at Probe Tip: 140 V DC continuous

Power Lead Reversal Protection: Maximum Reverse Voltage - 100 V

Power Lead Overvoltage: Overvoltage shut down protection operates at 27.0 V ± 1 V. Protected to 50.0 V.

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - METERS, TEST LEADS AND ACCESSORIES

TL-1210--CLIP - BLACK ALLIGATOR

- For TL-1244 TEST METER LEADS.



TL-1210

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1244--LEADS - TEST METER

- Set of red and black leads for TL-1232
- End: D, Wire Length: 1092 mm (43 in), End: H



TL-1244

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1480--KIT - TEST LEAD



Consists of:

- 3 - TL-2094 RED TEST LEAD, 48 in.
- 2 - TL-2095 BLACK TEST LEAD, 48 in.
- 1 - TL-2098 BLACK TEST LEAD, 48 in.
- 1 - TL-2099 RED TEST LEAD, 48 in.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1505--TIP - BLACK TEST LEAD

TEST LEAD TIP - Black



Copyright © 2000, Eastman Kodak Company

TL-2094--TIP - RED TEST LEAD

TEST LEAD TIP - Red



Copyright © 2000, Eastman Kodak Company

TL-2095--TIP - BLACK TEST LEAD

TEST LEAD TIP - Black



Copyright © 2000, Eastman Kodak Company

TL-2096--PLUG - BANANA

Black.



TL-2096

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2097--PLUG - BANANA

Red.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2098--PLUG - BLACK BANANA

BANANA PLUG.

LEADS are 48 in. long.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2099--PLUG - RED BANANA

BANANA PLUG.

LEADS are 48 in. long.



TL-2099

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2100--LEAD - TEST

TEST LEAD



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2159--LEAD - RED TEST

RED TEST LEAD 60 in.



TL-2159

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2160--LEAD - BLACKTEST

BLACK TEST LEAD 60 in.



TL-2150

Copyright © 2000, Eastman Kodak Company

TL-2442--PLUG - RED ADAPTER

RED ADAPTER PLUG



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2443--PLUG - BLACK ADAPTER

BLACK ADAPTER PLUG



TL-2442

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2577--CASE - FLUKE METER

FLUKE METER CASE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2598--PROBE - TEMPERATURE



Temperature Range:	-50 to +150× C (-58 to +320× F), cable 70× C maximum. Celsius-Farenheit Selection: Switch selected.
Sensitivity	1mV per × C or × F
Resolution:	0.1× C or 0.1× F on the 200 mV range of a 3 1/2 digit dMM
Ambient Temperature Range for Unit:	0× C to +50× C
Relative Humidity:	90%, non-condensing from 0× C to 35 × C
Accuracy:	(Including nominal 0.25% voltmeter error, in +15× C to +35× C ambient). ±1× C (1.8× F) 0 to 100× C, decreasing linearly to ±3× C (5.4× F) at -50× and +150× C

Copyright © 2000, Eastman Kodak Company

TL-2627--PROBE - RED MICRO

Red

MICRO PROBE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2628--PROBE - BLACK MICRO

Black

MICRO PROBE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2698--LEAD HK- RED TEST



RED LEAD TEST HK

LEADS are 6 inches long.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2699--LEAD HK- BLACK TEST



BLACK LEAD TEST HK

LEADS are 6 inches long.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2752-1--PROBE - TEMPERATURE

See TL-3020 for conversion chart.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2805--LEADS - FLUKE REPLACEMENT

FLUKE REPLACEMENT LEADS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2835--PROBE - HIGH VOLTAGE

Voltage Range: 0-30 kV with METER.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2865--ELECTROMETER



TL-2865-1 CASE

TL-2865-2 GROUNDING CABLE

TL-2865-3 SWITCH

TL-2865-5 REPAIR METER

TL-2865-10 INTERNATIONAL ELECTROMETER

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2865-2--LEAD -TEST

TEST LEAD



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2995--LCD

For 8020 FLUKE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3386--METER - FLUKE

FLUKE 76 TRUE RMS



The FLUKE METER includes the following specifications.

Maximum Rated Voltage between any terminal and earth ground is 600V DC, 600 V AC rms (sine)

Fuse Protection:	40 mA 1A 600 V FAST Fuse 10A 15A 600 V FAST Fuse
Display:	Digital: 4000 counts, updates 4/sec.Analog: 63 seconds, updates 40/secFrequency: 9,999 countsCapacitance: 9,999 counts
Response Time of Digital Display:	V AC < 1.5s (for upscale only)V DC < 1s < 1s to 40 kW, <2 s to 4 MW, < 10s to 40 MW,
Operating Temperature:	0 to 55× C
Storage Temperature:	-40 to 60× C
Temperature Coefficient:	0.1 x (specified accuracy)/ × C(< 18 or > 28× C)
Relative Humidity:	90% (0 to 30 × C)75% (30 to 40 × C045% (40 to 50× C)35% (50 to 55× C)
Altitude:	Operating: 2,000 metersStorage: 12,000 meters
Battery Type:	9 Volt, NEDA 1604A or IEC 6LR61
Battery Life:	500 hours typical with alkaline
Continuity Beeper:	4096Hz
Vibration:	Per MIL-T-28800E, Class IIISinusoidal, Nonoperating
Drop:	NAI/IA-A81.0- 1994 and EN61010-1, 19931 meter drop to hardwood on concrete
Enclosure:	Conforms to IP-40 Per IEC-529
Size (HxWxL)	2.8 x 7.5 x 16.6 cm(1.12 x 2.95 x 6.55 in.)
EMC:	EN 50081-1, EN 50082-1
Surge Protection:	6 KV peak per IEC 1010-1, 1990-09 and ANSI/IEEEC62.41-1991
Safety:	600 V AC, 600 V DC maximum voltage between any terminal and earth ground.Complies with IEC-1010-1, 1990-09 and ANSI/ISA-S82.01-94 for use with overvoltage category III locations, <600 V, UL3111, CSA/CAN C22.2No. 1010.1-92 and EN61010 part 1-1993.
Certifications:	CE CSAUL and TUV pending

Copyright © 2000, Eastman Kodak Company

TL-3459--PROBE - REPLACEMENT

REPLACEMENT PROBE for TL-3792.



Copyright © 2000, Eastman Kodak Company

TL-3584--MODULE - THERMOCUP



TL-3584

The THERMOCUP MODULE is a low cost temperature measurement accessory designed to work with any digital multimeter. It converts the microvolt output from a Type K thermocouple into a 1 millivolt per degree signal.

The on-off switch allows selection of degrees "C" or "F" output scaling. Input is via a mini thermocouple connector, with provision inside for hardwiring. Immersion probes and surface probes are also available.

The output of the 80TK may be read on any DMM having 10 M ohm or greater input impedance and a mV dc scale. It is powered by a standard 9V battery, with a typical operating life of 1600 hours. Battery condition can be checked on the DMM with battery test instructions printed on the 80TK.

Measurement range: -50 to 1000ºC (-58 to 1832ºF).

Ambient Operating range: 0ºC to 50ºC, 32 to 122ºF.

-50 to -20× C 2.5% ±2× C	350 to 500× C 1.75% ±2× C
-58 to -5.8× F 2.5% ±3.6× F	663 to 932× F 1.75% ±3.6× F
-20 to 350× C 0.5% ± 2× C	500 to 1000× C 2.0% ± 2× C
-4 to 662× F 0.5% ± 3.6× F	993 to 1832× F 2.0% ± 3.6× F

Copyright © 2000, Eastman Kodak Company

TL-3623--PROBE - IMMERSION



Used with THERMOCUP MODULE TL-3584. For liquids and gels. Protected from tip to handle by an Inconel sheath; suitable for most general purpose measurements.

Measurement Range: -196 to +1090ºC (-320 to +1922ºF)

Accuracy: (with respect to NIST tables)

Range	Max Error
-196 to -110× C (320 to -166× F)	± 4% of Rdg
-110 to -408× C (-166 to -40× F)	± 4.4× C (7.92× F)
-40 to 275× C (-40 to -527× F)	± 2.2× C (3.96× F)
275 to -1090× C (527 to -1922× F)	± 0.75%

Copyright © 2000, Eastman Kodak Company

TL-3792--THERMOMETER - DIGITAL

DIGITAL THERMOMETER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4114--MULTIMETER



FLUKE 87:

- Holster/Flex Stand
- 700 hour battery life (alkaline)
- Test Leads
- Frequency Counter
- Capacitance
- Low-ohms range with zero calibration
- Smoothing
- 4000 count digital display (999 count for frequency, capacitance)
- 63 segment analog bar graph
- 0.3% basic DC volts accuracy
- 1.0% basic AC volts accuracy
- 1.5% basic DC current accuracy (4mA to 10A)
- 0.4% basic resistance accuracy

Copyright © 2000, Eastman Kodak Company

TL-4217--PROBE - INFRARED TEMPERATURE



The TEMPERATURE PROBE is a low cost, non-contact temperature measurement accessory designed to work with any digital multimeter. It converts infrared light emitted by an object into a 1 mV dc per ºC or ºF signal.

The infrared probe has a selection switch for direct reading of temperature in ºC or ºF on the digital multimeter display.

The output of the infrared probe may be read on any DMM having a 10 M or greater input impedance, a 3-digit display, and accepting standard diameter shrouded banana plugs. It is powered by a standard 9V battery, with typical battery life of 50 hours. The probe features an automatic shut-off after 10 minutes of operation to save battery life.

Temperature Range:	-18× C to 260× C or 0× F to 500 × F
Accuracy:	±3% (+3 digits) of reading. Repeatability: ±1% of reading
Emissivity:	Fixed at.95. Response Time: 1 second
Optical Resolution:	4 to 1 distance to spot size
Output:	1 mV per × C or × F (switchable)
Power:	9V alkaline battery
Battery Life:	50 hours (automatic shut-off after 10 minutes).
Ambient Operating Temperature:	0 to 65× C (32 to 150× F)

Copyright © 2000, Eastman Kodak Company

TL-4315--LCD

For FLUKE Model 77



TL-4315

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4321--LCD

For FLUKE Model 87



TL-4321

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4360--METER - OPT POWER

OPT POWER METER



Copyright © 2000, Eastman Kodak Company

TL-4389--MODULE - VACUUM/PRESSURE



SPECIFICATIONS:

Environmental

Ambient Operating Range:	0 to 50 × C
Storage Temperature:	-40 to 60× C (-40 to 140 × F)
Humidity:	0% to 90% (0 to 35 × C)0% to 70% (35 to 50 × C)

Basic Accuracy: (@23 + 5 ºC Calibration)

Range:	Accuracy*:
0 to 30 PSI	± (0.05% of reading + 0.01 PSI)
0 to 830" H2O +	± (0.05% of reading + 0.1"H2O)
30 to 50 PSI	± (0.25% of reading, typical)
0 to -14.7 PSI	± (0.5% of reading + 0.02 PSI)

* Accuracy specification requires the MODULE to be "zeroed" prior to taking reading.

+ 1"H2O = to 0.0361236 PSI (Water at 0 ºC)

Maximum Pressure: 100 PSI

General

Weight: 85 grams (3 oz)

Overall length: 11.75 mm (4 4/5 in.)

Battery: Standard 9 V Battery (NEDA #1604, 6F22, 006P)

Battery life: 400 hours +

Output: 3/4 in. spaced banana plugs, 10 M minimum load resistance.

Use with FLUKE METER Model 76, 77, 79

Copyright © 2000, Eastman Kodak Company

TL-4440--TESTER - POCKET ETHERNET

POCKET ETHERNET TESTER



TL-4440

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4467--LEAD - BLACK TEST



TL-4466 - RED TEST LEAD

Maxigrabber, 15.24 cm (6 in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4627--SCANNER - QUICK

Used to test network cabling.

Kodak

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4671--LEAD - CHANGING

Large



TL-4671

Copyright © 2000, Eastman Kodak Company

TL-4818--DOSIMETER - X-RAY

X-RAY DOSIMETER



TL-4818

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4869--CORD - DVM EXTENSION

36 inches



Copyright © 2000, Eastman Kodak Company

952792--FUSE

FUSE



TL-3831

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - MISCELLANEOUS

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3235--COIL - DEGAUSSING

DEGAUSSING COIL



TL-2228

Copyright © 2000, Eastman Kodak Company

TL-4577--DRIVE - EXTERNAL TAPE

150 MB



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - OSCILLOSCOPE/PROBES

TL-2074--PROBE - OSCILLOSCOPE, 10X



The *TEKTRONIX* SP6065A OSCILLOSCOPE PROBE is a miniature passive PROBE with 10X attenuation for use with the TL-1853 and TL-1861 OSCILLOSCOPES.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2887--TIP

For TL-2074 PROBE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3320--TIP

TIP



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3348--OSCILLOSCOPE - ANALOG



Physical Characteristics

Dimensions	TAS 400 SERIES		RACKMOUNT	
	mm	inch	mm	inch
Width w/handle	362	14.3	483	19
Height w/feet, pouch	191	7.5		
Height w/o pouch	165	6.5	178	7
Depth (stand alone)	471	18.6	471	18.6
Depth w/front cover	490	19.3		
Handle Extended	564	22.2	517	20.4
Weight	kg	l.	kg	l.
Stand alone	7.7	17	1	
Net w/accessories and pouch	9.3	20.5	4.5	10
Domestic Shipping	13.6	30	15.4	33.9

CURSORS

Accuracy: Time: ±2%, ±3% magnified of reading plus 0.1 Div.

Absolute Volts: 10 to ±30 ºC is ± (1% of reading + 2% of one vertical division + HF display errors + 0.5 mV + trace shift errors): +30 to +55ºC is ± (1% of reading +2% of one vertical division + HF display errors + 4 mV + trace shift errors).

POWER REQUIREMENTS

Line Voltage Ranges - 115 V; 90-132 Vac RMS, 230 V: 180-250 Vac RMS

Line Frequency - 48 to 440 Hz

Maximum Power Consumption - 85 W.

MECHANICAL CHARACTERISTICS: Cooling Method - Forced-air circulation with no air filter.

ENVIRONMENTAL AND SAFETY

The TAS Series scopes are designed to set specific environmental conditions, as described in MIL-T-28800E for Type III, Class 3, Style D equipment as specified below. Other environmental characteristics are available.

Temperature: -1 to +55× C (operating); -5 to +71× C (nonoperating).

Humidity: Operating and nonoperating, up to 95% RH at or below +40× C up to 75% RH from 41 to 55× C.

Altitude: 15,000 ft/4572 m (operating); 40,000 ft/12192 m (non operating).

Randon Vibration: 0.31 g's RMS (operating); 2.46 g's RMS (nonoperating), from 5 to 500 Hz, 10 minutes each axis.

Electrostatic Discharge Susceptibility: Up to 8 kV with no change to control settings or impairment of normal operation; up to 15 kV with no damage that prevents recovery of normal operation by the user.

Safety: UL 1244 Listed, Certified to CAN/CSA 22.2 No. 231- M89.

Emissions: VFG 243, Category B; FCC Code, Part 15, Subpart B, Class A.

X-Y Operation Sensitivity Ranges: Same as Vertical Deflection System.

X-Y Accuracy: ±4%.

X-Axis Bandwidth: DC to 3 MHz.

Phase Difference Between X and Y: ±3× DC to 150 kHz.

CRT SYSTEM - Display - 8 cm x 10 cm, 14 kV nominal voltage.

Z-Axis Input: Positive voltage decreases intensity; ±2 V blanks maximum intensity trace usable to 20 MHz.

Controls: Sweep Intensity, Focus, Readout Intensity, Scale Illumination, Trace Rotation.

Probe Compensator Output - Output Voltage: 0-5 V ±10% into 1 M W load.

Frequency: 1 kHz ±5%

Typical Rise Time: 500 ns.

Typical Aberrations: ±1% after the first 10 following the square wave transition.

Nonvolatile Setup Memory - Number of Nonvolatile Setup Memories - 4.

Rentention Time: Typically 10 years.

CHARACTERISTICS

Except as noted, the following specifications are common to the TAS 400 Series.

Bandwidth: 100 MHz

Rise Time: 3.5 ns

Vertical System - Deflection Factor: 2 mV/div to 5 V/div, continuously variable between V/div settings.

Deflection Factor DC Accuracy - ±2.5%

Bandwidth Limit - 20 MHz, independent channel control.

AC, DC, GND.

Max Input Voltage: ±400 V (DC + peak AC); derate at 20 dB/decade from 100 KHz to 13 V at 3 MHz.

Input R and C: 1 M ±1% in parallel with 20 pF ± 2.0 pF.

Channel Isolation: 50 dB at 10 MHz, 35 dB at 100 MHz.

Vertical Control (2CH, 465): CH1; CH2; ADD CH1 + CH2; INVERT either CH1 and/or CH2; ALTernate or CHOP between CH1 and CH2 for multiple channel displays.

Vertical Control (4 CH, 475/485): CH1; CH2; CH3; CH4; ADD CH2 + CH2; ADD CH3 + CH4; INVERT any/all channels; Alternate or CHOP between all channels.

AC-COUPLED Lower - 3dB Point: 10 Hz with a 1X probe. The AC-coupled lower frequency limits are reduced by a factor of 10 when 10X passive probes are used.

Common Mode Rejection Ratio: 10:1 at 50 MHz.

HORIZONTAL SYSTEM - Main Sweep Time Base Range: 0.5 s/div to 20 ns/div (to 2 ns/div with X10 magnification).

Delayed Sweep Time Base Range: 5 mx/div to 20 ns/div (to 2 ns/div with X10 magnification).

Time Base Accuracy: ±2%, ±3% magnified.

Delay Jitter: 25,000 to 1 for sweep speeds slower than 1 ms/div. 10,000 to 1 for all other sweep speeds.

TRIGGERING - Main Mode Selections: AUTO LEVEL (with auto baseline), AUTO, NORMAL, TV LINE, TV FIELD (odd, even, or both) SGL, SEQ.

Delayed Mode Selections: RUNS AFTER DELAY, TRIGGERABLE AFTER DELAY, and TV LINE (from MAIN source).

Trigger Coupling: DC, Noise Reject, HF Reject, LF Reject, and AC for both main and delayed.

Lowest Frequency for Successful Operation of "Set Level to 50%" Function: 50 Hz with 1 division internal, 100 mV EXT or 1 V EXT/10 Source.

Trigger Source (465): CH1, CH2, EXT, LINE, ADD, EXT/10

Trigger Source (475/485): CH1, CH2, CH3, CH4, LINE, ADD CH1 + CH2, ADD CH3 + CH4.

Holdoff Control Range: Increases Main sweep holdoff time by a factor of at least 10.

External Trigger Inout (465): 1 M ±2% in parallel with 20 pF ± 2.0 pF.

Maximum Input Voltage: ±400 V (DC + peak AC); derate at 20 dB/decade from 100 KHz to 13 V at 3 MHz.

Trigger Sensitivity - DC: 0.3 division from DC to 25 MHz, increasing linearly to 1 div. at 150 MHz.

Noise Reject: 1.2 division from DC to 25 MHz, increasing linearly to 2.2 div, at 150 MHz.

HF REJ: 0.3 division from DC to 10 kHz; attenuates signals above the upper -3 dB cutoff frequency of 50 kHz.

LF REJ: 0.3 division from 100 kHz to 25 MHz, increasing linearly to 1 div.

AC: 0.3 division from 350 Hz to 25 MHz, increasing linearly to 1 div. at 150 MHz.

Copyright © 2000, Eastman Kodak Company

TL-4088--PROBE - OSCILLOSCOPE

OSCILLOSCOPE PROBE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4557--PROBE - OSCILLOSCOPE

OSCILLOSCOPE PROBE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - PEAK DETECTOR/LIGHT SOURCE/DETECTION

TL-1228--PHOTOCELL

For TL-1229.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1308--KIT - *Kodak Starfile* ILLUMINATION



Consists of:

- COVER - 767864
- LAMP - 521417
- BRACKET - 767863
- FRONT LENS - 952962
- REAR LENS - 952963
- CORD - 196951
- SOCKET - 126074
- NUT - 182920

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1477--KIT - PEAK PICKER

PEAK PICKER KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2549--PHOTOCELL

PHOTOCELL



Copyright © 2000, Eastman Kodak Company

TL-4213--TOOL - COLLIMINATION

COLLIMINATION TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4708--KIT - PHOTO DETECT

PHOTO DETECT KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - PLUGS

TL-1445--PLUG - TEST

TEST PLUG - AC - with ESD PLUG



TL-1445

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3511--PLUG

WRAP AROUND CONN-PRINTER



TL-3511

Copyright © 2000, Eastman Kodak Company

TL-4544--PLUG

PLUG



TL-4544

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4780--PLUG - LOOPBACK



TL-4780 - LOOPBACK 9-PIN female

TL-4779 - LOOPBACK 9-PIN male

- PINS 2 and 3 COM
- PINS 4 and 6 COM
- PINS 7 and 8 COM

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - POWER SUPPLIES

TL-1948--POWER SUPPLY - *Hewlett-Packard*

0 - 30 Volts



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - SERVICE MODULE/PANEL

TL-2087--MODULE - DIAGNOSTIC SERVICE



DIAGNOSTIC SERVICE MODULE

TL-2850 - IPO MODULE

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - SIMULATORS

TL-2261--SIMULATOR - CRYSTAL OUTPUT



Device which generates a minimum output charge for testing the *Kodak Ektron* ELECTRONIC FLASH UNIT.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2265--TESTER - DIELETRIC

DIELECTRIC TESTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2520--DETECTOR - PIN 10

PIN 10 DETECTOR



Copyright © 2000, Eastman Kodak Company

TL-2676--READER - DIGIT CASSETTE



TL-2676 - New.

TL-2676-5 - Repair.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2701--SIMULATOR - AA BATTERY

AA BATTERY SIMULATOR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3234--CABLE - EIA INTERFACE

RS232 BREAKOUT BOX with JUMPERS.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4689--SIMULATOR - FILM

FILM SIMULATOR



Copyright © 2000, Eastman Kodak Company

TL-4690--SIMULATOR - BATTERY

AAA BATTERY SIMULATOR



Copyright © 2000, Eastman Kodak Company

TL-5292--BATTERY SIMULATOR (DC40)

DC40 BATTERY SIMULATOR

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5293--BATTERY SIMULATOR (DC50)

DC50 BATTERY SIMULATOR

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5294--BATTERY SIMULATOR (DC25)

DC25 BATTERY SIMULATOR

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5295--BATTERY SIMULATOR (DC120)



DC120 BATTERY SIMULATOR

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5296--BATTERY SIMULATOR (DC210/200)



DC210/200/210PLUS/200PLUS BATTERY SIMULATOR

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5297--BATTERY SIMULATOR (DC220/260/265)



DC220/260/265 BATTERY SIMULATOR

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5298--BATTERY SIMULATOR (DC240)

DC240 BATTERY SIMULATOR

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5336--CAPACITOR DISCHARGING TOOL

CAPACITOR DISCHARGING TOOL

1.2 K Ohm, 5 Watts

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5337--CAPACITOR DISCHARGING TOOL



CAPACITOR DISCHARGING TOOL

6.8 K Ohm

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - TERMINALS/WIRE

952961--WIRE No. 30

50 feet



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952805--KIT - TERMINAL

TERMINAL KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952768--KIT - TERMINAL SELECTOR

Assorted TERMINAL.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

591571--TERMINAL



TERMINAL

Package of 10

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

764109 to 764123--TERMINAL



TERMINAL

Package of 10

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

764390--TERMINAL



TERMINAL

Package of 10

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

774243 to 774246--TERMINAL



TERMINAL

Package of 10

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

787837--TERMINAL



TERMINAL

Package of 10

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

787892--CONTACT



CONTACT

Package of 10

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

165152--JUMPER

JUMPER



TL-165152

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

ELECTRICAL - TEST CONNECTORS/TOOLS

TL-2031--CONNECTOR - A TO D CONVERTER TEST



50-pin PANEL used with TL-1995 to perform TL-1995 test program on the *Kodak* 2610 COMPUTER AND CONTROL ASSEMBLY.

Copyright © 2000, Eastman Kodak Company

TL-2032--CONNECTOR - DIGITAL I/O TEST, No. 2



Used with the 5515 diagnostic program to check the DIO Board on the *Kodak* 2610 COMPUTER AND CONTROL ASSEMBLY.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2033--CONNECTOR - DIGITAL I/O TEST , No.1

DIGITAL I/O TEST CONNECTOR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2672--CONNECTOR - BUS DIAGNOSTIC



The BUS DIAGNOSTIC CONNECTOR is used for checking and troubleshooting channel interface and cabling on the *Kodak Komstar* 100 and 200 MICROIMAGE PROCESSORS.

Copyright © 2000, Eastman Kodak Company

TL-2968--JUMPER - PF RS-232 TEST

PF-RS-232 TEST JUMPER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2983--CONNECTOR - PF INTRA

PF INTRA CONNECTOR



Copyright © 2000, Eastman Kodak Company

TL-3209--PLUG - WRAP AROUND

WRAP AROUND PLUG



TL-3209

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3590--ADAPTER - DUAL SOCKET

DUAL SOCKET ADAPTER



TL-3590

Copyright © 2000, Eastman Kodak Company

TL-3611--CONNECTOR - BNC BARREL

BNC BARREL CONNECTOR



TL-3611

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4128--CONNECTOR - *IBM* TEST

IBM TEST CONNECTOR



TL-4128

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4181--CONNECTOR - LOOPBACK

LOOPBACK CONNECTOR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4238--ADAPTER - NULL MODEM

Used on HSD equipment.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4369--CONNECTOR - LOOPBACK

9 PIN



Copyright © 2000, Eastman Kodak Company

TL-4384--PLUG - COAXIAL

75 Terminator.



TL-4384

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4495--CONNECTOR - TAG

TAG CONNECTOR



Copyright © 2000, Eastman Kodak Company

TL-4597--ADAPTER

9 PIN to 25 PIN, female to female



Copyright © 2000, Eastman Kodak Company

TL-4498--CONNECTOR - BUS DIAGNOSTIC

BUS DIAGNOSTIC CONNECTOR



Copyright © 2000, Eastman Kodak Company

TL-4702--CABLE TESTER

CABLE TESTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4715--TOOL - PULSE CYCLE TEST

PULSE CYCLE TEST



TL-4715

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - ADJUSTMENT TOOLS

TL-1481--SCREWDRIVER - INSULATED

Used to adjust the 22-turn PRINTED CIRCUIT BOARD POTENTIOMETERS and similar parts.



TL-1481

Copyright © 2000, Eastman Kodak Company

TL-2077--TOOL - TUNING

TUNING TOOL, insulated 1/4 in. BLADE



TL-2077

Copyright © 2000, Eastman Kodak Company

TL-2078--TOOL -TUNING

Insulated tuning proc, HEX WRENCH for coil slug.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2497--TOOL - SHUTTER ADJUSTMENT

SHUTTER ADJUSTMENT TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2532--TOOL - LENS OBJECT ADJUSTING



The LENS OBJECT ADJUSTING TOOL is used during retroreflection and LASER alignment, on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Overall size: 19 mm (3/4 in.) circular LENS.

Copyright © 2000, Eastman Kodak Company

TL-2533--TOOL - MIRROR OBJECT ADJUSTING



TL-2533

NOTE: For *Kodak KOM* 90 MICROFILMERS.

The MIRROR OBJECT TOOL is used during retroreflection and LASER alignment on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Overall size: 25 mm (1 in.) circular MIRROR.

Copyright © 2000, Eastman Kodak Company

TL-2950--TOOL - CAPPER ALIGNMENT

CAPPER ALIGNMENT TOOL



Copyright © 2000, Eastman Kodak Company

TL-3008--TOOL - ADJUSTMENT

AUTOFOCUS MIRROR ADJUSTMENT TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3009--BEARS SET

Quantity of 5



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3322--TOOL - ADJUSTMENT

For *X-OMATIC* CASE.



TL-3322

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3378--TOOL - FILM GUIDE ADJUSTMENT

FILM GUIDE ADJUSTMENT TOOL



TL-3378

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4164--JIG - ROTOR PUMP SETUP

ROTOR PUMP SETUP JIG



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4198--TOOL - RED/BLUE ALIGNMENT

RED/BLUE ALIGNMENT TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4261--TOOL - PROBOSCIS SHAFT

PROBOSCIS SHAFT TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4364--PLATE ADJUSTMENT

PLATE ADJUSTMENT



TL-4364

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4520--SCREWDRIVER - INSULATED

INSULATED SCREWDRIVER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4812--BRACKET - FOCUS

FOCUS BRACKET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4902--TOOL - MIRROR ADJUSTMENT

MIRROR ADJUSTMENT TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - ALIGNMENT TOOLS/FIXTURES/MIRRORS

TL-1759--TOOL - MIRROR ALIGNMENT

MIRROR ALIGNMENT TOOL



TL-1759

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2433--ROD - TRANSPORT SUPPORT



This is used on the *Kodak Starvue* READER, *Kodak Starvue* READER-PRINTER, and the *Kodak Oracle* MICROIMAGE TERMINAL.

Copyright © 2000, Eastman Kodak Company

TL-2515--SCREEN - BEAM VIEW



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The BEAM VIEW SCREEN is a cylinder that has a SCREEN on the end of it. It is used to focus the LASER BEAMS during alignment on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Overall size: 12.7 x 34.9 mm ($^{1}/_{2}$ x 1 $^{3}/_{8}$ in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2518--MIRROR - RETROREFLECT



TL-2518

NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The RETROREFLECT MIRROR is used to reflect the LASER BEAM during LASER ALIGNMENT on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Copyright © 2000, Eastman Kodak Company

TL-2521--SLIDE - GRID FORM



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The GRID FORM SLIDE is a standard size SLIDE that is used to align the CHARACTER FORMAT during IMAGE GENERATED ELECTRICAL ALIGNMENT. It is used on *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

TL-2535 - RESOLUTION FORM SLIDE. For the *Kodak Komstar* 90 MICROFILMER

Copyright © 2000, Eastman Kodak Company

TL-2525--RETROREFLECTION PLATFORM AY



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

This is used during laser alignment on the *Kodak Komstar* 100, 200, 300 MICROIMAGE PROCESSORS. It consists of a PLATFORM on 3 LEGS. During laser alignment it supports gauges at a fixed height.

Overall size: 25 x 152 mm (1 x 6 in.).

Copyright © 2000, Eastman Kodak Company

TL-2526--TOOL - PRISM IG ALIGNMENT

NOTE: For the *Kodak Komstar* 90 MICROFILMER.

This consists of an OPTICAL PRISM within a black HOUSING. It is used during LASER alignment for retroreflection off the PLATFORM TL-2525. The PRISM is for use on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Copyright © 2000, Eastman Kodak Company

TL-2528--MIRROR - FORM SLIDE



NOTE: For the *Kodak Komstar* MICROFILMERS.

The MIRROR FORM SLIDE is used to retroreflect the FORM SYSTEM during alignment on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Copyright © 2000, Eastman Kodak Company

TL-2529--SCREEN - TOOL VIEWER



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The TOOL VIEWER SCREEN is used during laser alignment on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Overall size: 102 x 127 mm (4 x 5 in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2531--TOOL -VIEWER LENS



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The TOOL VIEWER LENS is used with the TOOL VIEWER SCREEN TL-2529. It is used on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Copyright © 2000, Eastman Kodak Company

TL-2534--TOOL - CENTER ROTATION



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The CENTER-ROTATION TOOL is circular and has a convex mirrored surface. It is used during retroreflection and LASER alignment on the *Kodak Komstar* 100, 200, 300 MICROIMAGE PROCESSORS.

Copyright © 2000, Eastman Kodak Company

TL-2535--SLIDE - RESOLUTION FORM



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The RESOLUTION FORM SLIDE and RESOLUTION CHART are used to test the LENS resolution to film for form mechanical alignment, on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Copyright © 2000, Eastman Kodak Company

TL-2537--TOOL -TURRET DETENT



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The TURRET DETENT TOOL is used for the mechanical adjustment of the TURRET SWITCHES on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Overall size: 51 x 25 mm (2 x 1 in.) diameter CYLINDER

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2673--TOOL - CARRIAGE ALIGNMENT



NOTE: For the *Kodak Komstar* 90 MICROFILMER.

The CARRIAGE ALIGNMENT TOOL is used to align the FILM TRANSPORT on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Overall size: 152 x 102 mm (6 x 4 in.) ACRYLIC PLASTIC

51 x 51 mm (2 x 2 in.) METAL MOUNT

Copyright © 2000, Eastman Kodak Company

TL-2753--MIRROR - INSPECTION



The INSPECTION MIRROR is a 57 mm (2 1/4 in.) round MIRROR that is connected by ball joints to an insulated HANDLE. The HANDLE extends from 170 mm to 275 mm (6 3/4 to 10 3/4 in.).

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2830--TOOL - 135 LATP ALIGNMENT

135 LATP ALIGNMENT TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2917--TOOL - PF ALIGNMENT

PF ALIGNMENT TOOL



TL-2917

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2980--MIRROR - PF TEMPLATE

PF TEMPLATE MIRROR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3133--SPACER - ADJUSTMENT CONE

ADJUSTMENT CONE SPACER



TL-3133

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3237--SCANNER - ALIGNMENT PLATE

For SCANNER RASTER.



TL-3237

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3334--TOOL - FILM WRITER ILLUMINATION

For RIM 2000 MICROFILMERS



TL-3334

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3374--TOOL - WIRE FORM

For Mod. No. 32



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3732--BRACKET - ELECTROMETER

ELECTROMETER BRACKET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3734--BRACKET ELECTROMETER - P/C ASSEMBLY

ELECTROMETER BRACKET P/C ASSEMBLY



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4316--STAND - MIRROR

MIRROR STAND



Copyright © 2000, Eastman Kodak Company

TL-4329--TOOL - PICKER ASSEMBLY ADJUSTMENT

PICKER ASSEMBLY ADJUSTMENT TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4380--FIXTURE - POWER METER

POWER METER FIXTURE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4402--FIXTURE - 150 ALIGNMENT

150 ALIGNMENT FIXTURE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4418--PLATES - SPACING

SPACING PLATES



TL-4418

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4552--TEMPLATES -CASSETTE



Used on HSD X-ray cassettes to facilitate use on multiloaders.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4582--TOOL -MAG BLOWPIPE POSITIONING

Used on HSD MULTILOADERS.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4583--POSITIONER - BLOWPIPE

Used on HSD MULTILOADERS to align BLOWPIPES.



Copyright © 2000, Eastman Kodak Company

TL-4628--TOOL - ROTOR PAD ALIGNMENT

ROTOR PAD ALIGNMENT TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4638--BLOCK - VT ALIGNMENT

VT ALIGNMENT BLOCK



Kodak

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4694--TOOL - FOCUS

FOCUS TOOL



TL-4694

Copyright © 2000, Eastman Kodak Company

TL-4732--TEMPLATE - PAPER PLATEN

PAPER PLATEN TEMPLATE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4797--TOOL - PRECISION ALIGNMENT

PRECISION ALIGNMENT TOOL



TL-4797

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4801--MIRROR - UNIVERSAL FOCUS

UNIVERSAL FOCUS MIRROR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4830--POSITIONER - BLOWPIPE

BLOWPIPE POSITIONER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4863--FIXTURE - MOUNTING

MOUNTING FIXTURE



Copyright © 2000, Eastman Kodak Company

TL-4864--FIXTURE - WEIGHT

WEIGHT FIXTURE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4866--TOOL - APERTURE

APERTURE TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4867--TOOL - DENSITY

DENSITY TOOL



Copyright © 2000, Eastman Kodak Company

MECHANICAL - BURNISHING TOOLS

TL-0994--BURNISHING - CONTACT

Medium grit.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - CHARTS/FILTERS/TARGETS

TL-1351--CHART - RESOLUTION

RESOLUTION CHART



TL-1351

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1474--TARGET - "S"

For MICROFILMERS

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1497--TEST SET - COLORED DOCUMENT



This is for use on microfilming machines that have an exposure control. The lamp brightness should be adjusted for the full range of colored documents that the customer will photograph. The testing of microfilming machines in a shop also requires a set of colored documents which compiles with manufacturing quality control standards.

Consists of one sheet each of 215.9 x 279.4 mm ($8^1/_2$ x 11 in.) bond paper in each of the following colors:

1. White
2. Russet
3. Canary
4. Goldenrod
5. Blue, light
6. Green
7. Salmon
8. Pink
9. Cherry
10. Blue, deep

Copyright © 2000, Eastman Kodak Company

TL-1689--SLIDE - COMPARATOR

COMPARATOR SLIDE



Copyright © 2000, Eastman Kodak Company

TL-1872--CHART SIZE

CHART SIZE



TL-1872

Copyright © 2000, Eastman Kodak Company

TL-2176--NEGATIVE - FOCUS

FOCUS NEGATIVE - 620 SIZE



TL-2176

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2177--NEGATIVE - FOCUS

FOCUS NEGATIVE - 616 SIZE



TL-2177

Copyright © 2000, Eastman Kodak Company

TL-2264--TEST TARGET



The TEST TARGET consists of a 51 x 51 mm (2 x 2 in.) glass mounted test shoe. This is used for checking optical quality of SLIDE PROJECTORS and LENS combinations. It is used on all *Kodak Carousel* PROJECTORS and flat field PROJECTION LENSES.

Copyright © 2000, Eastman Kodak Company

TL-2285--CHART - VIEWFINDER REGISTRATION, Side A



TL-2286 - VIEWFINDER REGISTRATION CHART - Side B

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2287--TARGET - TEST

TEST TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2288--CHART - VIEWFINDER REGISTRATION



A CHART used for checking and adjusting VIEWFINDER on the Kodak Pocket Instamatic 10 CAMERA and the Kodak Ektra 1 CAMERA.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2469--TARGET SLIDE



TL-2469

The TARGET SLIDE is a test slide that is used to focus and position an image on the *Kodak Ektagraphic* AUDIOVIEWERS. See the Service Manual for more details.

Amateur and Audiovisual Products.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2514--FILTER

BEAM ATTEN FILTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2516--TARGET - MIRROR E

MIRROR E TARGET



TL-2516

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2517--TARGET - SB CENTERING



TL-2517

The SB CENTERING TARGET is used during LASER BEAM ALIGNMENT to align the BEAM into the SCANNER BLOCK on the *Kodak Komstar* 100, 200, and 300 MICROIMAGE PROCESSORS.

Copyright © 2000, Eastman Kodak Company

TL-2527--TARGET - F/S ALIGNMENT



The F/S ALIGNMENT TARGET is used to aim the LASER during LASER alignment on the *Kodak Komstar* 100, 200 and 300 MICROIMAGE PROCESSORS.

Overall size: 51 mm (92 in.) circular machined cap.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2546--TARGET

B MIRROR TARGET used on *Kodak Komstar* MICROFILMERS



TL-2546

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2636--CHART



The CHART is used to align the VIEWFINDER of the *Kodak Tele-Ektra* 2 CAMERAS.

Amateur and Audiovisual Products.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2703--CHART



This is a VIEWFINDER ALIGNMENT CHART for the *Kodak Ektralite* 10 CAMERA. See the Service Manual for more details.

Amateur and Audiovisual Products

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2783--STRIP - IMT TEST FILM

IMT TEST FILM STRIP



TL-2783

Copyright © 2000, Eastman Kodak Company

TL-2910--FILTER

MF - 0.3 nd FILTER



TL-2910

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2423--FILM - TEST

Kodak Oracle TEST FILM



TL-2010

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3010--FILM - READER TEST

Kodak IMT-150 READER TEST FILM



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3402--FILM - READER TEST

Kodak IMT-250 READER TEST FILM



TL-3010

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3113--PLAQUE

H and D PLAQUE



TL-3113

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3233--SLIDE -AUTO FOCUS TARGET

AUTO FOCUS TARGET SLIDE



TL-3233

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3357--CHART - GRAY SCALE

GRAY SCALE CHART



TL-3357

Copyright © 2000, Eastman Kodak Company

TL-3394--TARGET - CONSOLE TEST

Package of 5



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3394-1--TARGET - CONSOLE TEST

SINGLE CONSOLE TEST TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3401--FILTER

COLOR PRINTING FILTER

Copyright © 2000, Eastman Kodak Company

TL-3468--TARGET - Canon TEST

Canon TEST TARGET

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3479--TARGET - GRAY (A-3) TEST

Package of 5



TL-3479

Copyright © 2000, Eastman Kodak Company

TL-3480--TARGET - DUPLEX (A-4) TEST

Package of 5

Copyright © 2000, Eastman Kodak Company

TL-3532--TEST PATTERN - 35 mm

35 mm TEST PATTERN



TL-3532

Copyright © 2000, Eastman Kodak Company

TL-3558--TARGET - TEST

TEST TARGET



TL-3558

Copyright © 2000, Eastman Kodak Company

TL-3717--STRIP - IMAGE TEST

IMAGE TEST STRIP SET



TL-3717

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3904--TARGET - TEST

To be used for the *Kodak ColorEdge* COPIER-PRINTERS.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3952--PATCH -VR SETUP

VR SETUP PATCH



Copyright © 2000, Eastman Kodak Company

TL-4094--TARGET

MV European TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4189--TARGET - RESOLUTION

RESOLUTION TARGET SET



TL-4189

Copyright © 2000, Eastman Kodak Company

TL-4191--BLOCK - FOCUS

FOCUS BLOCK METRIC



Copyright © 2000, Eastman Kodak Company

TL-4252--CHART - COLOR

COLOR CHART



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4268--PLATE - CALIBRATION

CALIBRATION PLATE



Copyright © 2000, Eastman Kodak Company

TL-4286--TARGET -TEST

Package of 5



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4290--FILTER N.D.

FILTER - N.D.



Copyright © 2000, Eastman Kodak Company

TL-4291--FILTER GREEN

FILTER - Green



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4300--FILTER N.D. 2

FILTER



Copyright © 2000, Eastman Kodak Company

TL-4305--TARGET - BIS SCANNER TEST

BIS SCANNER TEST TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4469--TARGET - TEST SET OCR

TEST SET OCR TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4517--TARGET -FOCUS

FOCUS TARGET



TL-4517

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4528--TARGET - TEST DOCUMENT

TEST DOCUMENT BAR CODE TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4643--STRIP - EXPOSURE SETUP FILM

EXPOSURE SETUP FILM STRIP

TL-4643

Copyright © 2000, Eastman Kodak Company

TL-4660--TARGET - TEST

TEST TARGET SETUP



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4682--TARGET - FEEDER

FEEDER TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4683--TARGET - Non Linearity

Non Linearity TARGET



Copyright © 2000, Eastman Kodak Company

TL-4705--FILTERS

FILTERS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4707--KIT - FILTER

FILTER KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4733--TEMPLATE - CRT RASTER

CRT RASTER TEMPLATE SET



TL-4733

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4749--TARGET - MAG

MAG METAPHOR TARGET



TL-4749

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4782--TARGET

TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4808--FILM - TEST

TEST FILM K1QA



Copyright © 2000, Eastman Kodak Company

TL-4834--TARGET - TEST

TEST TARGET



TL-4834

Copyright © 2000, Eastman Kodak Company

TL-4912--CHART A

CHART A



TL-4912

Copyright © 2000, Eastman Kodak Company

TL-4913--CHART B

CHART B



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4914--CHART

CHART



TL-4914

Copyright © 2000, Eastman Kodak Company

TL-6369--TEST PATTERNS - BAR CODE

BAR CODE TEST PATTERNS



Copyright © 2000, Eastman Kodak Company

624926--TARGET - TEST

For use on MICROFILMERS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

624927--TARGET- TEST

TEST TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

653483--TARGET - TEST

TEST TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

654053--TARGET - TEST

TEST TARGET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - CHAIN TIGHTENER/CLAMPS/BEAR-WHEEL PULLER/VISES

TL-1385--CLAMP - C

2 in. C CLAMP



Copyright © 2000, Eastman Kodak Company

TL-4087--CLAMP - C

6 in. C CLAMP



Copyright © 2000, Eastman Kodak Company

TL-1566--TIGHTENER - CHAIN

CHAIN TIGHTENER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2170--CLAMP - HOSE PINCH

HOSE PINCH CLAMP



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3036--PULLER - GEAR/WHEEL

3 in. reach WHEEL PULLER



Copyright © 2000, Eastman Kodak Company

TL-4135--PULLER - GEAR/WHEEL

5 1/2 inch reach, 6 inch maximum spread, 5 ton PULLER.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5237--CLAMP - ELEVATOR

ELEVATOR CLAMP



TL-4195

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - DRILLS-BITS/TEMPLATES/ACCESSORIES

TL-1202--WRENCH - TAP

TAP WRENCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1373--EXTRACTOR - SCREW



Use to remove 3/16 to 1/4-inch bolts EZY-OUT SCREW EXTRACTOR No. 1

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1374--EXTRACTOR - SCREW



Use to remove 1/4 to 5/16 in. bolts EZY-OUT SCREW EXTRACTOR No. 2.

Copyright © 2000, Eastman Kodak Company

TL-1375--EXTRACTOR - SCREW

Use to remove 5/16 to 7/16 in. bolts EZY-OUT SCREW EXTRACTOR No. 3.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1402--WRENCH - TAP

TAP WRENCH



TL-1402

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1410--DRILL SET



Contains the following DRILL BIT sizes:

- 1/4 in.
- 5/16 in.
- 3/8 in.
- 7/16 in.
- 1/2 in.

The DRILL BITS have 1/4 in. shanks. Packed in a PLASTIC CASE 121 mm (4 3/4 in.) high x 101 mm (4 in.) wide x 22 mm (7/8 in.) deep.

Copyright © 2000, Eastman Kodak Company

TL-1413--SAW - HOLE



- 9/16 HOLE SAW
- Use with TL-1418 - Mandrel for HOLE saws

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1414--SAW - HOLE



- 3/4 HOLE SAW
- Use with TL-1418 - Mandrel for HOLE saws

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1415--SAW - HOLE



- 7/8 HOLE SAW
- Use with TL-1418 - Mandrel for HOLE saws

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1416--SAW - HOLE



- 1 1/4 HOLE SAW
- Use with TL-1418 - Mandrel for HOLE saws

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1418--SAW - MANDREL

- Mandrel for hole saws



Copyright © 2000, Eastman Kodak Company

TL-1466--DRILL - 3/8 ELECTRIC

115 AC/DC, 3 AMPS.



Copyright © 2000, Eastman Kodak Company

TL-1482--DRILL SET



Contains WIRE GAUGE BITS, size 1 through 60. The SET is packed in a METAL INDEX CASE 89 mm (3 3/4 in.) high, and 29 mm (1 1/8 in.) deep.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1521--CASE - ELECTRIC DRILL CARRYING

Black plastic, $12^{1}/_{2}$ x 9 x 5 5/32 in.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2051--DRILL ATTACHMENT - RIGHT ANGLE



The DRIVE ATTACHMENT can be used with an ELECTRIC DRILL for drilling at right angles.

Copyright © 2000, Eastman Kodak Company

TL-2614--COUNTERSINK

COUNTERSINK - 1/2 in. diameter, 82 degree 1/4 in. SHANK

TL-2614

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3226 --VISE - PIN

For TL-3227 - METERING CLEANING KIT



TL-3226

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3607--BIT - DRILL

DRILL BIT SET



Copyright © 2000, Eastman Kodak Company

TL-4373--BIT - MILL

5/16 MILL BIT

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-8401 to TL-8421--TAPS



- TL-8401, 0-80 TAP
- TL-8405, 2-64 TAP
- TL-8407, 3-56 TAP
- TL-8409, 4-40 TAP
- TL-8410, 4-48 TAP
- TL-8411, 5-40 TAP
- TL-8413, 6-32 TAP
- TL-8414, 6-40 TAP
- TL-8415, 8-32 TAP
- TL-8418, 10-32 TAP
- TL-8421, 1/4-20 TAP

TAPS

Service Parts Management stocks the TAPS listed by the tool number on the preceding chart. The correct name for each TAP is: first the TAP SIZE, then the word TAP. Example: 4-40 TAP. The limits for each TAP is from 0-80 to 1-72, H-1; 2-56 to 6-40, H-2; 8-30 and above, H-3.

All TAPS are PLUG STYLE, SPIRAL-POINTED GROUND-THREAD HAND TAPS, HIGH-SPEED STEEL. Bay State list No. 926 for MACHINE SCREW sizes and 908 for fractional inch sizes.

The SPIRAL-POINTED GROUND-THREAD HAND TAP is approved for use in all materials. This style TAP drives the chips ahead of the point during the tapping operation.

When tapping through a hole:

1. Wet the TAP and work with SULFURIZED LARD OIL TL-1520.
2. Start the TAP straight.
3. Drive the TAP until it extends through the work. Apply additional OIL during the tapping operation. Do not force the TAP if it begins to bind. *Carefully* back the tap from the hole, clear all chips, and begin again.
4. Remove the TAP.

When tapping blind holes:

1. Check the depth of the hole. The hole should be 3 TAP diameters deeper than the required thread.
2. Wet the TAP and work with SULFURIZED LARD OIL TL-1520.
3. Start the TAP straight.
4. Carefully drive the TAP. If the TAP binds, carefully back it out, clear chip, and begin again. Continue to add OIL during the tapping operation. Drive the TAP to the desired depth, but no deeper, as the TAP may jam and break.
5. Remove the TAP.

COMMON TAPPING PROBLEMS, THEIR PROBABLE CAUSE AND CORRECTION

1. TAP overloading cause by pickup.
    - Loading or pickup on TAP surfaces causes most TAP breakage. As soon as this is observed, it should be corrected. To let it go, means that the pickup will finally be so great that the TAP will weld in the hole and the power of the machine will break the TAP. Check lubrication. Other causes of loading are: LANDS are to wide, CHIPS packing in the FLUTES, or a dull TAP.
2. Roughness in THREADS.
    - If all other factors and variables have been carefully checked, try a negative grind on the HEEL of the TAP. This overcomes THREAD tearing by the TAP when backing out. Insufficient HOOK ANGLE 4 can also cause roughness in the THREADS.
3. Broken TEETH.
    - The TAP may be too hard (over Rockwell C-63) for the type of material being cut. Grind broken TEETH entirely away and the TAP will be serviceable.
4. Loading on stringy soft metals.
    - This can usually be overcome by polishing the TAP after grinding. The better the TAP is polished, the less tendency for loading.
5. TAP slows up -- more power required.
    - This is generally an indication of an improperly ground or dull TAP. Check the HOLE diameter. DRILL BITS may have worn enough to be cutting undersized. Check to see if the axis of the HOLE and the TAP are parallel. Check for chips packed in the FLUTE. This can develop if the FLUTES are shallow or the LANDS are too wide. Chips can be controlled perfectly, and are, in well-designed and correctly ground TAPS. The power required to break the CHIP packing is often more than that required to TAP. On a deep hole this will break the TAP.
6. TAP cuts when backing out.
    - This is usually caused when the TAP cuts an oversized HOLE, leaving no support for the TAP when backing out and thereby permitting it to cut.

Copyright © 2000, Eastman Kodak Company

TL-9204--DRILL BIT



Sizes: 1/16 x 1 7/8 inches.

See Standard DRILL BITS Table in TOOL BOX.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - EXTRACTION TOOLS/INSERT TOOLS/REMOVAL TOOLS

TL-0942--TOOL - APPLICATOR

APPLICATOR TOOL



Copyright © 2000, Eastman Kodak Company

TL-1072--APPLICATOR

APPLICATOR



Copyright © 2000, Eastman Kodak Company

TL-1580--TOOL - EXTRACTION

Metrimate (Amp 305183)

TL-1580

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1581--TOOL - EXTRACTION

TAB SERIES



TL-1581

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1654--TOOL - EXTRACTION

EXTRACTION TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1694--TOOL - EXTRACTION



C-CLAMP Style ROLL PIN EXTRACTOR. Used to remove 2.28 mm (0.090 in.) diameter ROLL PINS from the ends of SHAFTS without hammering.

Copyright © 2000, Eastman Kodak Company

TL-1928--APPLICATOR



LARGE RING APPLICATOR

TL-5009 - SMALL RING APPLICATOR

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1978--EXTRACTOR - O-RING

Use the O-RING EXTRACTOR to remove 0-RINGS from the BACKUP and PRESSURE PLATES on the *Recordak* MICROFICHE DIAZO PROCESSOR, Models 404C and 404D.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2027--TOOL - EXTRACTION

EXTRACTION TOOL



TL-2027

Copyright © 2000, Eastman Kodak Company

TL-2028--TOOL - EXTRACTION

Mini-VMNL (Amp 455822-2)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2105--TOOL - INSERTION

INSERTION/EXTRACTION TOOL (AMPDB)



TL-2105

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2420--REMOVER - TRAY LATCH

TRAY LATCH REMOVER



Copyright © 2000, Eastman Kodak Company

TL-2494--TOOL - EXTRACTION



The EXTRACTION TOOL is used to remove AMP TWIN LEAF CONTACTS from the body of the *Kodak* HIGH SPEED PUNCHED TAPE READER and other products.

Copyright © 2000, Eastman Kodak Company

TL-2583--TOOL - EXTRACTION

EXTRACTION TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2697--TOOL - EXTRACTION

Used to remove keys from keyboard assemblies.



TL-2697

Copyright © 2000, Eastman Kodak Company

TL-2791--EXTRACTION TOOL

EXTRACTION TOOL



TL-2791

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2756--STARTER - SCREW

A double-ended slotted-end STARTER. No. 2 *Phillips*



TL-2756

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2867--TOOL - C-RING EXTRACTION

C-RING EXTRACTION TOOL



TL-2867

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2955--RING - APPLICATOR SNAP

31 RING

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2956--RING - APPLICATOR SNAP

18 RING

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2957--RING - APPLICATOR SNAP

25 RING

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2963--KIT - IC-INSERTION/EXTRACTION



This KIT consists of 5 tools for the insertion and extraction of 14 to 40 pins MOS and CMOS devices.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2973--EXTRACTOR - PIN

PIN EXTRACTOR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3071--TOOL - EXTRACTION

EXTRACTION TOOL



TL-3071

Copyright © 2000, Eastman Kodak Company

TL-3072--TOOL - EXTRACTION

Used to remove micro-miniature LAMPS.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3203--EXTRACTOR - MINI

MINI EXTRACTOR



TL-3203

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4244--TOOL - INSERTION

WIRE INSERTION TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4397--TOOL - CLIP REMOVAL

CLIP REMOVAL TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4398--TOOL - IC REMOVAL

IC REMOVAL TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4430--TOOL - EXTRACTOR

EXTRACTOR TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4568--TOOL - PIN INSERTION/EXTRACTION

PIN INSERTION/EXTRACTION TOOL



Copyright © 2000, Eastman Kodak Company

TL-4569--TOOL - INSERTION/EXTRACTION

INSERTION/EXTRACTION TOOL



Copyright © 2000, Eastman Kodak Company

MECHANICAL - FILES

TL-1212--STONE - FINE

TL-1212

101.6 mm (4 in.) long, 5/16 in. wide, 1/4 in. thick, large end. Used to produce sharp edge on knives and other cutting tools.

Copyright © 2000, Eastman Kodak Company

TL-1290--FILE - 6 INCH FLAT MILL



Second cut, American pattern.

Overall size: 152 x 15 x 2.8 mm (6 x 19/32 x 7/64 in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1292--FILE - 6 INCH 0-CUT ROUND TAPER

TL-1292

No. 0 cut, Swiss Pattern.

Overall size: 152 x 4.8 mm (6 x 3/16 in.) diameter.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1293--FILE - 8 INCH 0-CUT ROUND TAPER



No. 0 cut, Swiss Pattern.

Overall size: 203 x 6.35 mm (8 x $^{1}/_{4}$ in.) diameter.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1383--FILE - 6 INCH 0-CUT NARROW PILLAR

No. 0 cut, Swiss pattern.

Overall size: 152 x 6.35 x 3.6 mm (6 x $^{1}/_{4}$ x 9/64 in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1399--STONE - FLAT



TL-1399

8.8 gm (3.5 in.) long, 9.52 - 12.7 mm (3/8 - 1/2 in.) wide, 3.17 - 4.75 mm (1/8 - 3/16 in.) thick. Used to produce sharp edge on knives and other cutting tools.

Copyright © 2000, Eastman Kodak Company

TL-4662--FILE - ALUMINUM FLAT

6 in.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - GAUGES

TL-1929--KIT - WATER PRESSURE GAUGE



Use the WATER PRESSURE GAUGE KIT to check the pressure of the incoming water supply for the following THERMOSTATIC MIXING VALVES:

- *LAWLER* 1/2 in. NPT VALVE
- *LAWLER* 3/4 in. NPT VALVE
- PHOTOMIX VALVE (*Meynhill Valves Inc.*, Model 155, 3/8 in., Type PH-2 VALVE)

Assemble the PRESSURE GAUGE to the PLUG FITTING that fits the STRAINER PLUG threads of the MIXING VALVE. Read the water pressure while the VALVE is turned on.

Copyright © 2000, Eastman Kodak Company

TL-2070--GAUGE - SPINDLE



The SPINDLE GAUGE is used on the *Kodak* MOVIEDECK PROJECTORS. See the Service Manual for more details on its use.

Amateur and Audiovisual Products.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2372--GAUGE - THICKNESS



This english/metric GAUGE measures from .04 mm (.0015 in.) to .64 mm (.025 in.), has 26 tapered leaves, each 12.7 to 6.35 mm (1/2 to 1/4 in.) wide and 103 mm (3 1/16 in.) in length. The thickness of each leaf is marked in 1/1000 of an in. *L.S. Starret Company*, No. 661.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2397--GAUGE - FLEXIBLE FEELER



4 strips - plastic shim stock. 178 mm (7 in.) long and 12.7 mm (0.5 in.) wide attached at one end. Thickness:

- 0.005 in.
- 0.010 in.
- 0.020 in.
- 0.040 in.

Used in the COPIER-PRINTER.

Copyright © 2000, Eastman Kodak Company

TL-2427--GAUGE - OPTICAL ALIGNMENT

This is an optical alignment gauge used on the *Kodak Oracle* MICROIMAGE TERMINAL.

TL-2427

Copyright © 2000, Eastman Kodak Company

TL-2457--FIXTURE - ALIGNMENT



Consists of a metal block, pointed on one end, a RETAINING SPRING on the other end. It is used on the *Kodak Ektaprint* FINISHER.

Size: 19.05 x 25 x 41.28 mm (0.75 x 0.98 x 0.63 in.)

Copyright © 2000, Eastman Kodak Company

TL-2471--SLIDE - SHIM DRY

SHIM DRY SLIDE



TL-2471

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2534--TOOL - CENTER ROTATION

CENTER ROTATION TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2586--GAUGE - FIXED SPINDLE



TL-2586

The FIXED SPINDLE GAUGE is used to realign the FIXED SPINDLE after removal from the CASSETTE INTERFACE. It is used on the *Recordak Reliant* 550 MICROFILMER.

Overall size: 5.41 x 44.5 x 12.7 mm (2 $^{1}/_{8}$ x 1$^{3}/_{4}$ x $^{1}/_{2}$ in.)

Copyright © 2000, Eastman Kodak Company

TL-2680--SEAL - OVF TUBE PORT



- OVF TUBE PORT SEAL
-

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2868--INDENT - C MAGNET ANGLE

C MAGNET ANGLE INDENT



Copyright © 2000, Eastman Kodak Company

TL-2886--BLOCK - C-T/O SETUP

C-T/O SETUP BLOCK



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2892--GAUGE - PF ROLLER ALIGNMENT

PF ROLLER ALIGNMENT GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2895--GAUGE - MF GUIDE PLATE

MF GUIDE PLATE GAUGE



Copyright © 2000, Eastman Kodak Company

TL-2928--ADJUSTER - PF FILTER BUMP

PF FILTER BUMP ADJ



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2927--MAGAZINE - ARM TORQUE

ARM TORQUE MAGAZINE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2942--GAUGE - C-PFVT GO NO-GO

NO-GO: 0.187, GO: 0.167.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2943--TOOL - C-SOL ADJUSTMENT

C-SOL ADJUSTMENT TOOL



TL-2943

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2945--TOOL - PF SEMI AUTO OPEN

PF SEMI AUTO OPEN



Copyright © 2000, Eastman Kodak Company

TL-2952--GAUGE - WEDGE

WEDGE GAUGE



TL-2952

Copyright © 2000, Eastman Kodak Company

TL-2953--TOOL - PF SPINDLE DEPTH

PF SPINDLE DEPTH TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3001--GAUGE - AM SLIDE LEVER

AM SLIDE LEVER GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3002--SLIDE - AM AUTO FOCUS

AM AUTO FOCUS SLIDE



TL-3002

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3041--GAUGE - PF SHUTTLE HEIGHT

PF SHUTTLE HEIGHT GAUGE



TL-3041

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3062--COLLAR - PF PLUNGER AND

PF PLUNGER AND COLLAR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3069--GAUGE - PF CONTAIN SPINDLE

PF CONTAIN SPINDLE GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3084--CHAIN OILER

C-CHAIN OILER



TL-3084

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3093--SUPPORT - PF PG TEMPLATE

PF PG TEMPLATE SUPPORT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3103--GAUGE - C-DRUM CONV

C-DRUM CONV GAUGE



TL-3103

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3148--JIG - CORONA/REFLECTOR

CORONA/REFLECTOR READER JIG



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3155--GAUGE - OPTICAL CENTER LINE

OPTICAL CENTER LINE GAUGE



TL-3155

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3167--STROBE STRIP (MTV)

STROBE STRIP (MTV)



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3267--GAUGE - RAIL DIAMETER

RAIL DIAMETER GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3277--GAUGE - AUTO FOCUS

AUTO FOCUS GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3335--GAUGE - FILM WRITER POSITION

FILM WRITER POSITION GAUGE



TL-3335

Copyright © 2000, Eastman Kodak Company

TL-3373--GAUGE - RIBBON SWITCH

For document printers or microfilmers.



Copyright © 2000, Eastman Kodak Company

TL-3447--ADAPTER - 250 GAUGE

TEST GAUGE 0 - 60 PSI.



Copyright © 2000, Eastman Kodak Company

TL-3492--KIT - VACUUM GAUGE



Size: 0 - 50 inch Water Pressure. Used with TL-2860-1, OVF TUBE PORT SEAL and TL-4139, OVF TUBE PORT SEAL.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4057--GAUGE - 12 INCH FEELER



Graduation:

- .015
- .020
- .025
- .030
- .040.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4067--GAUGE - FEELER

Metric only. Measures from .05 mm - 1.00 mm



Copyright © 2000, Eastman Kodak Company

TL-4184--GAUGE - OVF TUBE

For *Kodak Ektaprint* COPIERS.



TL-4184

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4193--GAUGE - BACK STOP

BACK STOP GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4194--GAUGE - SPRING RETENTION

SPRING RETENTION GAUGE



TL-4194

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4196--GAUGE - STACK SENSOR

STACK SENSOR GAUGE



TL-4196

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4274--BAR - GAUGE INTEGRATION

GAUGE INTEGRATION BAR



Copyright © 2000, Eastman Kodak Company

TL-4395--GAUGE - CENTERING

CENTERING GAUGE



TL-4395

Copyright © 2000, Eastman Kodak Company

TL-4587--GAUGE - ADAPTER

ADAPTER GAUGE



TL-4587

Copyright © 2000, Eastman Kodak Company

TL-4701--GAUGE - GO NO-GO

GO NO-GO GAUGE



TL-4701

Copyright © 2000, Eastman Kodak Company

TL-4723--GAUGE - VACUUM

VACUUM GAUGE, 0 - 1.0 BARS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4825--GAUGE - DRUM ALIGNMENT

DRUM ALIGNMENT GAUGE



Copyright © 2000, Eastman Kodak Company

TL-4865--GAUGE - FIXTURE ROLLER

FIXTURE ROLLER GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4879--GAUGE - DEFECTION

REGISTRATION DEFLECTION GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4883--GAUGE - PAPER DECK SPACER

PAPER DECK SPACER GAUGE



Copyright © 2000, Eastman Kodak Company

MECHANICAL - GLUES/GREASES/OILS/PAINTS/TAPES

1C8000--LENS CLEANER

LENS CLEANER



Copyright © 2000, Eastman Kodak Company

1C8001--SEALANT - CLEAR RUBBER

BLACK SEALANT.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8002--SEALANT - BLACK S1 RBR

SEALANT - BLACK S1 RBR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8003--COMPOUND - HEAT SINK

2 oz.



TL-21822

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8004--LOCTITE 454

Loctite 454

1C8136 *Loctite* 262



TL-2184

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8005--SEALANT

Stud type.

TL-2182

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8006--SEALANT B - LOCTITE

Loctite SEALANT B.

TL-2198

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8007--SEALANT - PIPE

PIPE SEALANT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8011--EPOXY

Package of 5.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8012--EPOXY - HIGH STRENGTH

HIGH STRENGTH EPOXY



Copyright © 2000, Eastman Kodak Company

1C8013--*LOCTITE* 242

1 oz.

TL-22850

Kodak

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8014--EPOXY - REPAIR

3.63 oz.



TL-2317

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8015--*LOCTITE* #222



LOCTITE #222

34 oz.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8016--LUBRICANT - NYLON GEAR

NYLON GEAR LUBRICANT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8018--*NUMATICS* LUBE



TL-1C8018

NUMATICS LUBE

1 oz.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8019--HAND CLEANER

HAND CLEANER

1 oz. tube



Kodak

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8020--*LOCTITE* 290-21

LOCTITE 290-21



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8022--ADHESIVE - RTV ELEC GR

RTV ELEC GR ADHESIVE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8026--GREASE - *SUPERLUBE* TEF

SUPERLUBE TEF GREASE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8031--SILICONE - NO. 4

SILICONE No. 4



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8032--SAE 30 OIL

SAE 30 OIL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8033--SILICONE No. 302 with MOLY

SILICONE No. 302 with MOLY



Copyright © 2000, Eastman Kodak Company

1C8034--SILICONE LUBRICANT with MOLY

SILICONE LUBRICANT with MOLY



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8035--SILICONE No. 200 FLUID

SILICONE No. 200 FLUID



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8036--G-300 GREASE

G-300 GREASE



Copyright © 2000, Eastman Kodak Company

1C8037--HI TEMP LUBRICANT

HI TEMP LUBRICANT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8038--OIL - SYNTHETIC INSTR

SYNTHETIC INSTR OIL



TL-2344

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8039--SYNTHETIC GREASE with MOLY

SYNTHETIC GREASE with MOLY



Copyright © 2000, Eastman Kodak Company

1C8040--SILICONE GREASE

SILICONE GREASE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8041--SYNTHETIC GREASE

SYNTHETIC GREASE



Copyright © 2000, Eastman Kodak Company

1C8042--SYNTHETIC OIL

SYNTHETIC OIL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8043--FLUOROSILICONE

FLUOROSILICONE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8044--LIGHT SYNTHETIC INSTRUMENT OIL

LIGHT SYNTHETIC INSTRUMENT OIL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8045--GREASE NO. 2 ALVANIA

GREASE NO. 2 ALVANIA

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8046--SYNTHETIC GREASE with FLUOROCARBON

SYNTHETIC GREASE with FLUOROCARBON



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8047--SYNTHETIC OIL with MOLY

SYNTHETIC OIL with MOLY



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8048--VIBRATITE

30 cc.

TL-2425

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8049--GREASE - SPRAY

SPRAY GREASE



TL-2362

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8050--PLASTIC GREASE No. 2 with MOLY

PLASTIC GREASE No. 2 with MOLY



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8051--PLASTIC LUB No. 2 with MOLY

PLASTIC LUB No. 2 with MOLY



Copyright © 2000, Eastman Kodak Company

1C8053--GEAR BOX OIL

GEAR BOX OIL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8062--GREASE - RED

RED GREASE

1 oz.



TL-1C8062

Copyright © 2000, Eastman Kodak Company

1C8088--FLASH ORANGE

FLASH ORANGE W/ PUMICE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8110--TAPE REFLECTOR

1 ft.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8111--TAPE - SPLICING

1 in. x 36 yd. - black



TL-2125

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8114--PAINT - TOUCHUP

Touchup paint - Dull Black



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8117--PAINT - TOUCHUP

Touchup paint - Putty Gray



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8118--PAINT - TOUCHUP

Touchup paint - Light Gray



TL-2216

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8119--PAINT - TOUCHUP

Touchup paint - Medium Gray



TL-2216

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8120--PAINT - TOUCHUP

Touchup paint - Dark Gray



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8121--FILM - TFE LUBRICANT PERMANENT

TFE LUBRICANT PERMANENT FILM

TL-2-259

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8123--CEMENT - CONTACT

CONTACT CEMENT

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8124--ADHESIVE - RUBBER AND GASKET

RUBBER AND GASKET ADHESIVE



TL-2717

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8132--EPOXY PATCH KIT

EPOXY PATCH KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8148--*LOCTITE* 414 ADHESIVE

LOCTITE 414 ADHESIVE

TL-1 Cou-1b

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8259--PRO-GOLD

PRO-GOLD



Copyright © 2000, Eastman Kodak Company

952959--TAPE - FILAMENT

FILAMENT TAPE



TL-2548

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952960--TAPE - PIPE THREAD

1/2 x 520 in.



TL-2180

Kodak

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952958--TAPE - ELECTRICAL

ELECTRICAL TAPE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - HAMMERS/KNIVES

TL-1189--KNIFE - POCKET



This is a UTILITY JACKNIFE, blunt style, with a 63.5 mm (2 $^{1}/_{2}$ in.) blunt BLADE and a 44.5 mm (1 $^{3}/_{4}$ in.) pointed BLADE.

Overall size: 76 mm (3 in.) length.

BOKER TREE brand KNIVES, *J. Wise & Sons Co.*, No. 85R.

Copyright © 2000, Eastman Kodak Company

TL-1360--HAMMER - PLASTIC HEAD

PLASTIC HEAD HAMMER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2284--TOOL - FORMING

FORMING TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4387--TOOL - WIRE STRIPPING

WIRE STRIPPING TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - HELICOIL TOOLS

TL-1327 to TL-1344--HELICOILS

HELICOIL INSERTS are used to repair broken screw threads in metal or plastic. HELICOIL INSERTS are similar to HELICAL SPRINGS in general appearance. The INSERTS are made of stainless steel wire with a diamond-shaped cross section. The TANG is needed for installation of the INSERT and is broken off and removed after installation.

Use only HELICOIL TAPS to make threads for the HELICOIL INSERTS. Use the table to select the correct tap and drill.



Use the HELICOIL INSERTING TOOL to prewind and install the inserts. The INSERTS are larger in diameter than the tapped holes into which they are installed. The INSERTING TOOL is used to prewind an INSERT to the diameter of the tapped hole and then to install it. The prewinding provides spring tension of the installed INSERT against the tapped hole, preventing it from unscrewing. A separate INSERTING TOOL is required for each INSERT.

Use the HELICOIL AUTOMATIC TANG BREAK-OFF TOOL to remove the tang from the INSERT after installation. Tang removal is necessary in order for a screw to pass completely through the insert. A separate TANG BREAK-OFF TOOL is required for each size insert.



Use the HELICOIL EXTRACTING TOOL to remove inserts. The TAPERED BLADE is inserted into the INSERT and then struck with a HAMMER to nick the inside of the INSERT. The insert can then be removed. There are 2 size EXTRACTING TOOLS.

SELECT THE HELICOIL INSERT

The INSERT size is the thread size of the screw to be used. The INSERT length is the length of the part of the screw which is inserted into the hole. When the INSERT is installed, the outer end should be below the surface of the part into which it is installed.

INSTALLING HELICOIL INSERTS

- See the table for drill bit size and make hole.
- Tap the hole to its full depth.
- Remove all chips from the tapped hole.
- Load the INSERT into the HELICOIL INSERTING TOOL as follows:
  - Pull the MANDREL back and load the INSERT into the chamber, with the TANG end away from the MANDREL.
  - Slide the MANDREL into the INSERT, so that the slot in the MANDREL engages the TANG.
  - Push the MANDREL all the way into the HOLDER, and rotate the MANDREL to wind the INSERT into the threaded area of the HOLDER. Wind only enough so that the end of the INSERT is even with the end of the HOLDER. DO NOT INSTALL. If the INSERT is wound so that it emerges from the end of the HOLDER, wind the INSERT out of the rest of the way and start again.
  - Hold the INSERTING TOOL squarely over the tapped hole and wind the INSERT into the hole until the outer end of the INSERT is just below surface. If the tapped hole is countersunk or counterbored, install the INSERT so that the outer end is just below the surface at which the threads begin. To determine when the INSERT is fully installed, occasionally pull back gently on the INSERTING TOOL.
- Break the TANG from the INSERT as follows:
  - Place the punch end of the AUTOMATIC TANG BREAK-OFF TOOL into the INSERT so that it bears against the TANG.
  - Hold the TOOL firmly and squarely and push straight down on the BARREL until the TOOL clicks. The impact breaks off the TANG.
  - Remove the TOOL straight out from the hole. The TOOL is automatically reset for the next use.
  - Remove the TANG from the hole.

REMOVING the HELICOIL INSERTS

To remove an INSERT:

- Insert the blade end of the correct HELICOIL EXTRACTING TOOL into the INSERT, so that the blade edge bears against the INSERT about 90 degrees from the upper end of the INSERT. If the blade edge bears against the INSERT near its end, the end of the INSERT is liable to gouge into the metal when the tool is rotated.
- Strike the top of the EXTRACTING TOOL lightly with a HAMMER.
- Bear down on the EXTRACTING TOOL and rotate it counterclockwise to unscrew the INSERT.

If the INSERT is too deep to be removed according to the above procedure without damaging the threads, countersink, or counterbore the metal into which it is inserted, modify the EXTRACTING TOOL accordingly by grinding. Do not damage the blade of the unmodified part of the EXTRACTING TOOL.

HELICOIL INSERT, TAPS and TOOLS

HELICOIL INSERT	HEILICOIL TAP	HELICOIL INSERTING PRE-WINDER TOOL	HELICOIL TANG BREAK-OFF TOOL	HELICOIL EXTRACING TOOL			
Thread Size	Length	Part Number	Part Number	Tap Drill	Part Number	Part Number	Part Number
4-40	7/64	9001080					
4-40	5/32	9001081	TL-1341	32	TL-1327	TL-1333	TL-1338
4-40	7/32	9001082					
6-32	9/64	9001083					
6-32	13/64	9001084	TL-1342	27	TL-1328	TL-1334	TL-1338
6-32	9/32	9001085					
8-32	11/64	9001086					
8-32	1/4	9001087	TL-1343	18	TL-1329	TL-1334	TL-1338
8-32	21/64	9001088					
10-32	3/16	9001092					
10-32	9/32	867017	TL-1345	9	TL-1332	TL-1337	TL-1340
10-32	3/8	9001093					
1/4-20	1/4	9001089					
1/4-20	3/8	9001090	TL-1344	17/64 in.	TL-1331	TL-1336	TL-1340
1/4-20	1/2	9001091					

Copyright © 2000, Eastman Kodak Company

MECHANICAL - LEVELS

TL-1434--LEVEL - 12 INCH BENCH

The BENCH LEVEL is made from cast iron with a black wrinkled finish. It has an involute groove on the bottom. *L.S. Starrett Company*, No. 132.

Overall size: 305 mm (12 in.).

TL-1434

Copyright © 2000, Eastman Kodak Company

TL-2239--LEVEL - 4 INCH MECHANICS



Overall size: 102 mm (4 in.).

The MECHANICS LEVEL is made from cast iron with a black wrinkled finish. It has an involute groove on the bottom and a plain main vial. *L.S. Starret Company*, No. 97.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4718--LEVEL - DIGITAL MOD

LEVEL - DIGITAL MOD



TL-4718

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - MAGNETS

TL-2691--MAGNET PICK UP

Approximate size: 4 1/2 x 19 1/2 inches.



Copyright © 2000, Eastman Kodak Company

TL-3347--GAUGE - PRESSURE LOADING

PRESSURE LOADING GAUGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - MAGNIFIERS

TL-4166--MICROSCOPE

30X Illumination



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4183--MAGNIFIER

MAGNIFIER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4554--MICROSCOPE 100X

MICROSCOPE 100X



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4805--MAGNIFIER

MAGNIFIER 4/6/10X



Copyright © 2000, Eastman Kodak Company

TL-1171--POCKET COMPARITOR

POCKET COMPARITOR



Copyright © 2000, Eastman Kodak Company

MECHANICAL - MEASURING DEVICES

TL-1727--CALIPER - 6 INCH VERNIER



TL-1727

A VERNIER CALIPER consists of two precision steel rules which permit direct measurements to 0.001 inch. One rule on the bar of the VERNIER CALIPER is graduated in increments of 0.025 inch with each 0.100 inch numbered 1 to 9 and each 1.000 inch numbered with a larger numeral. The VERNIER plate has 25 divisions (some VERNIER CALIPERS have 50) spaced so that the 25 divisions occupy the same space as 49 divisions on the bar.

The difference between the width of one of the 25 spaces on the VERNIER and two spaces on the bar is 0.001 inch. When the 0 line on the VERNIER is set on the 0 line on the bar, the first line on the VERNIER will differ from the second line on the bar by 0.001 in, the second by 0.002 inch and so on. The difference will continue to increase by 0.001 inch for each division until graduation 25 coincides with the 49th on the bar.

NOTE: If for any reason you suspect the tool to be inaccurate or if it is or has been dropped, it should be removed from use and checked by an instrument shop.

PRIOR TO USE

Wipe the bar and jaws to remove any grit, etc.

Following these procedures will provide a usable tool for many years.

DESCRIPTION

This VERNIER CALIPER has a capacity of 152 x 0.025 or 0.03 mm or 6 x 0.001 inches. Use to measure depth, outside, and inside measurements (*MITUTOYO* Number 530-312).

Step 1. Observe the position of the 0 line on the VERNIER plate. It is to the right of 1 and between 1 and 2; therefore, it is 1.000/1.000 inch plus.

Step 2. Observe the position of the 0 line on the VERNIER plate. It is between the small 3 and 4 bar; therefore, it is 0.300/0.300 inch plus.

Step 3. Observe that the position of the 0 line is between 2nd and 3rd small graduations between 3 and 4. Each small graduation = 0.025 inch, and is beyond the 2nd line; 2 x 0.025 = 0.050.

Step 4. Refer to the VERNIER plate and carefully look for one of the 25 lines which coincides with a line on the bar. Note which line it is (0 to 25). Each line represents 0.001 inch. In this case it is 16; therefore, 16 x 0.001 = 0.016.

Step 5. Add all numbers obtained in Steps 1 through 4.

- Step 1: 1.000
- Step 2: 0.300
- Step 3: 0.050
- **Step 4: 0.016**
- Total: 1.366

The dimension is 1.36 inches.

When the 0 line and 0.025 inch graduation line coincides on the bar, the dimension is derived the same as above except that in step 4 there are 0 1/1000 of an inch and the total dimension is the sum of steps 1, 2, and 3.

- Step 1: 1.000
- Step 2: 0.600
- Step 3: 0.075
- Total: 1.675

In order to obtain consistent and precision measurements, some practice is required to obtain the proper feel. When using the VERNIER CALIPERS, do not force the jaws down tight on the object being measured. The jaws should just contact the work and slip on and off with a very slight drag or resistance.

When measuring soft material, a different amount of force must be applied. One must not apply too much force as to compress the material.

When you measure the width of film, the film should be curved and measured across the curve. This makes the material stiffer.

Storage

The VERNIER CALIPER is a precision tool, therefore *care* is required.

Keep the CALIPER in its carrying case when not in use.

Keep the jaws about 0.032 to 0.050 inches apart. This will prevent moisture from being trapped and damaging the measuring surfaces.

Keep a light coat of SAE No. 20 Oil, TL-2199, on the tool.

When storing in the trunck or tool bag, keep it in such a way that it will not be subject to bending or excessive rough handling.

Copyright © 2000, Eastman Kodak Company

TL-1728--INDICATOR - DIAL



Features:

- .08 in. DIA. carbide point installed
- Sensitive hand.001 in. reading dial face
- Compact and simple to use
- With complete accessories and attachment (513-128), or indicator only (513-128-1)
- Lever to switch top-land/bottom-land measurement
- Three different point diameters available
- Graduation -.001 in.
- Range -.04 in.
- Point -.04 in.,.08 in.,.012 in.
- Stem 5/32 in., 3/8 in.
- Clamp - 5/32, 3/8 in.
- Holder Arm Square - 1/2 x 1/4 x 4 in.
- Round - 5/15 x 4/5 in.
- Universal Holder - 1/4 x 3 in.

Copyright © 2000, Eastman Kodak Company

TL-1920--INDICATOR - SPEED



The SPEED INDICATOR is used to indicate the speed of a SHAFT or a ROLLER. The INDICATOR counts the number of revolutions from 0 - 100.

L.S. Starrett Company, No. 104, with steel STRIP and 2 rubber TIPS. Short SPINDLE.

Copyright © 2000, Eastman Kodak Company

TL-2117--CYLINDER - GRADUATED

1000 ml



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2296--RULE - 3 METER



Graduation:

- 1st Edge: Millimeter, 1/10 graduations
- 2nd Edge: 1/16 in.

Blade width: 12.7 mm Width approximately: $^{1}/_{2}$ in.*STANLEY Tool*, No. P3ME, or *LUFKIN Industries Incorporated*, No. W7210ME.

Copyright © 2000, Eastman Kodak Company

TL-2297--SQUARE - 12 INCH



Graduation:

- 1st Edge: 1/8 in.
- 2nd Edge: 1/16 in.
- 3rd Edge: 1/16 in
- 4th Edge: 1/32 in.
- Width: 1 in.

Combination square with cast square head. TL-3044 RULER thickness: approximately 3/32 in.

Copyright © 2000, Eastman Kodak Company

TL-2762--RULE - 6 INCH/15O MM ENGLISH/METRIC



Graduation:

- 1st Edge: 1/10 in.
- 2nd Edge: 1/50 in.
- 3rd Edge: 1 mm
- 4th Edge: 1/2 mm.
- Width: Approximately 11 mm
- Thickness: Approximately 0.33 mm

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3044--PRECISION RULE

12 in. PRECISION RULE



TL-3044

Copyright © 2000, Eastman Kodak Company

TL-2793--DYNAMOMETER

DYNAMOMETER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3143--SHIM - PLASTIC



Graduation:

- .005 - Blue
- .010 - Brown
- .015 - Pink
- .020 - Yellow
- .025 - White
- .030 - Coral

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3342--SCALE - PAPER



For use on *Kodak Ektaprint* COPIERS.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3585--DRUM - MEASURING TOOL

MEASURING TOOL DRUM



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3839--PUMP - VACUUM

VACUUM PUMP



Copyright © 2000, Eastman Kodak Company

TL-3969--SHIM STOCK

SHIM STOCK



Copyright © 2000, Eastman Kodak Company

TL-4060--RULER - STEEL

6 in.



TL-4060

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4390--RULE - 12 INCH PRECISION



Graduation:

- 1st Edge: 1/32 in.
- 2nd Edge: 1/50 in.
- 3rd Edge: 1/64 in.
- 4th Edge: 1/100 in.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4425--LEVEL - CENTER

CENTER LEVEL



TL-4425

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4529--CALIPERS - POCKET

3 in.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - MISCELLANEOUS TOOLS

TL-1191--BAG - CHANGING

Portable dark room for developing film.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1286--CHISEL - 1/4 INCH

6.35 mm ($^{1}/_{4}$ in.) wide cold CHISEL. The length ranges between 127 to 152 mm (5 to 6 in.), approximately.



TL-1286

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1565--ATTENUATOR

ATTENUATOR



TL-1565

Copyright © 2000, Eastman Kodak Company

TL-1584--FUNNEL

FUNNEL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1783--TOOL - HAND NIBBLING



Used to cut metal, slots and notches without distorting the minimum hole size on the metal.

Slot: 6.35 mm ($^1/_4$ in.) wide

Hole: 12.7 mm $^1/_2$ in.) square

Replacement PUNCH: ADEL PUNCH TL-1786

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2055--BAR - PRY

PRY BAR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2111--TOOL - LENS

LENS TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2179--GLASS - GROUND



TL-2179

Size:

- TL-2179 - 5 x 7
- TL-2180 - 8 x 10
- TL-2181 - 11 x 14

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2312--TOOL - STOP SWITCH

STOP SWITCH TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2322--SYRINGE

A plastic SYRINGE with a plastic point. This is recommended for maximum and dispensing ADHESIVES and LUBRICANTS.



TL-2322

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2605--SIPHON - SELF PRIMING

SELF PRIMING SIPHON



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2708--MAGAZINE - FILM TRANSPORT TEST

FILM TRANSPORT TEST MAGAZINE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2842--C-KEY SERVICE MODE

C-KEY SERVICE MODE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2845--LAMININATOR - PF

PF LAMINATOR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2886--BLOCK - C-TURNOVER SETUP

C-TURNOVER SETUP BLOCK



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2958--ADAPTER - CASTER

CASTER ADAPTER



Kodak

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2959--CASTER

CASTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3136--BLOCK - METER

METER BLOCK MOD B



TL-3136

Copyright © 2000, Eastman Kodak Company

TL-3141--CAN - PLASTIC OIL

PLASTIC OIL CAN



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1172--OIL CAN

OIL CAN



TL-1172

Copyright © 2000, Eastman Kodak Company

TL-3168--PULLER -KEY CAP

Used to pull KEYS from the KEYBOARD ASSEMBLY.



TL-3168

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3200--MAGAZINE - CRANK ROTARY

CRANK ROTARY MAGAZINE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3275--SCISSORS

2.75 in. BLACK SCISSORS



Copyright © 2000, Eastman Kodak Company

TL-3461--MANUAL - PC MAINTENANCE/SERVICE

PC MAINTENANCE/SERVICE MANUAL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3648--NOZZLE - AIR ISOLATION

AIR ISOLATION NOZZLE



Copyright © 2000, Eastman Kodak Company

TL-3500--MANUAL - PC/AT HARDWARE MAINTENANCE

PC/AT HARDWARE MAINTENANCE MANUAL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3765--CASSETTE - OPENER

OPENER CASSETTE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3932--ENVELOPE - SERVICE LOG

New Part No. 952769



TL-3932

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4077--CURTAIN - DARK LOCK

TL-4370 - LIGHT LOCK CURTAIN



TL-4077

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4179--MAGAZINE - S/I TRAINING

S/I TRAINING MAGAZINE



TL-4179

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4200--MASK - VIEWFINDER

VIEWFINDER MASK



Copyright © 2000, Eastman Kodak Company

TL-4211--LAMP - MAGNETIC BASE

MAGNETIC BASE LAMP



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4247--PUMP - AIR

AIR PUMP



TL-4247

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4266--SCREW - JACK

JACK SCREW



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4287--CONNECTOR - HOSE

HOSE CONNECTOR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4488--TOOL - CASSETTE LATCHING

CASSETTE LATCHING TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4540--PULLER - FUSE

FUSE PULLER



TL-4540

Copyright © 2000, Eastman Kodak Company

TL-4547--PUMP - AIR

12 ml. For DP-12 PRINTERS on *ImageLink* products.



Copyright © 2000, Eastman Kodak Company

TL-4636--CARD - REFERENCE

REFERENCE CARD



TL-4636

Copyright © 2000, Eastman Kodak Company

TL-4644--TUBES - TEST

16 mm x 100 mm, Package of 10



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4700--TOOL - FOCUS

FOCUS TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4728--TOOL - ADAPTER

ADAPTER TOOL



Copyright © 2000, Eastman Kodak Company

TL-4740--KEY - PLASTIC

PLASTIC KEY



TL-4740

Copyright © 2000, Eastman Kodak Company

TL-4835--FUSER - CONN AND RESISTOR

CONN AND RESISTOR FUSER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4868--BRACKET - LCM

LCM BRACKET



Copyright © 2000, Eastman Kodak Company

762356--SAND PAPER

SAND PAPER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8127--WAX - BEES

BEES WAX



TL-1217

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1735--CARDBOARD BOX - 2 in.

CARDBOARD BOX - 2 in.



Copyright © 2000, Eastman Kodak Company

TL-1736--CARDBOARD BOX - 4 in.

CARDBOARD BOX - 4 in.



Copyright © 2000, Eastman Kodak Company

TL-1749--PLASTIC BAG

PLASTIC BAG

Package of 50



TL-1749

Copyright © 2000, Eastman Kodak Company

TL-1976--NOTEBOOK

NOTEBOOK

7 Ring / 1 1/2 in.



TL-1976

Copyright © 2000, Eastman Kodak Company

TL-2579--PHOSPHOR PROBE, IR

IR PHOSPHOR PROBE



Copyright © 2000, Eastman Kodak Company

TL-5256--CORD - STRETCH

STRETCH CORD WITH SAFETY HOOKS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952945--NUTSERT

NUTSERT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - PLIERS: FORCEPTS/POP RIVETS TOOL/WIRE CUTTERS

TL-1016--PLIERS - RETAINING RING

Size ID: 120.112, Tip Angle: Straight



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1050--TIGHTENER - CHAIN

Used to tighten the LADDER CHAIN used on the ROLLER TRANSPORT Equipment. The CHAIN TIGHTENER is a modification of *Vise-Grip* PLIERS.



TL-1050

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1052--PLIERS - HOSE CLAMP



Forged steel, bright finish, HANDLES are insulated.Overall length: 203 mm (8 in.)Use to remove SPRING WIRE HOSE CLAMPS.Used on ROLLER TRANSPORT EQUIPMENT for 19.05 mm ($^{3}/_{4}$ to 50.8 mm (2 in.) diameter HOSE CLAMPS. *SNAP-ON TOOLS Corporation*, No. HCP 48 BP.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1070--PLIERS - RETAINING RING



Size No.: 25 to 87 (Standard) and 50 to 100 (Inverted), Free ID Inches: 0.225 to 0.810 (Standard) and 0.461 to 0.925 (Inverted), Tip Angle: Straight

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1140--PLIERS - RETAINING RING



Size ID (Heavy Duty): 75 to 98, Free ID Inches: 0.689 to 0.906, Tip Angle: 45 Degrees.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1199--PLIERS - SLIP JOINT

Forged steel, bright finish, HANDLES are insulated.Overall length: 152 mm (6 in.) JAW capacity: 25.4 mm (1 in.) *CHANNEL LOCK Inc*. No. 516-G.



TL-1199

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1200--PLIERS - DIAGONAL CUTTING



TL-1200

Forged steel, Bright finish, HANDLES are insulated.Overall length: 127 mm (5 in.): 15.87 mm ($^{5}/_{8}$ in.) regular cut. Soft metals, *CRESCENT Tool Company*, No. 942C-5.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1201--PLIERS - NEEDLE NOSE



Forged steel, Bright finish, HANDLES are insulated.
Overall length:

- 1651.1 mm (6 1/2 in.)
- 31.75 mm (1 1/4 in.)
- 3.17 mm (1/8 in.)
- 11.11 mm (7/16 i.), regular cut, soft metals
- 44.45 mm (1 3/4 in.)

S-K Tools, No. 16616

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1207--TWEEZERS

TWEEZERS



TL-1207

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1316--PLIERS - RETAINING RING

RETAINING RING PLIERS



TL-1316

Copyright © 2000, Eastman Kodak Company

TL-1317--PLIERS - RETAINING RING

RETAINING RING PLIERS



TL-1317

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2881--PLIERS - MULTIPLE SLIP JOINT

4 1/2 in.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4841--PLIERS - MULTIPLE SLIP JOINT

6 in.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1436--PLIERS - MULTIPLE SLIP JOINT

10 in.



Copyright © 2000, Eastman Kodak Company

TL-1564--PLIERS - RETAINING

RETAINING PLIERS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1795--PLIERS - LOCK RING



Forged steel, bright finish, HANDLES are not insulated.Used to spread soft iron HORSESHOE LOCK WASHERS and tempered steel. LOCK RINGS are used on shafting, etc. *PROTO Tool Company*, No.250.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1804--PLIERS - MULTIPLE SLIP JOINT



Forged steel, bright finish, HANDLES are insulated.Overall length: 114.3 mm (4 $^{1}/_{2}$ in.), 9.52 mm ($^{3}/_{8}$ in.) depth, regular cut soft metals, *SNAP-ON Tools Corporation*, No. E-709.

NOTE: Makes a flush cut.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2020--TOOL - CRIMPING

CRIMPING TOOL



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2040--PLIERS - HOSE CLAMP

Pressed steel, has revolving JAW PADS. Used to remove SPRING WIRE HOSE CLAMPS, *K-D* No. 428.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2041--FORCEPTS - 6 INCH

The FORCEPTS have a curved JAW.

152 mm (6 in.) long.



TL-2041

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2042--FORCEPTS - 6 INCH



The FORCEPTS have a straight JAW.

152 mm (6 in.).

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2080--PLIERS - 7 INCH CLAMPING



Pressed steel, Nickel plated, HANDLES are not insulated.*LEVERAGE Tool Inc.*, Lever Wrench No. 6

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2275--STRIPPER - WIRE

WIRE STRIPPER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3352--CUTTER - WIRE

5 in.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3689--PLIERS - GRIP RING

GRIP RING PLIERS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4157--PLIERS - FLAT WIRING

8 inches.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4158--PLIERS - 6 INCH

6 INCH PLIERS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4167--TOOL - POP RIVET

8 inches.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4205--PLIERS - GEAR

GEAR PLIERS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4490--TOOL - AMP CRIMP



AMP CRIMP TOOL with die set coax
TL-4491 - AMP CRIMP TOOL with die set coax

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4637--PLIERS - NO. 4 NEEDLE-NOSE

NO. 4 NEEDLE-NOSE PLIERS



TL-4637

Copyright © 2000, Eastman Kodak Company

TL-5163--COAX CRIMP TOOL SET

COAX CRIMP TOOL SET



TL-5163

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - PUNCHES/PUNCH ACCESSORIES

TL-1618--PUNCH - CHASSIS CENTER GUIDE

$^{7}/_{8}$ in.



TL-1617

Copyright © 2000, Eastman Kodak Company

TL-1786--PUNCH - ADEL



Replacement PUNCH for TL-1783 HAND NIBBLING TOOL.

Copyright © 2000, Eastman Kodak Company

TL-2144--PUNCH- SQUARE CHASSIS

31.75 x 34.92 mm (1 $^{1}/_{4}$ x 1 $^{3}/_{8}$ in.), 1 1/4 x 1 3/8 INCH CHASSIS PUNCH with .625 mm (5/8 in.) PILOT HOLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1430--PUNCH - CHASSIS



Diameter: 12.70 mm ($^1/_2$ in.), 1/2-INCH

Use TL-1619 Replacement DRIVE SCREW

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1431--PUNCH - CHASSIS



Diameter: 15.87 mm ($^{5}/_{8}$ in.), 5/8-INCH

Use TL-1619 Replacement DRIVE SCREW

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1746--PUNCH - CHASSIS



Diameter: 38.10 mm (1 $^{1}/_{2}$ in.), 1 1/2-INCH

Use TL-1619 Replacement DRIVE SCREW

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2487--PUNCH - CHASSIS



Diameter: 12.70 mm ($^1/_2$ in.), 1/2-INCH

Use TL-1619 Replacement DRIVE SCREW

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2488--PUNCH - CHASSIS



Diameter: 31.75 mm (1 $^{1}/_{4}$ in.), 1 1/4-INCH

Use TL-1619 Replacement DRIVE SCREW

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2728--PUNCH - CHASSIS



Diameter: 51.00 mm (2 in.), 2-INCH

Use TL-1619 Replacement DRIVE SCREW

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2511--PUNCH - 1/16 INCH TIP CENTER



Size: 1/16 x 3 1/8 in.

Point: 1.59 mm (1/16 in.)Diameter: 4.76 mm (3/16 in.)Length: 79.37 mm (3 $^{1}/_{8}$ in.)

L.S. Starrett Company, No. 117AA.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2252--SET - ROLL PIN PUNCH



Contains:

- TL-1387: 1/16 INCH PIN PUNCH
- TL-1388: 3/32 INCH PIN PUNCH
- TL-1389: 1/8 INCH PIN PUNCH
- TL-1390: 5/32 INCH PIN PUNCH
- TL-1391: 3/16 INCH PIN PUNCH

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1387--ROLL PIN PUNCH 1/16

ROLL PIN PUNCH 1/16



TL-

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1388--ROLL PIN PUNCH 3/32

ROLL PIN PUNCH 3/32



TL-

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1389--ROLL PIN PUNCH 1/8

ROLL PIN PUNCH 1/8



TL-

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1390--ROLL PIN PUNCH 5/32

ROLL PIN PUNCH 5/32



TL-

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1391--ROLL PIN PUNCH 3/16

ROLL PIN PUNCH 3/16



TL-

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4704--PUNCH - FILTER

FILTER PUNCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - SAWS

TL-1405--SAW - SABRE



- Two speeds, Low: 2000 spm; High: 3000 spm
- Capcity in soft wood: 63.5 mm (2 1/2 in.)
- Capacity in aluminum: 19.05 mm (3/4 in.)
- Capacity in steel: 6.35 mm (1/4 in.)
- Stroke length: 15.87 mm (5/8 in.)
- Size: Length - 177.8 mm (7 in.)
  Height - 174.6 mm (6 7/8 in.)
- Weight: 2.04 kg (4 1/2 lb.)
- Nema 125 V, 15 A, 2-pole 3-wire grounding plug
- Black and Decker Model 41-2
- Purchase blades locally.

Copyright © 2000, Eastman Kodak Company

TL-1425--SAW - 12 INCH HACK

TL-3134 - SAW BLADE



TL-1425

Copyright © 2000, Eastman Kodak Company

MECHANICAL - SCALES

TL-4061, TL-1079, TL-1741, TL-1832, TL-0815--PUSH-PULL SCALES

If you need a PUSH type SCALE you must order PUSH ROD TL-4810 to convert the following SCALES to a PUSH type SCALE:



TL-1741

PUSH-PULL SCALES

	Size		Increments	
Tool Number	**English**	**Metric**	**English**	**Metric**
TL-4061		0 - 100 gr		4 gr
TL-1079	0 - 8 oz.	0 - 240 gr	1/4 oz.	10 gr
TL-1741 TL-3100 subs to TL-1741	0 - 16 oz.	0 - 280 gr	1/2 oz.	20 gr
TL-1832 TL-1350 subs to TL-1832	0 - 36 oz.	0 - 1020 gr	1/2 oz.	20 gr
TL-0815 TL-3433 subs to TL-0815	0 - 72 oz.	0 - 2040 gr	2 oz.	40 gr

TL-4472 is a replacement HOOK for SCALES TL-1079 and TL-1741.

Copyright © 2000, Eastman Kodak Company

TL-2123--SCALE - PULL



If you need a PUSH type SCALE you must order PUSH ROD TL-4810 to convert the following SCALES to a PUSH type SCALE:

Graduations: 0 - .25 lb. (0 - 100 gr)

Range 0 - 10 lb. (0 - 4.5 kg)

TL-4811 - PUSH ROD

TL-2123 - Converts to a push type SCALE

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3419--SCALE - PULL



Range: 0 - 30 lbs. (0 - 15 kg)

Graduations: 0.5 lbs (0.25 kg)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4472--HOOK - SPRING

For SCALES TL-1079 and TL-1741.

TL-4472

Copyright © 2000, Eastman Kodak Company

MECHANICAL - SCREWDRIVERS/SCREWDRIVER BITS

TL-0030--SCREWDRIVER - JEWELER'S HANDLE (Non-Magnetic)



This JEWELER'S SCREWDRIVER has a replaceable BIT. One BIT is supplied for slotted SCREWS.

The BIT sizes are:

2.29 mm (0.090 in.) wide by 0.33 mm (0.013 in.) thick and 1.65 mm (0.065 in.) wide by 0.33 mm (0.013 in.) thick. The HANDLE is 91 mm (3.6 in.) long without the BIT and 7.87 mm (0.310 in.) in diameter.

The BIT extends approximately 2.54 cm (1.0 in.) beyond the end of the HANDLE.

SCREWDRIVER BIT: TL-4922.

Copyright © 2000, Eastman Kodak Company

TL-1193--SCREWDRIVER - SLOTTED

SLOTTED SCREWDRIVER 6 in. x $^{1}/_{4}$



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1195--SCREWDRIVER - SLOTTED



Measures:

- 76 mm (3 in.) long 3.17 mm (0.125 in.) wide and 0.51 mm (0.020 in.) thick.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1196--SCREWDRIVER - NO. 1 *PHILLIPS*

76 mm (3 in.) long, Size No. 1 Point.



TL-1196

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1396--SCREWDRIVER - SLOTTED

$^{1}/_{4}$ x 4 in.



TL-1396

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1397--SCREWDRIVER - SLOTTED

SLOTTED SCREWDRIVER 9 in. x $^{3}/_{16}$



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1465--SCREWDRIVER - STUBBY SLOTTED

Measures:

44.5 mm (1.75 in.) long, 9.52 (0.375 in.) wide and

1.27 mm (0.050 in.) thick, 5/16 x 1 1/4 in.

Copyright © 2000, Eastman Kodak Company

TL-1611--SCREWDRIVER - SLOTTED OFFSET RACHET

PHILLIPS No. 1 and No. 2.



TL-1611

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2141--DRIVER - HEX NUT



1/4 x 6 in.

Amateur and Audiovisual Products

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3465--SCREWDRIVER - NO. 30 STUBBY *PHILLIPS*



A double-ended slotted-end STARTER. No.2 *PHILLIPS*

Overall size: 25.4 mm (10 in.).

Copyright © 2000, Eastman Kodak Company

TL-3764--BIT - JEWELER'S SCREWDRIVER

Reversible BIT, 0.087 BLADE x No. 0 *Phillips*.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3798--SCREWDRIVER - JEWELER'S MAGNETIC



This JEWELER'S MAGNETIC SCREWDRIVER with BIT has a replaceable BIT (TL-3764). The HANDLE is 108 mm (4.25 in.) long without the BIT, and 12 mm (.05 in.) in diameter.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3826--BIT- SCREWDRIVER

1 inch long.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3833--*PHILLIPS* SCREWDRIVER

PHILLIPS SCREWDRIVER

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3834--SCREWDRIVER -JIS NO. 1

7 inches long.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3887--BIT - TORX SCREWDRIVER T-30

To be used with TORX L-WRENCH T-8, TL-3886.



Copyright © 2000, Eastman Kodak Company

TL-4016--TOOL - INSERTION



1/4 - 20, package of 2

- TL-4000, NUTSERT 4-40, New No. 952946
- TL-4001, NUTSERT 6-32, New No. 952947
- TL-4002, NUTSERT 10/32, New No. 952767
- TL-4006, NUTSERT 8/32, New No. 952948
- TL-4008, NUTSERT 1/4-20, New No. 952945
- TL-4012, NOSE BUSHING 4-40
- TL-4013, NOSE BUSHING 6-32
- TL-4014, NOSE BUSHING 10-32
- TL-4015, NOSE BUSHING 8/32
- TL-4017, NOSE BUSHING 1/4-20

Copyright © 2000, Eastman Kodak Company

TL-4149--SCREWDRIVER

1/8 x 8 inches.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4277--SCREWDRIVER - BIT

Fits TL-0030 and TL-3798.

Copyright © 2000, Eastman Kodak Company

TL-4646--SCREWDRIVER - NO. 2 JIS

10 inches long.



TL-4646

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4650--MAGNETIC/DEMS

MAGNETIC/DEMS for SCREWDRIVERS



TL-4650

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - SCREWDRIVERS: MAGNETIC SCREWDRIVERS and ACCESSORIES

TL-1156--WRENCH SET, ASA Standard - HEX RATCHET



Contents: HEX WRENCH POINTS: 29 mm (1 1/8 in.) long

0.050, 7/64, 3/16, 1/116, 1/8, 7/32, 5/64, 9/64, 1/4, 3/32, 5/32, 3/16 in.

SCREWDRIVER POINTS: 29 mm (1 1/8 in.) long

a. 1/4 in. wide

b. 3/8 in. wide

c. No. 1 *PHILLIPS*

d. No. 2 *PHILLIPS*

e. 1/4 in. SQUARE DRIVE ADAPTER

f. 92 mm (3 5/8 in.) long EXTENSION

g. 92 mm (3 5/8 in.) long DRIVE HANDLE

h. 95 mm (3 3/4 in.) long RATCHET HANDLE

The parts are packed in a metal CASE.

a. 152 mm (6 in.) long

b. 102 mm (4 in.) wide

c. 29 mm (1 1/8 in.) deep

The most popular tool set in the Chapman line, this kit contains a wide variety of the most often used adapters. The crush resistant, blow molded Polyethylene case (4 1/2 x 6 1/2) holds each part in ready-to-use position.

Kit contains the following tools:

- 1 - CHAPMAN MIDGET RATCHET
- 1 - EXTENSION
- 1 - SCREW DRIVER HANDLE

12 - ALLEN HEX TYPE ADAPTERS (Size indicates distance across flats):

- .050 in., 7/64 in., 3/16 in.
- 1/16 in., 1/8 in., 7/32 in.
- 5/64 in., 9/64 in., 1/4 in.
- 3/32 in., 5/32 in., 5/16 in.

2 - SLOTTED HEAD ADAPTERS (Size indicates width of blade):

- 1/4 in. 3/8 in.

2 - *PHILLIPS* HEAD ADAPTERS:

- No. 1 No. 2

Copyright © 2000, Eastman Kodak Company

TL-1457--SCREWDRIVER - SLOTTED

51 mm (2 in.) long, 4.75 mm (0.187 in.) wide, 0.76 mm (0.030 in.) long.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1524--ADAPTER - 1/4 INCH SOCKET

SKILL CORPORATION, Corporation Part Number 43713.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3296--BIT SET - SCREWDRIVER INSERT



TL-3296

Contains:

- 3/16 SLOTTED INSERT BIT, TL-2776
- 9/32 SLOTTED INSERT BIT, TL-2777
- No. 1 *PHILLIPS* INSERT BIT, TL-2778
- No. 2 *PHILLIPS* INSERT BIT, TL-2779
-

Also available No. 2 *PHILLIPS* INSERT BIT, TL-5091

Copyright © 2000, Eastman Kodak Company

TL-2778--INSERT, PHILLIPS

PHILLIPS INSERT BIT #1



Kodak

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-5091--BIT - SCREWDRIVER INSERT



SCREWDRIVER INSERT BIT

No. 2 Phillips

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3255--BIT SET - TORX



Contains:

- T-7 (TL-3256)
- T-10 (TL-3257)
- T-15 (TL-3258)
- T-20 (TL-3259)
- T-25 (TL-3260)
- T-30 (TL-3887)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3523--HEX SET - METRIC



This kit contains one Chapman Ratchet plus seven Metric Hex Adapters.

Contains the following Adapters (Size indicates distance across flats):

- 1.5 mm - TL-4326
- 2.0 mm - TL-4327
- 2.5 mm - TL-5026
- 3.0 mm - TL- 5027
- 4.0 mm - TL-5028
- 5.0 mm - TL - 5029
- 6.0 mm - TL - 5230

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3583--DRIVER - STUBBY MAGNETIC SCREWDRIVER BIT

STUBBY MAGNETIC SCREWDRIVER BIT DRIVER



TL-3583

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3761--BIT SET - MAGNETIC SCREWDRIVER AND



TL-3761

To be used with the following BITS:

- 3/16 SLOTTED INSERT BIT, TL-2776
- 9/32 SLOTTED INSERT BIT, TL-2777
- No. 1 *PHILLIPS* INSERT BIT, TL-2778
- No. 2 *PHILLIPS* INSERT BIT, TL-2779
- No. 3 *PHILLIPS* INSERT BIT, TL-4171

Copyright © 2000, Eastman Kodak Company

TL-4133--STARTER - SMALL SCREW



TL-4133

No. 4 SCREWHOLDING DRIVER for No. 3 through No. 5 SLOTTED SCREWDRIVER.

Copyright © 2000, Eastman Kodak Company

TL-4136--STARTER - 2 1/2 LONG SCREW

No. 5 SCREWHOLDER for No. 0 through No. 2 SCREWS.



TL-4136

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4171--BIT - SCREWDRIVER INSERT



SCREWDRIVER INSERT BIT

No. 2 Phillips

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4137--STARTER - LARGER SCREW



TL-4137

No. 3 SCREWHOLDING DRIVER for No. 6 through 1/4 inch SLOTTED SCREWS.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4503--HANDLE/MAG BIT KIT



Contains:

- MAGNETIC HANDLE and BITS
  - TL-3886 T-8 TORX BIT
  - TL-3257 T-10 TORX BIT
  - TL-3258 T-15 TORX BIT
  - TL-3259 T-20 TORX BIT
  - TL-3260 T-25 TORX BIT
  - TL-3887 T-30 TORX BIT
  - TL-2776 #5 SLOTTED BIT
  - TL-4860 5/64 ALLEN BIT
  - TL-4846 3/32 ALLEN BIT
  - TL-4852 1/8 ALLEN BIT
  - TL-4857 5/32 ALLEN BIT
  - TL-4874 3/16 ALLEN BIT
  - TL-4843 #0 *Phillips*
  - TL-2778 # 1 *Phillips*
  - TL-2779 # 2 *Phillips*
  - TL-3761 ADAPTER DRIVER

Copyright © 2000, Eastman Kodak Company

TL-4504--BIT - MAG SCREW

2.75 in. long.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4505--SCREWDRIVER - LONG MAG

10 in. long



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - SCREWDRIVERS: *XCELITE* SCREWDRIVERS and ACCESSORIES

TL-2851--KIT, MULTI PURPOSE

MULTI-PURPOSE KIT



TL-2851

Copyright © 2000, Eastman Kodak Company

TL-2682 to TL-2690--BLADES - HEX



- TL-2682 - .050 in.
- TL-2683 - 1/16 in.
- TL-2684 - 5/64 in.
- TL-2685 - 3/32 in.
- TL-2686 - 1/8 in.
- TL-2687 - 5/32 in.
- TL-2688 - 3/16
- TL-2689 - 7/64 in.
- TL-2690 - 9/64.

Copyright © 2000, Eastman Kodak Company

TL-3174--HANDLE - REPLACEMENT

REPLACEMENT HANDLE for *XCELITE* SCREWDRIVER, WRENCH, HEX BLADES and ACCESSORIES



TL-3174

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3175--EXTENSION

For TL-2851



TL-3175

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3633--HANDLE - T

T HANDLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3976 to TL-3982--BLADES - SCREWDRIVER



Sizes:

- TL-3976 - Slotted - 1/8 in.
- TL-3977 - Slotted - 3/16 in.
- TL-3978 - Slotted - 1/4 in.
- TL-3979 - Slotted - 5/16 in.
- TL-3980 - *Phillips* - #0
- TL-3981 - *Phillips* - #1
- TL-3982 - *Phillips* - #2

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3988--BLADE - T-10 TORX

T-10 TORX BLADE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3990--BLADE - T-20 TORX

T-20 TORX BLADE



TL-3990

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3991--BLADE - T-25 TORX

T-25 TORX BLADE



TL-3991

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4604--BLADE - T-6 TORX

T-6 TORX BLADE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4558 to TL-4563--BLADE - HEX



- TL-4558 - 1.5 mm
- TL-4559 - 2 mm
- TL-4560 - 2.5 mm
- TL-4561 - 4 mm
- TL-4562 - 5 mm
- TL-4563 - 5.5 mm

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3177 to TL-3183--BLADE - NUT DRIVE



- TL-3177 - 3/16 in.
- TL-3179 - 1/4 in.
- TL-3181 - 5/16 in.
- TL-3183 - 3/ 8 in.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2855, TL-2856--BLADE - NUT DRIVE



- TL-2855 - 1/4 in. MA
- TL-2856 - 5/16 in. MA

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4168--BLADE - 7mm DRIVER

7 mm DRIVER BLADE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - SOLDERING EQUIPMENT

TL-1184--STICK - ORANGE

ORANGE STICK



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8128--SOLDER



TL-1384

60% tin, 40% lead, RESIN CORE SOLDER 0.71 mm (0.028 in.) diameter, 6.4 mm (21 ft.) long.

A general purpose SOLDER for all electronic equipment. Packaged in a small dispenser tube. Especially recommended for CIRCUIT BOARDS and all amateur and audiovisual products where type R or type RMA chloride free resin flux SOLDER is required. From time to time the SOLDER may be changed to obtain optimum results in field use.

Copyright © 2000, Eastman Kodak Company

TL-1443--CLIP - HEAT SINK



TL-1443

Hunter No. 51G, HEAT SINK CLIP.

Overall size: 32 mm (1.250 in.) length.

TL-1444 - *Hunter*, No. 51E, HEAT SINK CLIP.

Overall size; 51 mm (2 in.) length.

Copyright © 2000, Eastman Kodak Company

1C8129--WICK - SOLDER

Solder Removal Company, No. 40-3-05 SOLDER WICK.

Use only with a 45 Watt or larger SOLDERING IRON.

TL-1-4718

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2818--IRON - 35 WATT SOLDERING



TL-2818

The SOLDERING IRON is used in most repairs that require the soldering or desoldering of electrical or electronic components. When the SOLDERING IRON is ordered from SPM the following tools are included:

- TL-2819 SOLDERING IRON TIP
- TL-2821 SOLDERING IRON SETSCREW

Overall size: 178 mm (7 in.)

Power: 35 watt, 3 wires with positive ground. The SOLDERING IRON also includes a SUPER-FLEXIBLE POWER CORD.

TL-2819 - Overall size: 4.8 x 57.2 mm (3/16 x 2 1/4 in.)

TL-2820 - The shape of the SOLDERING IRON TIP is a turned down, narrow, semi-chisel.

TL-2929 - Overall size: 4.8 x 57.1 mm (3/16 x 2 1/4 in.)

Copyright © 2000, Eastman Kodak Company

TL-2822--HOLDER - SOLDERING IRON

SOLDERING IRON HOLDER



Copyright © 2000, Eastman Kodak Company

TL-2819--TIP - SOLDERING REPLACEMENT

STANDARD SOLDERING REPLACEMENT TIP



Copyright © 2000, Eastman Kodak Company

TL-2820--TIP - REPLACEMENT

NARROW REPLACEMENT TIP



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2823--SPONGE - SOLDERING IRON CLEANING

SOLDERING IRON CLEANING SPONGE

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2929--TIP - REPLACEMENT



REPLACEMENT TIP for HEXAGON SOLDERING IRONS

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3608--TIP - SOLDERING

To be used with SOLDERING IRON TL-2818. Sharp thin tip.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3609--TIP - SOLDERING



To be used with SOLDERING IRON TL-2818. Thin chisel tip.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3314--PUMP - VACUUM DESOLDER



TL-3314

Static free desoldering PUMP, for removing molten solder from a circuit (Anti-static). Replacement TIP - TL-3320.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4241--TIP - SOLDER KNIFE

SOLDER KNIFE TIP

TL-4241

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - SPRING HOOKS

TL-1165--TOOL - 8 INCH SPRING HOOKING

Push and Pull style, 203 mm (8 in.) long.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2008--TOOL - SPRING HOOKING



Pull style, 178 mm (7 in.) long

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2009--TOOL - SPRING HOOKING

Pull style, 178 mm (7 in.) long

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3063--HOOK - HEAVY DUTY PUSH/PULL SPRING

Size: 8 1/4 in. long

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3936--HOOK - SPRING

6 1/2 in. long.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4131--HOOK - SPRING

Single ended.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4134--HOOK - SPRING

9 1/2 in. long with Finger Loop.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - THERMOMETERS/POCKET HUMIDITY TESTERS/AIR METERS

TL-1582--THERMOMETER - DIAL



8 inch stem

Range: -18 to 104ºC (0 to 220ºF)

Graduations: 1.1ºC (2ºF)

Size Stem: 101.6 mm (4 in.); Dial Diameter: 76.2 mm (3 in.)Material: Stainless steel

Weston Instruments, Catalog No. 2261

Copyright © 2000, Eastman Kodak Company

TL-2127--THERMOMETER- DIAL



TL-2127

8 inch stem

Range: -10 to 204ºC (50 to 400ºF)

Graduations: 3ºC (5ºF)

Material: Stainless steel

Weston Instruments, Catalog No. 2261

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2348-1--THERMOMETER - DIAL



80ºF to 180ºF

DIAL THERMOMETER, Weston Instruments, Model 2265, 203 mm (8 in.) stem, MIRRORBRAND, 1P Resolution, supplied with a hard rubber CARRYING CASE with an attached POCKET CLIP. Recommended for servicing the *Kodak Oracle* RETRIEVAL TERMINAL, *Kodak Starvue* READER-PRINTER, and *Kodak Starfiche* READER-PRINTER.

Use TL-2348 for Celcius applications.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2431--METER - AIR



Measures air velocity and static pressure. Air velocity high range 1000 - 4000 fpm, low range 260 - 1200 fpm.

Static pressure, inches w.c. high range 0.05 - 1.0 in., low range 0.005 - 0.09 in.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2491--SENSOR - THERMAL

THERMAL SENSOR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2635--TESTER - POCKET HUMIDITY

POCKET HUMIDITY TESTER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4802 --THERMOMETER - DIAL

5 inch STEM, 25/125 degrees F.



Copyright © 2000, Eastman Kodak Company

MECHANICAL - TOOL KITS/CASES/KITS

TL-1588--Kit - *Kodak* Service Developing



The Kodak Service Developing Kit TL-1588 will provide service personnel with an economical and convenient means of developing film tests on customer's premises. The appearance of a neat-looking DEVELOPING KIT, handled with the least possible mess, can only add to a customer's appreciation of the Kodak service system.

The complete DEVELOPING KIT TL-1588 consists of the following:

Quantity	Part Name	Part No.
1	CHANGING BAG	TL-1191
1	DEVELOPING TANK	TL-1325
1	THERMOMETER	TL-4802
2	SOLUTION FLASKS, 8 oz.	TL-1330
1	FUNNEL	TL-1584
1	35 mm ROLL FILM PROCESSING APRON	TL-1585
1	Kodak UNIVERSAL MQ DEVELOPER/FIXER	TL-1586

Replacements for the DEVELOPER and FIXER are to be ordered in the same manner as all service parts and supplies. The plastic solution flasks are reasonably impervious to photographic chemical action; however, it is not intended that they be used to store chemical solutions for an indefinite period. These particular chemicals will not keep for any length of time and they are to be made up only as needed. For the sake of convenience, the flasks may occasionally be used to carry ready-mixed chemicals to an installation. Be careful to identify the solutions properly by following the suggested color code for the solution flask caps (black for DEVELOPER - white for FIXER).

Copyright © 2000, Eastman Kodak Company

TL-1848--BOX, 8 COMPARTMENT

8 COMPARTMENT BOX



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1849--BOX, 4 COMPARTMENT

4 COMPARTMENT BOX



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1850--BOX, 36 COMPARTMENT

36 COMPARTMENT BOX



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1851--BOX, 6 COMPARTMENT

6 COMPARTMENT BOX



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1852--BOX, 18 COMPARTMENT

18 COMPARTMENT BOX



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3049--BIN

19 in. x 11.5 in. BIN



TL-3049

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3050--COVER

19 in. x 11.5 in. COVER



TL-3050

Copyright © 2000, Eastman Kodak Company

TL-2461--CART - HAND

HAND CART

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2712--PALLETS - CASE

CASE WITHOUT PALLETS



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2713--PALLET-FICHE POCKET



PALLET-FICHE POCKET

TOP PALLET only - TL-2083

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2975--KIT - HAND CART STRIP

HAND CART STRIP KIT



Copyright © 2000, Eastman Kodak Company

TL-3354--KIT - LEVEL 1 CUSTOMER MAINTENANCE

LEVEL 1 CUSTOMER MAINTENANCE KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3628--CLEANER - CASE FOR VACUUM

CASE FOR VACUUM CLEANER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3739--CASE



CASE with PALLETS

Replacement PALLETS:

TL-4831 - TOP PALLET

TL-4832 - BOTTOM PALLET

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3739-1--LOCK - LATCH



TL-3739-1

For TL-3739

New chrome LATCH LOCK - TL-4886

Old gold LATCH LOCK - 952806

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952806--LATCH LOCK



LATCH LOCK, GOLD

For use with TL-3739

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3739-2--KIT - HANDLE AY REPAIR



For TL-3739

New chrome HANDLE AY REPAIR KIT - TL-4887

Old gold HANDLE AY REPAIR KIT - 952953

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4887--HANDLE

HANDLE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3739-4--HINGE



Package of 1 for TL-3739.

New chrome HINGE - TL-4888

Old gold HINGE - 952804

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3772--TOOL CASE

SOFTSIDE TOOL CASE



TL-3772

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3890--CASE

Service Module CASE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4180--KIT - METRIC FASTENER

METRIC FASTENER KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4246--CASE

CASE for the DAD LAPTOP (soft)



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4295--KIT - FINISHER HARDWARE



FINISHER HARDWARE KIT includes:

- TL-1850 - 36 COMPARTMENT
- TL-1851 - 6 COMPARTMENT
- 031576 - NUT
- 045322 - NUT
- 050128 - HEX HD SCREW
- 060539 - SCREW
- 067481 - SCREW
- 067531 - SETSCREW
- 067800 - SCREW
- 070838 - SETSCREW
- 077521 - SETSCREW
- 077829 - SCREW
- 079643 - SETSCREW
- 095364 - WASHER
- 101515 - SCREW
- 101557 - SCREW
- 107260 - SCREW
- 123277 - SCREW
- 126665 - FUSE - 2 A 250 V
- 131075 - RETAINING RING
- 132927 - FUSE - 3 A 250 V
- 139941 - FUSE - 5 A
- 141049 - FUSE - 4 A
- 141535 - PIN
- 155010 - WASHER
- 158932 - NUT
- 166323 - PIN
- 281075 - CLIP
- 281091 - O-RING
- 281098 - SPRING
- 288085 - SPRING
- 288091 - SPRING
- 288092 - SPRING
- 371072 - SCREW
- 421543 - WASHER
- 523012 - FUSE 10A 250 V
- 524090 - SCREW
- 529737 - SCREW
- 554424 - PIN
- 589339 - CAP SCREW
- 622225 - PIN - M
- 622233 - PIN - F
- 717031 - KNOB
- 717092 - GROMMET
- 719177 - SPRING
- 719178 - SPRING
- 719331 - SHIM
- 772220 - SCREW
- 850196 - SCREW
- 850201 - SCREW
- 850225 - SCREW
- 850240 - SCREW
- 850921 - CAP SCREW
- 851050 - PIN
- 851136 - SCREW
- 851352 - PIN
- 852326 - PIN
- 852850 - SCREW
- 852999 - PIN

Copyright © 2000, Eastman Kodak Company

TL-4299--CASE WITH STORAGE BOXES

CASE WITH STORAGE BOXES



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4371--CASE

For laptop and tools



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4383--KIT - *Kodak Imagelink* PRINT



Contains:

- DROP CLOTH
- APERTURED TONER WIPER
- YELLOW TACK CLOTH (TL-4027)
- ALCOHOL SWABS
- ALCOHOL CLEANING PAD
- CONSOLE/TRIM CLEANING PADS (TL-3128)
- SHOP TOWELS (white)
- FUSER CLEANING PADS (TL-3416)
- WATERLESS HAND CLEANER PAD (1C8055)
- 6 in. WOODEN/COTTON TIP SWABS

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4661--KIT - HARDWARE

1500 HARDWARE KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4821--KIT - CUSTOMER MAINTENANCE

CUSTOMER MAINTENANCE KIT



TL-4821

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4831--PALLET - TOP

TOP PALLET for CASE TL-3739



Copyright © 2000, Eastman Kodak Company

TL-4832--PALLET - BOTTOM

BOTTOM PALLET



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-6265--KIT -BASIC TOOL



Contains:

- TL-1165 - SPRING HOOK TOOL
- TL-1172 - OILER
- TL-1189 - POCKET KNIFE
- TL-1196 - #1 Phillips SCREWDRIVER
- TL-1200 - 6 in. Diag. CUTTING PLIER
- TL-1201 - 6 in. NEEDLE NOSE PLIERS
- TL-1207 - TWEEZERS
- TL-1210 - ALLIGATOR CLIP
- TL-1212 - FINE HAND STONE
- TL-1258 - 6 in. ADJUSTABLE WRENCH
- TL-1260 - 4 oz. HAMMER
- TL-1286 - 1/4 in. CHISEL
- TL-1292 - 6 in. FLAT MILL FILE
- TL-1294 - SOLDER PACK
- TL-1316 - RETAINING RING PLIER.038 Tip 90D
- TL-1317 - RETAINING RING PLIER.070 Tip 90D
- TL-1383 - 6 in. NARROW PILLAR FILE
- TL-1396 - 1/4 in. x 4 in. SCREWDRIVER RD BLADE
- TL-1401 - OPEN END WRENCH SET
- TL-1445 - AC RECEPTICLE
- TL-1481 - TUNING TOOL
- TL-1607 - Allen WRENCH SET - Ball End, English 0.05 - 5/16 in.
- TL-1926 - TAG POWER WARNING
- TL-1928 - APPLICATOR
- TL-2020 - CRIMPING TOOL
- TL-2041 - 5 in. CURVED HEMOSTAT
- TL-2042 - STRAIGHT FORCEPT
- TL-2094 - TEST LEAD RED
- TL-2096 - TEST LEAD BLACK
- TL-2156 - 2 in. BRISTLE BRUSH
- TL-2252 - ROLL PIN PUNCH
- TL-2253 - #6 OVAL SASH BRUSH
- TL-2257 - 1/4 DRIVE SOCKET SET
- TL-2372 - THICKNESS GAUGE
- TL-2511 - 1/16 CENTER PUNCH
- TL-2579 - IR PHOSPHUR PROBE
- TL-2591 - SCREWSTARTER Phillips/slotted
- TL-2762 - ENGLISH/METRIC RULER
- TL-2766 - SOCKET SET 1/4 in.
- TL-2776 - 3/16 in. SCREWDRIVER INSERT BIT
- TL-2777 - 1/4 in. SCREWDRIVER INSERT BIT
- TL-2778 - #1 Phillips INSERT BIT
- TL-2779 - #2 Phillips INSERT BIT
- TL-2818 - SOLDERING IRON
- TL-3027 - SKT 9/16 1/4 DR
- TL-3063 - SPRING HOOK - large
- TL-3168 - KEY CAP PULLER
- TL-3255 - 6 pc. TORX BIT SET T-7 - T-30
- TL-3257 - T-10 TORX INSERT BIT
- TL-3258 - T-15 TORX INSERT BIT
- TL-3259 - T-20 TORX INSERT BIT
- TL-3260 - T-25 TORX INSERT BIT
- TL-3346 - ESD WORKSTATION
- TL-3386 - DIGITAL MULTIMETER
- TL-3583 - STUBBY MAGNETIC BIT DRIVER
- TL-3739 - TOOL CASE
- TL-3761 - MAGNETIC SCREWDRIVER with BITS
- TL-3789 - Allen WRENCH SET - Ball End
- TL-3798 - MAGNETIC SCREWDRIVER with BITS
- TL-3886 - T-8 TORX INSERT BIT
- TL-4505 - 11 - 5/15 in. MAGNETIC SCREWDRIVER
- TL-4841 - GROOVE JOINT PLIERSADE
- TL-4842 - 1 - 1/4 in. ROUND MIRROR with TELESCOPING MAGNET
- TL-4843 - #0 Phillips INSERT BIT
- TL-4845 - 4 in. EXTENSION BLADE
- TL-4846 - 3/32 in. HEX INSERT BLADE
- TL-4847 - 7/16 in. HEX BLADE INSERT
- TL-4851 - 0.50 HEX INSERT BIT
- TL-4852 - 1/8 in. HEX INSERT BIT
- TL-4853 - 9/64 in. HEX INSERT BIT
- TL-4856 - 1/16 in. HEX INSERT BIT
- TL-4857 - 5/32 in. HEX INSERT BIT
- TL-4860 - 5/64 in. x 1 1/4 in. HEX BIT
- TL-4870 - 10 pc. MIDGET METRIC WRENCH SET
- TL-4873 - 1/8 in. SCREWDRIVER INSERT BIT
- TL-4874 - 3/16 x 1 1/4 in. HEX BIT
- TL-4885 - 21 pc. BIT KIT
- 1C8011 - EPOXY PACKAGE of 5
- 1C8038 - SYNTHETIC INSTR. OIL
- 1C8049 - SPRAY GREASE
- 1C8050 - PLASTIC GREASE #2
- 1C8051 - PLASTIC GREASE #2 MOLY
- 762356 - WET and DRY SANDPAPER Pkg. Assortment
- 952768 - TERMINAL ASST. KIT
- 952968 - ELECTRICAL TAPE

Copyright © 2000, Eastman Kodak Company

TL-6360--KIT - PARTS STORAGE



Includes:

- TL-1684 - BOX COMPARTMENT 1
- TL-1685 - BOX COMPARTMENT 4
- TL-1734 - STORAGE BOX - 1 inch
- TL-1735 - STORAGE BOX - 2 inch
- TL-1736 - STORAGE BOX - 4 inch
- TL-1749 - PLASTIC BAG
- TL-1750 - PARTS DESCRIPTION CARD
- TL-1848 - BOX COMPARTMENT 8
- TL-1849 - BOX COMPARTMENT 4
- TL-1850 - BOX COMPARTMENT 36
- TL-1852 - BOX COMPARTMENT 18
- TL-3049 - BIN 19 x 11.5 in.
- TL-3050 - COVER. For TL-3049
- TL-3051 - BIN - 11.5 x 9.5 in.
- TL-3052 - COVER. For TL-3051
- TL-4414 - BIN - 11.5 x 24 in.
- TL-4415 - COVER. For TL-4414

Also available:

- TL-1857
- TL-1858

Copyright © 2000, Eastman Kodak Company

952764--KIT No. 1 - S3 HARDWARE



952764 includes:

- TL-1850 - 36 COMPARTMENT
- 019878 - WASHER
- 061745 - WASHER
- 094623 - SETSCREW
- 104221 - RETAINERS
- 122715 - SCREW
- 122717 - SCREW
- 128527 - RETAINING RING
- 129757 - RING
- 131075 - RING
- 138253 - RING
- 141818 - RETAINER
- 149878 - RETAINING RING
- 168736- WASHER
- 179891 - SCREW
- 183481 - WASHER
- 186681 - PIN
- 188363 - SCREW
- 189882 - WASHER
- 193383 - BEARING
- 194715 - WASHER
- 196101 - RING
- 421673 - SPACER
- 427623 - SPACER
- 428145 - RETAINING RING
- 429724 - RETAINER ACTUATE ARM
- 793702 - SCREW
- 793706 - SCREW
- 794221 - RETAINING RING
- 794223 - RETAINING RING
- 796455 - PIN
- 997019 - CLIP

Copyright © 2000, Eastman Kodak Company

952765--KIT (Mid-Volume) - HARDWARE



952764 HARDWARE KIT S3 No. 1

952765 HARDWARE KIT includes:

- TL-1852 - 18 COMPARTMENT
- 155086 - SCREW
- 157555 - RING
- 166072 - NUT
- 167725 - SCREW
- 168408 - CAP SCREW
- 169679 - CAP SCREW
- 177999 - WASHER
- 423858 - WASHER
- 426057 - TAP SCREW
- 426611 - NUT
- 429697 - PIN
- 792403 - RETAINING RING
- 793576 - PIN
- 794224 - RETAINING RING
- 794502 - WASHER
- 851089 - SCREW

Copyright © 2000, Eastman Kodak Company

MECHANICAL - WRENCHES - ALLEN, HEX, TORX

TL-1035--HANDLE - 1/4 DRIVE SPINNER

Length: 6 inches



Copyright © 2000, Eastman Kodak Company

TL-1590 to TL-1606--WRENCH - ALLEN



- TL-1590 - 5/64 in.
- TL-1591 - 1/8 in.
- TL-1592 - 3/32 in
- TL-1593 - 1/16 in.
- TL-1594 - 0.050 in.
- TL-1595 - 7/64 in.
- TL-1596 - 9/64 in.
- TL-1599 - 0.028 in.
- TL-1601 - 0.035 in.
- TL-1602 - 5/32 in.
- TL-1604 - 3/8 in.
- TL-1606 - 1/4 in.

Copyright © 2000, Eastman Kodak Company

TL-1607--WRENCH - ALLEN



ALLEN WRENCH SET - BALL END.

Sizes: 0.050 to 5/16 inches.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1768--WRENCH



Special 0.060 mm thick WRENCH for removing and adjusting the SPINDLE NUTS on the *Recordak Instamatic* PROCESSOR.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2392--WRENCH - IMPRINT HEAD SPANNER



Approximately 1.25 inch in length with 3/4 in. knurl with SPANNER WRENCH on both ends. Recommended for adjusting modules on the new style IMPRINT HEAD used on the *Recordak Reliant* 700 MICROFILMER.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2450--TOOL -FOCUS ADJUSTING

FOCUS ADJUSTING TOOL



TL-2450

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2764--WRENCH SET, METRIC ALLEN

METRIC ALLEN WRENCH SET



TL-2764

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3261--TORX L-WRENCH SET



Contains 5 TORX L-WRENCHES in a plastic pouch:

- T-7 (TL-3262)
- T-10 (TL-3263)
- T-15 (TL-3264)
- T-20 (TL-3265)
- T-25 (TL-3266)
- T-30 (TL-3885)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3789--SET - METRIC ALLEN BALL

Size: 1.5 - 10 mm



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4657--L -WRENCH - BALL POINT

2 mm



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4648--WRENCH - ALLEN

2 mm ALLEN WRENCH

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1665--WRENCH- LONG ARM ALLEN

4 mm ALLEN WRENCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1693--WRENCH- LONG ARM ALLEN

2 mm ALLEN WRENCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3293--WRENCH- LONG ARM ALLEN

1.5 mm ALLEN WRENCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4655--WRENCH- LONG ARM ALLEN

2 mm ALLEN WRENCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4656--WRENCH SET - ALLEN

ALLEN WRENCH SET 1.5 to 5.0 mm



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4659--WRENCH SET - ALLEN

ALLEN WRENCH SET 1.5 mm - 5.0 mm



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - WRENCHES - BOX, OPEN

TL-1255--WRENCH - 9/16 INCH OPEN-END



Length: 140 mm ($5^1/_2$ in.). Thickness 4.8 mm (3/16 in.). The WRENCH has the same size opening at each end. The openings are angled at 15 and 75 degrees from the center line of the WRENCH. The finish is chrome plated.*Armstrong Bros. Tool Company*, No. 1136.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1401--WRENCH SET - English



TL-1401

Contains:

- 6 pt. Midget Combo Wr. 5/32 x 3/16 in.
- 6 pt. Midget Combo Wr. 3/16 x 5/32 in.
- 6 pt. Midget Combo Wr. 5/32 x 3/16 in.
- 12 pt. Midget Combo Wr. 13/64 x 7/32 in.
- 12 pt. Midget Combo Wr. 7/32 x 15/64 in.
- 12 pt. Midget Combo Wr. 15/64 x 1/4 in.
- 12 pt. Midget Combo Wr. 1/4 x 9/32 in.
- 12 pt. Midget Combo Wr. 9/32 x 5/16 in.
- 12 pt. Midget Combo Wr. 5/16 x 11/32 in.
- 12 pt. Midget Combo Wr. 11/32 x 3/8 in.
- 12 pt. Midget Combo Wr. 3/8 x 7/16 in.

Each WRENCH has the same size opening at each end. The openings are angled at 15 and 75 degrees from the center line of the WRENCH. All WRENCHES are chrome plated. The OPEN-END WRENCH SET is packaged in a PLASTIC TOOL ROLL. *Armstrong Bros. Tool Company*, Set No. 1140P.

Copyright © 2000, Eastman Kodak Company

TL-1668 --WRENCH - 10 mm OPEN-END

15º opening box, 130 mm long



TL-1668

Copyright © 2000, Eastman Kodak Company

TL-2093--WRENCH - 1/2 INCH OPEN END



Length: 115 mm ($4^1/_2$ in.).

Thickness: 4.0 mm (5/32 in.).

The WRENCH has the same size opening at each end. The openings are angled at 15 and 75 degrees from the center line of the WRENCH. The finish is chrome plated. *Armstrong Bros. Tool Company*, Set No. 1132.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2483--WRENCHES - 5/8 and 3/4 INCH BOX



12 point deep offset DWARF BOX WRENCH $^{5}/_{8}$ x $^{3}/_{4}$ x 6 29/64 in.

Used in *Kodak Ektaprint* COPIER-DUPLICATORS.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2765--WRENCH SET - METRIC OPEN-END



Contains:

- TL-1934, 4 mm OPEN-END WRENCH
  - 90º and 15º openings, 76 mm long.
- TL-1935, 5 mm OPEN-END WRENCH
  - 90º and 15º openings, 75 mm long.
- TL-1936, 5.5 mm OPEN-END WRENCH
  - 90º and 15º openings, 75 mm long
- TL-1937, 6 mm OPEN-END WRENCH
  - 15º opening box, 105 mm long
- TL-1938,7 mm OPEN-END WRENCH
  - 15º opening box, 117 mm long
- TL-1667, 8 mm OPEN-END WRENCH
  - 15º opening box, 110 mm long
- TL-1671, 9 mm OPEN-END WRENCH
  - 15º opening box, 110 mm long
- TL-1668, 10 mm OPEN-END WRENCH
  - 15º opening box, 130 mm long
- TL-1706, 11 mm OPEN-END WRENCH
  - 15º opening box, 170 mm long
- TL-1670, 14 mm OPEN-END WRENCH
  - 15º opening box, 150 mm long
- TL-1673, 19 mm OPEN-END WRENCH
  - 15º opening box, 180 mm long

Copyright © 2000, Eastman Kodak Company

TL-2864--WRENCH - 1/4 INCH OPEN-END COMBINATION

1/4 inch open end and box end. 102 mm (4 in.).



TL-2864

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4098--WRENCH, OPEN END

30 mm OPEN END WRENCH



TL-4098

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2770--WRENCH - OPEN END

1 in. OPEN END WRENCH



TL-2770

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2977--WRENCH - 9/16 X 5/8 INCH BOX

9/16 x 5/8 in. BOX WRENCH



TL-2977

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3031--WRENCH - 1/4 X 5/16 INCH BOX

1/4 x 5/16 in. BOX WRENCH



TL-3031

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3582--WRENCH - RATCHET BOX-END

3/8 X 7/16 inch.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1258--WRENCH - ADJUSTABLE

6 in.



TL-1258

Copyright © 2000, Eastman Kodak Company

TL-4058--WRENCH - ADJUSTABLE

10 in.



Copyright © 2000, Eastman Kodak Company

TL-4366--WRENCH

1/4 x 1/4 in. WRENCH



TL-4366

Copyright © 2000, Eastman Kodak Company

MECHANICAL - WRENCHES - PIPE

TL-1424--WRENCH - 10 INCH ADJUSTABLE PIPE



Capacity: $^{1}/_{8}$ to 1 $^{1}/_{2}$ in. pipe, approximately 1 mm to 48 mm (0.040 to 1.90 in.) outside diameter.

Length: 240 mm (10 in.)

Head Thickness: 19 mm ($^{3}/_{4}$ in.)

Painted finish.

Copyright © 2000, Eastman Kodak Company

MECHANICAL - WRENCHES - SOCKET/SPECIAL

TL-1036--EXTENSION - 1/4 DRIVE

Length: 51 mm (2 in.).

TL-1036

Copyright © 2000, Eastman Kodak Company

TL-2257--SOCKET SET - 1/4 INCH SQUARE-DRIVE



1/4 INCH SQUARE-DRIVE SOCKET SET

Contents: 6-POINT SINGLE-HEX SOCKETS:

3/16, 5/16, $^{1}/_{2}$, 7/32, 11/32, 9/16 in., $^{1}/_{4}$, $^{3}/_{8}$, 9/32, 7/16

Contents: 8-POINT DOUBLE-SQUARE SOCKETS:
$^{1}/_{4}$, 5/16, $^{3}/_{8}$ 152 mm (6 in.) EXTENSNION
112 mm (4 7/16 in.) RATCHET HANDLE

The $^{1}/_{4}$ INCH SQUARE-DRIVE SOCKET SET is packaged in a metal CASE

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2276--SOCKET - 3/8 INCH, 8-POINT

This SOCKET fits $^{3}/_{8}$ in. SQUARE NUTS or BOLT HEADS.



TL-2276

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2368--DRIVER - 1/4 INCH HEX

This is a special thin walled NUT DRIVER for the removal of the CASE SCREWS on all *Kodak Moviedeck* PROJECTORS.



TL-2368-1

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2486--ADAPTER - 1/4 To 3/8 INCH SOCKET

The SOCKET ADAPTER is $^{3}/_{8}$ in. male and $^{1}/_{4}$ in. female holes for $^{1}/_{4}$ Square Drive.



TL-2486

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2693--WRENCH - FOCUS



The FOCUS WRENCH is used for adjusting the lenses on *Kodak Ektra* CAMERAS for optimum focus.

Overall size: 4.4 x 2.2 cm ($1\ ^{3}/_{4}$ x $^{7}/_{8}$ in.)

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2763--JOINT - UNIVERSAL

1/4 in.

TL-2763

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2766--SOCKET SET - METRIC



SOCKETS only, $^{1}/_{4}$ in. Square Drive.

Contents: 6 point SOCKETS

4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14.

Other $^{1}/_{4}$ in. SOCKETS:

- TL-4963 - 5.5 mm Magnetic
- TL-4964 - 7.0 mm Magnetic
- TL-4965 - 10.0 mm Magnetic

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3027--SOCKET - 9/16 INCH

9/16 INCH SOCKET - 1/4 inch .

TL-3027

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3030--ADAPTER

3/8 - 1/4 in.



TL-3030

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3246--DRIVE - SOCKET

1/4 in.



TL-3246

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4170--WRENCH - GATE

GATE WRENCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4473--GEAR - WRENCH STAPLER

WRENCH STAPLER GEAR



TL-4473

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4571--EXTENSION - 1/4 INCH

14 inches long.



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4698--WRENCH

Large tool



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4699--WRENCH

Small tool



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4870--WRENCH SET - Metric



Contains:

- 6 pt. Midget Combo Wr. 4.5 4 mm
- 6 pt. Midget Combo Wr. 4 x 4.5 mm
- 6 pt. Midget Combo Wr. 5 x 5.5 mm
- 12 pt. Midget Combo Wr. 5 x 6 mm
- 12 pt. Midget Combo Wr. 5.5 x 6 mm
- 12 pt. Midget Combo Wr. 6 x 7 mm
- 12 pt. Midget Combo Wr. 7 x 8 mm
- 12 pt. Midget Combo Wr. 8 x 9 mm
- 12 pt. Midget Combo Wr. 9 x 10 mm
- 12 pt. Midget Combo Wr. 10 x 11 mm

Copyright © 2000, Eastman Kodak Company

MECHANICAL - WRENCHES - SPLINE

TL-2025--WRENCH - 0.048 INCH SPLINE

The SPLINE WRENCH has 4 splines for No. 2 and No. 3 SETSCREWS.

TL-1257 - The SPLINE WRENCH has 6 splines for No. 4 and No. 5 SETSCREWS.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4062--WRENCH SET - SPLINE

7 piece set.

Copyright © 2000, Eastman Kodak Company

TL-4115 to TL-4120--WRENCH - SPLINE

TL-4115 - .072

TL-4116 - .096

TL-4117 - .111

TL-4118 - .133

TL-4119 - .168

TL-4120 - .048

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

MECHANICAL - WRENCHES - TORQUE/TORQUE ADAPTERS

TL-1537--WRENCH - TORQUE



$^{3}/_{8}$ in. Square Drive.

Range: 0 to 150 by 2 $^{1}/_{2}$ inch-pounds ± 2% full scale.

Length: 254 mm (10 in.).

The TORQUE WRENCH has a follow-up pointer which records the highest torque applied to the bolt or by the equipment under test. *SNAP-ON Tools Corp.*, Model No. TE-12 FU.

Copyright © 2000, Eastman Kodak Company

TL-1696--WRENCH - TORQUE



1/4 Square Drive.

Range: 0 to 24 ounce-force inches by 1/4 inches by

1/2 ounce-force inches.

Length: 124 mm (4 7/8 in.)

The TORQUE WRENCH has a follow-up pointer which records the highest torque applied to the bolt or by the equipment under test. *SNAP-ON TOOLS Corp.*, Model TQSS-012-FRU. Use with TL-2026.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2026--ADAPTER - TORQUE WRENCH



Adapts TORQUE WRENCH TL-1696 to read torque on all 5/16 in. square FILM SUPPLY and TAKE-UP SPINDLES and MICROFILMER READER SPOOL and REEL SPINDLES. Use with TORQUE WRENCH TL-1696.

Copyright © 2000, Eastman Kodak Company

TL-2193--SCREWDRIVER - 1/4 INCH TORQUE



TL-2193

Range; 1 to 30 pound- inches.

Length: 152 mm (6 in.) approximately $^{1}/_{4}$ in. Square Drive.

Caution: Do not use TL-2193 or TL-2464 to adjust clutches except where specifically instructed in the Equipment Service Manual or Service Engineering Bulletins.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-2455--ADAPTER - TORQUE WRENCH



Jacobs drill chuck capacity of 1/16 to 3/8. Modified for a $^{3}/_{8}$ in. square socket drive for use on round shafts. When a torque setting is required using TL-1696, use ADAPTER TL-2486.

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4220--WRENCH - TORQUE

TORQUE WRENCH



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4354--WRENCH - TORQUE

TORQUE WRENCH APP



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4356--SCREWDRIVER - TORQUE

TORQUE SCREWDRIVER



TL-4356

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

SAFETY

TL-1449--SHIELD - FACE

FACE SHIELD



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-1926--WARNING - POWER

POWER WARNING

TL-1926

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3341--DISKETTE - DIAGNOSTIC

DIAGNOSTIC DISKETTE



TL-3341

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3346--KIT - ESD FIELD



TL-3346 ESD FIELD KIT includes:

- TL-3382 - COIL CORD F/W CLIP
- TL-3645 - COMMON GROUND CORD 10 ft.
- 15 x 20 in. GROUNDING MAT

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3382--WRIST BAND

ADJUSTABLE WRIST BAND



TL-3382

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4923--WRISTBAND, ADJUSTABLE

ADJUSTABLE WRISTBAND



TL-4923

Copyright © 2000, Eastman Kodak Company

TL-3397--KIT - ESD FIELD



TL-3397 ESD WORKSTATION includes:

- 5 ft. COIL CORD AND BAND
- 15 ft. GROUNDING CORD COMMON POINT
- 15 ft. GROUND CORD for MATS
- 4 x 6 ft. FLOOR MAT
- 2 x 4 ft. TABLE MAT

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3399--MAT - ESD TABLE

ESD TABLE MAT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3849--COAT - LAB TYVEK



Size Large, Package of 5.

952778 - Size large, package of 5

952779 - Size medium, package of 5

952780 - Size small, package of 5

952781 - Size XLarge, package of 5

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3910--SHIELD - EYE

EYE SHIELD



TL-3910

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3905--SHIELD - SIDE

For SAFETY GLASSES



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4322--MASK - DUST

3 per package



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4323--GLOVES - NITRILE



- 963067 - Nitrile Powder Free Glove, large - package of 50
- 963068 - Nitrile Powder Free Glove, extra large - package of 50

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4448--GOGGLES - LASER SAFETY

LASER SAFETY GOGGLES, for 633 nm HENE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4487--COVER - KEYBOARD

KEYBOARD COVER



TL-4487

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4579--REFLECTOR - TRIANGLE

TRIANGLE REFLECTOR



Copyright © 2000, Eastman Kodak Company

952776--RESPIRATOR

TL-2052-1 REPLACEMENT CARTRIDGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952782 to 952789--COVERALL - TYVEK



952782 - Size Extra Large

952783 - size large

952785 - size medium

952786 - size small

Also availalbe TYVEK COVERALL with BOOTS and HOOD:

952784 - size small

952787 - size large

952788 - size medium

952789 - size Extra large

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952793--GLASSES - SAFETY

SAFETY GLASSES



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952794--GLOVES - NEOPRENE

Package of 12



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952795--GLOVES - COTTON

COTTON GLOVES, pair

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952796--GLOVES - LATEX



Box of 100

- size small

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952801, 952802--GLOVES - LATEX



Boxes of 100

- 952801 - size medium
- 952802 - size large

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952797 to 952800--GLOVES - HEAVY RUBBER



- 952797 - size XLarge
- 952798 - size large
- 952799 - size medium
- 952800 - size small

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952803--COVER - HEAD

HEAD COVER

TL-3581

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952809--MASK

MASK



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

952955--COVER - SHOE

SHOE COVER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

1C8093--CHEM/TONER SPILL KIT

CHEM/TONER SPILL KIT



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

SOFTWARE

TL-3033--BOX - DISK STORAGE

5 1/2 in.



Copyright © 2000, Eastman Kodak Company

TL-3060--PF - MC DIAGNOSTIC DISKETTE

PF - MC DIAGNOSTIC DISKETTE



TL-3060

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3152--TAPE SCRATCH

2 Rolls. For KAR Systems and computers.



TL-3152

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3413--PACKAGE - MIP IV DIAGNOSTIC

MIP IV DIAGNOSTIC PACKAGE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3793--TECHNICIAN - PC

PC TECHNICIAN T90



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3937--UTILITIES - MIP IV HARD DISK FORMAT

MIP IV HARD DISK FORMAT UTILITIES



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3994--TAPE - DIAGNOSTICS MR

DIAGNOSTICS TAPE MR



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-3996--SIEMENS TEST MR

SIEMENS TEST MR



TL-3996

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4042--TECHNICIAN - PC

For PS2 Models 50/60



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4045--TAPE

TAPE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4074--TAPE - MAGNETIC

MAGNETIC TAPE



Copyright © 2000, Eastman Kodak Company

TL-4215--KIT - SERVICE DIAGNOSTICS

SERVICE DIAGNOSTICS KIT - 6500



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4297--DISKETTE - EDICON DIAGNOSTICS

EDICON DIAGNOSTICS DISKETTE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4298--SOFTWARE - NORTON UTILITIES

NORTON UTILITIES SOFTWARE

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4361--KIT - SOFTWARE LOAD

SOFTWARE LOAD KIT



Copyright © 2000, Eastman Kodak Company

TL-4404--DISKETTE - DIAGNOSTICS (270 RA)

DIAGNOSTICS DISC (270 RA)



TL-4404

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4462--MULTILOADER - *Kodak* X-OMAT

X-OMAT MULTILOADER 300

TL-4462

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4469--DISKETTE - OPT

OPT DISKETTE 10.2



Copyright © 2000, Eastman Kodak Company

TL-4550--DISKETTE - DIAGNOSTICS

TL-4551 - DIAGNOSTICS DISKETTE with MANUAL



TL-4551

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4551--DIAGNOSTICS - *Kodak* X-OMAT RA PROCESSORS SOFTWARE

SOFTWARE DIAGNOSTICS

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4570--SOFTWARE - LAND AND DATA

LAND AND DATA SOFTWARE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4578--TAPE - BLANK

BLANK TAPE 150 MB



TL-4578

Copyright © 2000, Eastman Kodak Company

TL-4610 to TL-4612--DISKETTE - COMPACT

- TL-4610 - CD CHECKOUT
- TL-4611 - CD 1KHZ SIGNAL
- TL-4612 - DC SPECIFICATION
-

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4615--DISKETTE - DIAGNOSTICS

DIAGNOSTICS DISC



TL-4615

Copyright © 2000, Eastman Kodak Company

TL-4649--DISKETTE - DIAGNOSTIC

DIAGNOSTIC DISK



TL-4649

Copyright © 2000, Eastman Kodak Company

TL-4672 to TL-4674--DIAGNOSTICS DISKETTE - MSDO

TL-4672

- TL-4672 - DIAGNOSTICS DISKETTE - MSDO
- TL-4673 - DIAGNOSTICS DISKETTE - KEY
- TL-4674 - DIAGNOSTICS DISKETTE - INSTRUCTION

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4675--DISKETTE - QNX FORMAT

QNX FORMAT DISK



TL-4675

Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4679--MANAGER - *Kodak* X-OMAT FIXER

FIXER MANAGER



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company

TL-4711--DISKETTE - REPAIR

REPAIR DISKETTE



Kodak Service & Support

Copyright © 2000, Eastman Kodak Company